

Use these tips to select data in tranSMART for comparison and analysis.


Selecting folders vs. single items

- If an entire folder is placed in a Subset box, all samples with a value for that data point are included in the subset regardless of the value (e.g. dragging the folder “Control” would include all samples with values of “LD”, “Non-Diabetic Mouse Kidney”, and “TN”).
- If only a single term is included, then only samples having that value are included (e.g. dragging “MN” would include only those samples assigned a value of “MN”).

Numerical values


If a numeric term is selected, values can be further restricted by choosing a filtering option from the pop-up menu. Select “No Value” to use all samples with any value.

Use the “Show Histogram” button (A) to find out what the available range of values.




AND vs. OR

- Terms in the same subset box are part of an “OR” statement: “Disease = MN OR MCD” (B).
- Separate subset boxes are joined together in “AND” statements: “Disease = FSGS” AND “Sex = Male” (C).



Setting up comparisons

Two different subsets (Subset 1 and Subset 2) can be defined and compared. In the example below, Subset 1: “MCD” OR “MN” AND “Male” is compared to Subset 2: “FSGS” AND “Male” (D).



Restricting data by study

To select data from only one study, include a study name concept in the subset (E).

To see what data is available for a study, drag a concept into subset 1. Then click on the Summary Statistics tab, and drag the study name folder into the active pane. Charts will appear showing counts of how many samples each study has for the property (F).

