This document was created with the trial version of TechWriter. This watermark is removed once a valid

TechWriter. This watermark is removed once a valid license is purchased. Visit www.adivo.com for purchase options.

Table of Contents

conplan	1
Db451197603	2

This document was created with the trial version of TechWriter. This watermark is removed once a valid license is purchased. Visit www.adivo.com for purchase options.

CONPLAN Framework 3.0

Overview

Sources

Name	Description
<u>Db451197603</u>	Beispiel Datenbank für CONPLAN Framework

Db451197603 Database

Description

Beispiel Datenbank für CONPLAN Framework

See Also

Tables

Tables: Db451197603

Tables

Name	Description
<u>artefakte</u>	
bib bereich	
bib item	
bib thema	
bib titel	
bib_zugriff	
bilder	
bilder topic	
char basis	
char fert	
char kopf	
char mag	
char nach	
<u>char rasse</u>	Charakter Rassen als Referenz
	was created with the trial version of
char trank TechWriter. Th	s watermark is removed once a valid
	ased. Visit www.adivo.com for
<u>char waf</u> purchase option	S.
con ablauf	
con andienst	Dienste fuer die Con Anmeldung
con anmeldung	
con buch	
con geruecht	
con gilde	
con grp user	Zugriffliste f r Con Gruppen
con konst	
con nsc	
con orte	
con sc	
con tage	
download	
forum post	
forum topic	
<u>forums</u>	
hilfe	

Tables

Name	Description
idea post	
kalender	
<u>legende</u>	
mag_grp	
mag_list	
menu bereich	bereiche der homepage
menu item	Menu eintraege der sub_bereiche, konkrete menus
menu page	die pages zu den Subbereiche, enthaelt hmtl bzw. text conten
menu sub	subbereich oder pagebereich
mfd_cols	Spaltendefinition MFD
mfd_list	Liste der Main Formular Definition
news	
regelwerk	Online Datensammlung
<u>spieler</u>	
syslog	
trank grp This document v	was created with the trial version of
	Eisteder Tracike's removed once a valid
	Este der Alchimie Pflanzen und Stoffe
<u>user liste</u> purchase option	S.

Table: artefakte

Columns

Name	Туре	Description
💡 id	int	
S0	varchar(10)	
name	varchar(30)	
kurz	varchar(50)	
ismagisch	enum	
Stufe	int	
bezeichnung	text	
herstellung	text	
wert	int	
mp_find	int	
mp_ident	int	
mp_zer	int	
r_sc	varchar(30)	
r_nsc	varchar(30)	
r_ort This do	varchar(30) as created	with the trial version of
r_sort TechWr	varchar(30); watermark	is removed once a valid

license is purchased. Visit www.adivo.com for purchase options.

Indexes purchase of

Name	Туре	Columns	Description
id	Unique	id	
idx_name	Non-unique	name	
idx_s0	Non-unique	S0	
PRIMARY	Unique	id, id	

Table: bib_bereich

Columns

Name	Туре	Description
₽ ID	int	
bereich	char(5)	
bereich_name	char(100)	

Indexes

Name	Туре	Columns	Description
ID	Unique	ID, ID	
PRIMARY	Unique	ID, ID	

Table: bib_item

Columns

Name	Туре	Description
₽ ID	int	
item	char(30)	
item_name	char(100)	

Indexes

Name	Туре	Columns	Description
FieldName	Unique	ID	
idx_item	Non-unique	item	
PRIMARY	Unique	ID, ID	

Table: bib_thema

Columns

Name	Туре	Description
₽ ID	int	
thema	char(30)	
thema_name	char(100)	

Indexes

Name	Туре	Columns	Description
ID	Unique	ID, ID	
PRIMARY	Unique	ID, ID	

Table: bib_titel

Columns

Name	Туре	Description
♀ ID	int	
bereich	varchar(30)	
thema	varchar(30)	
item	varchar(30)	
titel	varchar(40)	
Kurz	varchar(100)	
Text	text	
Author	varchar(40)	
kalender	varchar(5)	
jahr	varchar(5)	
stichwort	varchar(30)	
sort	varchar(30)	
owner	varchar(30)	
zugriff	enum	
pdf_link This d	cvarchar(100)as created	with the trial version of
logo_link TechV	r varchar(109) watermark	is removed once a valid
siegel_link icense		

purchase options.

Name	Туре	Columns	Description
idx_bereich_thema	Non-unique	bereich, titel	
idx_thema	Non-unique	bereich, thema	
name	Non-unique	bereich, titel	
PRIMARY	Unique	ID, ID	
TYP	Non-unique	bereich, thema	

Table: bib_zugriff

Columns

Name	Туре	Description
₽ ID	int	
bereich_id	int	
user_id	int	
bib_zugriff	enum	
bib_recht	enum	

Indexes

Name	Туре	Columns	Description
PRIMARY	Unique	id, ID	

Table: bilder

Columns

Name	Туре	Description
₽ ID	int	
tag	varchar(10)	
sort	tinyint	
Ifd	tinyint	
Name	varchar(30)	
beschreibung	text	
imgtype	varchar(65)	

Indexes

Name	Туре	Columns	Description
PRIMARY	Unique	ID, ID	
sort	Non-unique	tag, tag, sort, sort, lfd, lfd	

Table: bilder_topic

Columns

Name	Туре	Description
₽ ID	int	
name	varchar(30)	
tag	varchar(10)	
sort	tinyint	
path	varchar(65)	

Indexes

Name	Туре	Columns	Description
ID	Unique	ID, ID	
PRIMARY	Unique	ID, ID	

Table: char_basis

Columns

Indexes

Name	Туре	Description
₽ ID	int	
spieler_id	int	
name	varchar(50)	
beruf	varchar(50)	
rasse	enum	
gilde	varchar(50)	
hintergrund	text	
nsc	enum	
wappen_path	varchar(50)	
bild_path	varchar(50)	
lebenslauf	text	
tendenz	enum	
SL	enum	
aktiv	enum	

This document was created with the trial version of TechWriter. This watermark is removed once a valid

Name	Туре	Columns	Description
ID purchas	Unique .	ID, ID	
PRIMARY	Unique	ID, ID	

Table: char_fert

Columns

Name	Туре	Description
₽ ID	int	
char_id	int	
name	char(40)	
stufe	int	
EP	tinyint	
SL	enum	

Indexes

Name	Туре	Columns	Description
ID	Unique	ID, ID	
PRIMARY	Unique	ID, ID	

Table: char_kopf

Columns

Name	Туре	Description
₽ ID	int	
char_id	int	
notority	float	
klasse	enum	
lp	tinyint	
mp	int	
mpn	int	
ар	tinyint	
ks	tinyint	
ep_start	int	
ep_tage	int	
ep_vorteil	int	
ep_nachteil	int	
ep_fert	int	
ep_waf This do	ument was created	with the trial version of
ep_mag TechWr	ter. This watermark	is removed once a valid
	i s tpurchased. Visit w	
ep_rest purchas	enoptions.	
SL	enum	

Name	Туре	Columns	Description
ID	Unique	ID, ID	
PRIMARY	Unique	ID, ID	

Table: char_mag

Columns

Name	Туре	Description
₽ ID	int	
char_id	int	
Name	char(40)	
stufe	int	
EP	tinyint	
SL	enum	

Indexes

Name	Туре	Columns	Description
PRIMARY	Unique	ID, ID	

Table: char_nach

Columns

Name	Туре	Description
₽ ID	int	
char_id	int	
name	char(40)	
stufe	int	
EP	tinyint	
SL	enum	

Indexes

Name	Туре	Columns	Description
ID	Unique	ID, ID	
PRIMARY	Unique	ID, ID	

Table: char_rasse

Description

Charakter Rassen als Referenz

Columns

Name	Туре	Description
₽ ID	int	
name	varchar(10)	
MK	enum	
text	text	

Indexes

Name	Туре	Columns	Description
ID	Unique	ID, ID	
PRIMARY	Unique	ID, ID	

Table: char_tage

Columns

Name	Туре	Description
₽ ID	int	
char_id	int	
Name	char(40)	
conname	char(15)	
con	tinyint	
tage	tinyint	
con_ep	tinyint	
sonder_ep	tinyint	
notority	float	
SL	enum	

Indexes

Name	Туре	Columns	Description
PRIMARY	Unique	ID, ID	

Table: char_trank

Columns

Name	Туре	Description
₽ ID	int	
char_id	int	
Name	char(40)	
stufe	int	
EP	tinyint	
SL	enum	

Indexes

Name	Туре	Columns	Description
PRIMARY	Unique	ID, ID	

Table: char_vor

Columns

Name	Туре	Description
₽ ID	int	
char_id	int	
name	char(40)	
stufe	int	
EP	tinyint	
SL	enum	

Indexes

Name	Туре	Columns	Description
ID	Unique	ID, ID	
PRIMARY	Unique	ID, ID	

Table: char_waf

Columns

Name	Туре	Description
₽ ID	int	
char_id	int	
Name	char(40)	
KS	int	
EP	tinyint	
SL	enum	

Indexes

Name	Туре	Columns	Description
PRIMARY	Unique	ID, ID	

Table: con_ablauf

Columns

Name	Туре	Description
ÿ id	int	
S0	varchar(10)	
S1	varchar(10)	
S2	varchar(10)	
S3	varchar(10)	
NAME	varchar(30)	
KURZ	varchar(50)	
R_GRP	varchar(30)	
R_NSC	varchar(30)	
R_SC	varchar(30)	
R_ORT	varchar(40)	
R_GERUECHT	varchar(30)	
R_LEGEND	varchar(30)	
BESCHREIBUNG	text	
TAG This do	tinyietht was created	with the trial version of

TechWriter. This watermark is removed once a valid

Indexes

license is purchased. Visit www.adivo.com for

Name	Туре	Columns	Description
PRIMARY	Unique	id, id	
TAG	Non-unique	TAG, TAG	

Table: con_andienst

Description

Dienste fuer die Con Anmeldung

Columns

Name	Туре	Description
₽ ID	int	
tag	tinyint	
contag	tinyint	
typ	char(15)	
spieler	char(30)	
ref_id	int	

Indexes

Name	Туре	Columns	Description
PRIMARY	Unique	ID, ID	

Table: con_anmeldung

Columns

Name	Туре	Description
💡 id	int	
tag	tinyint	
name	varchar(30)	
email	varchar(75)	
abwasch	enum	
taverne	enum	
wc	enum	
nsc	enum	
aufbau	enum	
orga	enum	
kommentar	text	
spieler_id	int	

Name		Туре	Columns	Description
ID	1.1		idsidemoved once a	/alid
PRIMARY	license	B _{nique} chased. Visit w	Wid adivo.com for	
	purchas	e options.		

Table: con_buch

Columns

Name	Туре	Description
₽ ID	int	
S0	varchar(10)	
S1	varchar(10)	
S2	varchar(10)	
Name	varchar(30)	
Kurz	varchar(50)	
Text	text	
Wert	int	
r_sc	varchar(30)	
r_nsc	varchar(30)	
r_ort	varchar(30)	
r_sort	varchar(10)	
S2_1	varchar(10)	

Indexes This document was created with the trial version of

Name		Туре	Columns	Description
ID	license	Bniquechased. Visit w	Why Dadivo.com for	
PRIMARY	purchas	Unique .	ID, ID	

Table: con_geruecht

Columns

Name	Туре	Description
₽ ID	int	
Name	varchar(30)	
r_nsc	varchar(30)	
r_sort	varchar(10)	
Тур	tinyint	
frage	varchar(50)	
antwort_1	text	
antwort_2	text	
S0	varchar(10)	
S1	varchar(10)	
S2	varchar(10)	

Name		, ,	Columns	Description
ID			With the trial version	
PRIMARY		•	is removed once a	/alid
	license is	purchased. Visit w	ww.adivo.com for	
	purchase	options.		

Table: con_gilde

Columns

Name	Туре	Description
💡 id	int	
name	varchar(30)	
kurz	varchar(50)	
notority	enum	
hintergrund	text	
lebenslauf	text	
gm_id	int	
gm_name	varchar(50)	
NSC	enum	

Indexes

Name	Туре	Columns	Description
id	Unique	id, id	
PRIMARY	Unique	id, id	

Table: con_grp_user

Description

Zugriffliste f r Con Gruppen

Columns

Name	Туре	Description
₽ ID	int	
user_id	int	
grp_id	int	
IVI	tinyint	

Indexes

Name	Туре	Columns	Description
ID	Unique	ID, ID	
PRIMARY	Unique	ID, ID	

Table: con_konst

Columns

Name	Туре	Description
₽ ID	int	
tag	tinyint	
user_id	tinyint	

Indexes

Name	Туре	Columns	Description
ID	Unique	ID, ID	
PRIMARY	Unique	ID, ID	

Table: con_nsc

Columns

Name	Туре	Description
₽ ID	int	
S0	varchar(10)	
S1	varchar(10)	
S2	varchar(10)	
Name	varchar(30)	
kurz	varchar(50)	
r_grp	varchar(30)	
r_spieler	varchar(30)	
r_ort	varchar(30)	
r_sort	varchar(10)	
Notority	float	
Hintergrund	text	
auf_1	varchar(50)	
auf_2	varchar(50)	
auf_3 This do	varchar(50) as created	with the trial version of
		is removed once a valid
	varchar(50)sed. Visit w	
S2_1 purchas	varchar(10)	

Name	Туре	Columns	Description
ID	Unique	ID, ID	
PRIMARY	Unique	ID, ID	

Table: con_orte

Columns

Name	Туре	Description
₽ ID	int	
S0	varchar(10)	
S1	varchar(10)	
S2	varchar(10)	
Name	varchar(30)	
Bezeichnung	text	
Magie	text	
r_nsc	varchar(30)	
r_art	varchar(30)	
r_buch	varchar(30)	
r_sort	varchar(30)	

Name		Туре	Columns	Description
ID		I	With the trial version	
PRIMARY		•	is removed once a	/alid
	license	is purchased. Visit w	ww.adivo.com for	
	purchas	e options.		

Table: con_sc

Columns

Name	Туре	Description
₿ ID	int	
S0	varchar(10)	
S1	varchar(10)	
spieler_id	int	
Name	varchar(30)	
kurz	varchar(50)	
r_grp	varchar(30)	
r_char	varchar(30)	
r_ort	varchar(30)	
r_sort	varchar(10)	
Notority	float	
Hintergrund	text	
auf_1	varchar(50)	
auf_2	varchar(50)	
auf_3 This do	varchar(50) as created	with the trial version of
auf_4 TechWr	varchar(50) watermark	is removed once a valid
	yarchar(50)sed. Visit w	
S2 purchas	varchar(10)	

Name	Туре	Columns	Description
ID	Unique	ID, ID	
PRIMARY	Unique	ID, ID	

Table: con_tage

Columns

Name	Туре	Description
₽ ID	int	
tag	tinyint	
von	date	
bis	date	
kosten	float	
an_von	date	
an_bis	date	
bemerkung	varchar(50)	
text	text	
leg_id	int	

Indexes

Name	Туре	Columns	Description
PRIMARY	Unique	ID, ID	

Table: download

Columns

Name	Туре	Description
₽ ID	int	
name	varchar(30)	
kurz	text	
groesse	float	
path	varchar(65)	
bereich	enum	

Indexes

Name	Туре	Columns	Description
PRIMARY	Unique	ID, ID	

Table: forum_post

Columns

Name	Туре	Description
₽ ID	int	
foren_id	int	
top_id	int	
post_id	int	
author	varchar(30)	
datum	date	
betreff	varchar(50)	
text	text	
user_id	int	

Indexes

Name		Туре	Columns	Description
ID		Unique	ID, ID	
ID_2		Non-unique	ID, ID	
PRIMARY	his doo	Uniquet was created	With the trial version	1 of

TechWriter. This watermark is removed once a valid license is purchased. Visit www.adivo.com for purchase options.

Table: forum_topic

Columns

Name	Туре	Description
₽ ID	int	
Name	char(40)	
forum_id	int	
status	tinyint	

Indexes

Name	Туре	Columns	Description
forum_id	Non-unique	forum_id, forum_id	
ID	Unique	ID, ID	
ID_2	Non-unique	ID, ID	
PRIMARY	Unique	ID, ID	

Table: forums

Columns

Name	Туре	Description
₽ ID	int	
Name	varchar(40)	
admin	varchar(40)	
email	varchar(40)	
zugriff	tinyint	
pw	varchar(15)	
bezeichnung	text	

Indexes

Name	Туре	Columns	Description
ID	Unique	ID, ID	
ID_2	Non-unique	ID, ID	
name	Non-unique	Name, Name	
PRIMARY	Unique	ID, ID	_

Table: hilfe

Columns

Name	Туре	Description
₽ ID	int	
help_modul	varchar(100)	
help_sub	varchar(45)	
help_page	varchar(45)	
help_md	int	
Ifd	int	
help_titel	varchar(100)	
text	text	

Indexes

Name	Туре	Columns	Description
help_titel	Non-unique	help_titel	
ID	Unique	ID	
PRIMARY	Unique	ID, ID	

Table: idea_post

Columns

Name	Туре	Description
₽ ID	int	
author	varchar(30)	
datum	date	
betreff	varchar(40)	
text	text	
kategorie	enum	
user_id	int	
erl	enum	

Indexes

Name	Туре	Columns	Description
PRIMARY	Unique	ID, ID	

Table: kalender

Columns

Name	Туре	Description
₽ ID	int	
jahr	int	
kw	tinyint	
monat	tinyint	
mo	tinyint	
di	tinyint	
mi	tinyint	
do	tinyint	
fr	tinyint	
sa	tinyint	
so	tinyint	
mo_typ	enum	
di_typ	enum	
mi_typ	enum	
do_typ This do	cenument was created	with the trial version of
fr_typ TechWr	teeum This watermark	is removed once a valid
sa_typ icense	enporchased. Visit w	ww.adivo.com for
so_typ purchas	enuntions.	
bemerkung	char(50)	
contag	int	

Name	Туре	Columns	Description
KAL_ID	Unique	KAL_ID, ID	
PRIMARY	Unique	KAL_ID, KAL_ID, ID	

Table: legende

Columns

Name	Туре	Description
₽ ID	int	
S0	varchar(10)	
S1	varchar(10)	
S2	varchar(10)	
Name	varchar(30)	
Kurz	varchar(50)	
Datum	varchar(10)	
Beschreibung	text	

Indexes

Name	Туре	Columns	Description
ID	Unique	ID, ID	
PRIMARY	Unique	ID, ID	

Table: mag_grp

Columns

Name	Туре	Description
💡 id	int	
grp	char(3)	
grp_name	char(30)	

Indexes

Name	Туре	Columns	Description
id	Unique	id, id	
PRIMARY	Unique	id, id	

Table: mag_list

Columns

Name	Туре	Description
₽ ID	int	
grp	varchar(10)	
nr	smallint	
Stufe	tinyint	
name	varchar(50)	
Spruchdauer	varchar(75)	
Wirkdauer	varchar(75)	
Wirkbereich	varchar(75)	
Reichweite	varchar(75)	
Wirkung	text	
Kosten	varchar(75)	
Patzer	text	
Ausfuehrung	text	
MUK	enum	
RAR This do	enument was created	with the trial version of
GEIST TechWr	լ е քµm This watermark	is removed once a valid

license is purchased. Visit www.adivo.com for purchase options.

Name	Туре	Columns	Description
grp	Non-unique	grp, grp	
grp_2	Non-unique	grp, grp	
grp_3	Non-unique	grp, grp	
ID	Unique	ID, ID	
PRIMARY	Unique	ID, ID	
Stufe	Non-unique	Stufe, Stufe	

Table: menu_bereich

Description

bereiche der homepage

Columns

Name	Туре	Description
₽ ID	int	
bereich	varchar(45)	
bereich_titel	varchar(45)	
bereich_lvl	int	

Indexes

Name	Туре	Columns	Description
PRIMARY	Unique	ID, ID	

Table: menu_item

Description

Menu eintraege der sub_bereiche, konkrete menus

Columns

Name	Туре	Description
₽ ID	int	
bereich	varchar(25)	
sub	varchar(45)	
item_titel	varchar(45)	
item_typ	int	
item_icon_typ	int	
item_icon	varchar(45)	
item_link	varchar(200)	
item_sort	int	

Name	Туре	Columns	Description
idx_item TechWr	Mon-unique watermark	sub, removed once a	valid
idx_link license	Non-แก่คุณesed. Visit w	item_ank, vitem_ank for	
idx_ref purchas	Non-unique	ref_sub, bereich	
idx_sort	Non-unique	item_sort, item_sort	
PRIMARY	Unique	ID, ID	

Table: menu_page

Description

die pages zu den Subbereiche, enthaelt hmtl bzw. text conten

Columns

Name	Туре	Description
₽ ID	int	
ref_sub	varchar(25)	
page	varchar(45)	
page_titel	varchar(100)	
page_typ	int	
page_icon_typ	int	
page_icon	varchar(45)	
page_layout	varchar(45)	
page_text	text	

Name		Туре	Columns	Description
idx_page	TechWri	Mon-unique watermark	pagepage/ed once a v	/alid
idx_ref	license	Nan-แก่สุน e sed. Visit w	Yetvsab, repsum for	
idx_ref_page	purchas	Non-tinique	ref_sub, ref_sub, page, page	
idx_titel		Non-unique	page_titel, page_titel	
PRIMARY		Unique	ID, ID	

Table: menu_sub

Description

subbereich oder pagebereich

Columns

Name	Туре	Description
₽ ID	int	
ref_bereich	varchar(25)	
sub	varchar(25)	
sub_titel	varchar(45)	
sub_html	varchar(200)	
sub_images	varchar(200)	

Indexes

Name		Туре	Columns	Description
idx_ref		Non-unique	ref_bereich, ref_bereich	
idx_ref_sub		Non-unique	ref_bereich, ref_bereich,	
	This do	cument was created	Sub-sube trial version	n of
idx_sub	TechWr	Non-unique watermark	sub-reuboved once a	valid
PRIMARY	license	i <mark>ynigue</mark> chased. Visit w	WWPadivo.com for	

purchase options.

Table: mfd_cols

Description

Spaltendefinition MFD

Columns

Name	Туре	Description
₽ ID	int	
ref_mfd	varchar(45)	
mfd_pos	int	
mfd_field	varchar(45)	
mfd_field_titel	varchar(45)	
mfd_width	int	
mfd_field_typ	varchar(100)	

Indexes

Name		Туре	Columns	Description
idx_refmfm			ref_mfd, ref_mfm,	
	This do	cument was created	mfd_pos_mfd_posversion	n of
PRIMARY	TechWr	Unique his watermark	IPs IPemoved once a v	/alid

license is purchased. Visit www.adivo.com for purchase options.

Table: mfd_list

Description

Liste der Main Formular Definition

Columns

Name	Туре	Description
₽ ID	int	
ref_bereich	varchar(25)	
ref_sub	varchar(25)	
mfd_name	varchar(25)	
mfd_table	varchar(45)	
mfd_titel	varchar(45)	
mfd_fields	varchar(250)	
mfd_join	varchar(250)	
mfd_where	varchar(250)	
mfd_order	varchar(250)	

Indexes This document was created with the trial version of

Name	Туре	Columns	Description
idx_name lic	ense indhumiquesed. Visit	/ mfd_name, mfd_name	
idx_table PU	rchas Non-tinique	mfd_table, mfd_table	
PRIMARY	Unique	ID, ID	

Table: news

Columns

Name	Туре	Description
₽ ID	int	
datum	date	
text_1	char(50)	
Text_2	char(50)	
text_3	char(50)	

Indexes

Name	Туре	Columns	Description
ID	Unique	ID, ID	
ID_2	Non-unique	ID, ID	
PRIMARY	Unique	ID, ID	

Table: regelwerk

Description

Online Datensammlung

Columns

Name	Туре	Description
₽ ID	int	
kapitel	tinyint	
absatz	tinyint	
item	tinyint	
typ	enum	
kurz	varchar(50)	
text	text	
index_1	varchar(30)	
index_2	varchar(30)	
stufe	tinyint	
muk	tinyint	
mk This do	ctinyietht was created	with the trial version of
last_usr TechWr		is removed once a valid
last_upd icense	timestampased. Visit w	

purchase options.

Name	Туре	Columns	Description
idx_index1	Non-unique	index_1	
idx_index2	Non-unique	index_2	
idx_kap_abs_item	Non-unique	kapitel, absatz, item	
idx_kurz	Non-unique	kurz	
idx_mk	Non-unique	mk	
idx_muk	Non-unique	muk	
idx_struktur_typ	Non-unique	kapitel, absatz, item, typ	
last_usr	Non-unique	last_usr	
PRIMARY	Unique	ID, ID	

Table: spieler

Columns

Name	Туре	Description
💡 id	smallint	
name	varchar(20)	
vorname	varchar(20)	
Geb	date	
email	varchar(50)	
orga	varchar(20)	
grprec	tinyint	
Bemerkung	text	
telefon	varchar(20)	
charakter	varchar(30)	

Indexes

Name		Туре	Columns	Description
name		Non-unique	name, name	
orga	his doo	Non-unique as created	with the trial version	1 Of
PRIMARY	echWri	Unique This watermark	idsidemoved once a	/alid
	canca	s purchased Visit w	www.adivo.com.for	

license is purchased. Visit www.adivo.com for purchase options.

Table: syslog

Columns

Name	Туре	Description
💡 id	int	
stamp	timestamp	
message	varchar(1024)	
typ	enum	
user	varchar(45)	

Indexes

Name	Туре	Columns	Description
PRIMARY	Unique	id	

Table: trank_grp

Columns

Name	Туре	Description
💡 id	int	
grp	char(10)	
name	char(30)	

Indexes

Name	Туре	Columns	Description
id	Unique	id	
PRIMARY	Unique	id, id	

Table: trank_list

Description

Liste der Traenke

Columns

Name	Туре	Description
💡 id	int	
grp	varchar(10)	
nr	varchar(5)	
name	varchar(30)	
stufe	tinyint	
K1	varchar(50)	
K2	varchar(50)	
K3	varchar(50)	
K4	varchar(50)	
K5	varchar(50)	
K6	varchar(50)	
herstellung This do	textent was created	with the trial version of
wirkung TechWr	1 1	is removed once a valid
patzer license	itexturchased. Visit w	ww.adivo.com for
R1 purchas	char(3)ons	
R2	char(3)	
R3	char(3)	
R4	char(3)	
R5	char(3)	
R6	char(3)	

Name	Туре	Columns	Description
id	Unique	id	
PRIMARY	Unique	id, id	

Table: trank_pflanz_list

Description

Liste der Alchimie Pflanzen und Stoffe

Columns

Name	Туре	Description
₽ ID	int	
Name	varchar(50)	
grp	varchar(10)	
nr	smallint	
realname	varchar(50)	
kurz	text	
R1	char(3)	
R2	char(3)	
R3	char(3)	
R4	char(3)	
R5	char(3)	
R6 This do	char(3)t was created	with the trial version of

TechWriter. This watermark is removed once a valid

Indexes

license is purchased. Visit www.adivo.com for

Name	Туре	Columns	Description
ID	Unique	ID	
PRIMARY	Unique	ID, ID	

Table: user_liste

Columns

Name	Туре	Description
₹ ID	int	
spieler_id	int	
username	varchar(30)	
pword	varchar(30)	
IvI	int	
old_pw	varchar(30)	

Indexes

Name	Туре	Columns	Description
PRIMARY	Unique	ID, ID	
user_id	Non-unique	username, username	
user_id_2	Unique	ID, ID	

Index

			con_orte	32	
4	А		con_sc	33	
	artefakte	5	con_tage	34	
В			conplan	1	
•	bib_bereich	6	D		
	bib_bereich bib_item	7	_	•	
		8	Db451197603	2	
	bib_thema	9	download	35	
	bib_titel		F		
	bib_zugriff	10	-		
	bilder	11	forum_post	36	
	bilder_topic	12	forum_topic	37	
•	C		forums	38	
•	char_basis	This document was created with the trial version of TechWilter. This watermark is removed once a valid			
	char_fert		. Visit www.adivo.com for		
	char_kopf	purchase options.			
	char_mag	16	1		
	char_nach	17	idea_post	40	
	char_rasse	18	17		
	char_tage	19	K		
	char_trank	20	kalender	41	
	char_vor	21			
	char_waf	22	L		
	con_ablauf	23	legende	42	
	con_andienst	24	М		
	con_anmeldung	25			
	con_buch	26	mag_grp	43	
	con_geruecht	27	mag_list	44	
	con_gilde	28	menu_bereich	45	
	con_grp_user	29	menu_item	46	
	con_konst	30	menu_page	47	
	con_nsc	31	menu_sub	48	

mfd_cols	49	syslog	54
mfd_list	50	_	
		Т	
N		Tables	3
news	51	trank_grp	55
_		trank_list	56
R		trank_pflanz_list	57
regelwerk	52		
		U	
S		user_liste	58
spieler	53		