



NAD+

Locked peptide information sheet

Short Description

NAD+ stands for nicotinamide adenine dinucleotide. It is not a peptide; it is a coenzyme found in every cell and is central to cellular energy, DNA repair, and redox biology.

How It Works

NAD+ participates in mitochondrial energy metabolism, sirtuin activity, DNA-repair pathways, and cellular stress response. The community often discusses NAD+ in relation to energy, recovery, cognitive clarity, and healthy aging.

Key Research Themes

- Cellular energy
- Mitochondrial function
- DNA repair pathways
- Healthy aging
- Recovery and resilience

Who Commonly Asks About It

- People focused on energy
- People interested in longevity
- People tracking cognitive clarity
- Athletes and active members focused on recovery



What To Track

- Energy
- Focus
- Sleep quality
- Recovery
- Exercise tolerance

TrueHold Standard Starting Protocol

Written for the vial in your TrueHold order. Follow the unit numbers on your syringe — no calculations needed.

Check your label

- Product: NAD+
- Should say: 1000 mg (powder in a larger ~5 mL glass vial — bigger than standard peptide vials)

What you need

- Bacteriostatic water (BAC)
- Alcohol swabs
- Insulin syringes — U-100, 1 mL (100-unit) size (you may need two syringes for larger draws)

Step-by-step: mix your vial

- Wash hands. Wipe the rubber top with an alcohol swab.
- Draw 5 mL of BAC into a syringe. *(This is the most this vial can hold — use all 5 mL.)*
- Inject slowly down the inside glass wall — not onto the powder.
- Gently roll or swirl until clear. Do not shake.
- Wipe the top again. Write today's date on the vial.
- Refrigerate (36–46°F). Use within 28 days.

Important: Mix and store in this vial only. Do not transfer.

Your schedule (syringe units)

Inject under the skin (belly or upper arm). Most people space shots 2–3 days apart.

When	Draw to this number	How often
Weeks 1–2 (start here)	50	Twice per week
Weeks 3+ (if tolerated)	75–100	Twice per week
Optional advance	125	Twice per week



125 = two syringes in one session: 100 + 25 (two nearby sites).

How long one mixed vial lasts

- At 50×2 per week → about 5 weeks from one mixed vial
- At 75×2 per week → about 3 weeks
- At 100×2 per week → about 2–3 weeks — plan refills accordingly

Protocol Note

TrueHold shares standard starting protocols for general education only. For individualized plans, use /schedule to book with the team.

