

i This documentation is not published yet, this is only a preview. Changes to the publ...

q	Italian	string	query	Pass US Zipcode, UK Postcode, Canada Postalcode, IP address, Latitude/Longitude (decimal degree) or city name. Visit request parameter section to learn more.
----------	---------	--------	-------	---

EndFragment

PARAMS

key
50f412bbbb6a455193350941221110

q
Italian

aqi
no

Example Request 5

```
OkHttpClient client = new OkHttpClient().newBuilder()
    .build();
MediaType mediaType = MediaType.parse("text/plain");
RequestBody body = RequestBody.create(mediaType, "");
Request request = new Request.Builder()
    .url("http://api.weatherapi.com/v1/current.json?key=50f412bbbb6a455193350941221110&q=Italian&aqi=no")
    .method("GET", body)
    .build();
Response response = client.newCall(request).execute();
```

Example Response 200 OK

Body

Header (19)

```
{
  "location": {
    "name": "El Italian",
    "region": "Tabasco",
    "country": "Mexico",
    "lat": 17.57,
    "lon": -91.63,
    "tz_id": "America/Mexico_City",
```

This documentation is not published yet, this is only a preview. Changes to the publ...

q

Chinese Traditional

aqi

no

Example Request

4

```
OkHttpClient client = new OkHttpClient().newBuilder()
    .build();
MediaType mediaType = MediaType.parse("text/plain");
RequestBody body = RequestBody.create(mediaType, "");
Request request = new Request.Builder()
    .url("http://api.weatherapi.com/v1/current.json?key=50f412bbbb6a455193350941221110&q=Chinese Traditi
    .method("GET", body)
    .build();
Response response = client.newCall(request).execute();
```

Example Response

200 OK

Body Header (19)

```
{
  "location": {
    "name": "Chinese Gardens",
    "region": "",
    "country": "Singapore",
    "lat": 1.31,
    "lon": 103.8,
    "tz_id": "Asia/Singapore",
    "localtime_offset": 4685467426
```

[View More](#)

GET 5

http://api.weatherapi.com/v1/current.json?key=50f412bbbb6a455193350941221110&q=Italian&aqi=no

StartFragment

This documentation is not published yet, this is only a preview. Changes to the publ...

Example Request

3

```
OkHttpClient client = new OkHttpClient().newBuilder()
    .build();
MediaType mediaType = MediaType.parse("text/plain");
RequestBody body = RequestBody.create(mediaType, "");
Request request = new Request.Builder()
    .url("http://api.weatherapi.com/v1/current.json?key=50f412bbbb6a455193350941221110&q=Bengali&aqi=no")
    .method("GET", body)
    .build();
Response response = client.newCall(request).execute();
```

Example Response

200 OK

Body

Header (19)

```
{
  "location": {
    "name": "Bengali",
    "region": "Antananarivo",
    "country": "Madagascar",
    "lat": -18.55,
    "lon": 46.7,
    "tz_id": "Indian/Antananarivo",
    "localtime_offset": 1665467356
  }
}
```

View More

GET 4

http://api.weatherapi.com/v1/current.json?key=50f412bbbb6a455193350941221110&q=Chinese Traditional&aqi=no

StartFragment

Parameter	Value	Type	Location	Description
q	Chinese Traditional	string	query	Pass US Zipcode, UK Postcode, Canada Postcode, IP address, Latitude/Longitude (decimal degree) or city name. Visit request parameter section to learn more.

EndFragment

This documentation is not published yet, this is only a preview. Changes to the publ...

```
request request = new Request.Builder()
    .url("http://api.weatherapi.com/v1/current.json?key=50f412bbbb6a455193350941221110&q=Hindi&aqi=no")
    .method("GET", body)
    .build();
Response response = client.newCall(request).execute();
```

Example Response

200 OK

Body

Header (19)

```
{
  "location": {
    "name": "Hindisheim",
    "region": "Alsace",
    "country": "France",
    "lat": 48.47,
    "lon": 7.63,
    "tz_id": "Europe/Paris",
    "localtime_offset": 1665467381
```

View More

GET 3

http://api.weatherapi.com/v1/current.json?key=50f412bbbb6a455193350941221110&q=Bengali&aqi=no

StartFragment

Parameter	Value	Type	Location	Description
q	Bengali	string	query	Pass US Zipcode, UK Postcode, Canada Postalcode, IP address, Latitude/Longitude (decimal degree) or city name. Visit request parameter section to learn more.

EndFragment

PARAMS


key

50f412bbbb6a455193350941221110

q

Bengali

aqi

 This documentation is not published yet, this is only a preview. Changes to the publ...

Body Header (19)

```
{
  "location": {
    "name": "Slovak",
    "region": "Arkansas",
    "country": "United States of America",
    "lat": 34.65,
    "lon": -91.58,
    "tz_id": "America/Chicago",
    "localtime_offset": -1665467200
```

View More

GET 2

http://api.weatherapi.com/v1/current.json?key=50f412bbbb6a455193350941221110&q=Hindi&aqi=no

StartFragmentStartFragment

Parameter	Value	Type	Location	Description
q	Hindi	string	query	Pass US Zipcode, UK Postcode, Canada Postalcode, IP address, Latitude/Longitude (decimal degree) or city name. Visit request parameter section to learn more.

EndFragment

PARAMS

key
50f412bbbb6a455193350941221110

q
Hindi

aqi
no

This documentation is not published yet, this is only a preview. Changes to the publ...

openwatherapi

GET 1

```
http://api.weatherapi.com/v1/current.json?key=50f412bbbb6a455193350941221110&q=Slovak&aqi=no
```

StartFragment

Parameter	Value	Type	Location	Description
q	Slovak	string	query	Pass US Zipcode, UK Postcode, Canada Postalcode, IP address, Latitude/Longitude (decimal degree) or city name. Visit request parameter section to learn more.

EndFragment

PARAMS

key
50f412bbbb6a455193350941221110

q
Slovak

aqi
no

Example Request

1

```
OkHttpClient client = new OkHttpClient().newBuilder()
    .build();
MediaType mediaType = MediaType.parse("text/plain");
RequestBody body = RequestBody.create(mediaType, "");
Request request = new Request.Builder()
    .url("http://api.weatherapi.com/v1/current.json?key=50f412bbbb6a455193350941221110&q=Slovak&aqi=no")
    .method("GET", body)
    .build();
Response response = client.newCall(request).execute();
```