


GLOSSARY OF CHART TYPES




AREA CHART

encodes data using position and height and shows trend/volume over time.



BAR CHART

encodes data using height/length of bar and shows categorical comparisons.




BOX PLOT

encodes data using position and height/length to show the distribution of the data.



BULLET GRAPH

encodes data using length/height, position, and color to show actual compared to target and performance bands.



CHOROPLETH MAP (SHADED MAP)

encodes data using color and position to show data geographically.




DIVERGING BAR CHART

encodes data using height/length of bar diverging from a midpoint to show categorical comparisons.



DOT PLOT

encodes data using position to show the comparisons.




DOT PLOT WITH JITTER (JITTERPLOT)

encodes data using position to show comparisons but offsets points randomly to reduce overlap of dots.




GANTT CHART

encodes data using length and position to show amount of work completed in segments of time.




HEAT MAP

encodes a data table using color to highlight the differences in the table without numbers.



HIGHLIGHT TABLE

encodes a data table using color to highlight the differences in the table numbers.




HISTOGRAM

encodes data using height and shows a distribution.




LINE CHART

encodes data using position and often shows trend over time.




LOLLIPOP CHART

encodes data using height/length of bar and shows categorical comparisons.




SCATTER PLOT

encodes data using position to show the relationship between two variables. Size can also be used to show a secondary comparison.




SLOPEGRAPH

encodes data using position to show quantitative comparison or rank, typically between two time periods.



SPARKLINE/SPARKBAR

encodes data using position (line) or height/length (bar) in a small, word-sized graphic.




STACKED BAR CHART *

encodes data using height/length of bar and color by segment and shows categorical and part-to-whole comparisons.



SYMBOL MAP (DOT MAP)

encodes data using position to show data geographically and can also use size to show quantitative data.



TREEMAP

encodes data using size and color and is useful for hierarchical data or when there is a very large number of categories to compare.



WATERFALL CHART

encodes data using height and often color to show increase and decrease between time periods or categories.

* CAUTION

Be careful not to slice stacked charts into too many segments.



BUBBLE CHART

encodes data using size of circle to show comparisons, which is difficult for making precise quantitative comparisons.



CONCENTRIC CIRCLES (RADIAL BAR CHART)

encodes data using arc and area to show comparisons but problematic for many reasons.



DONUT CHART

encodes data using arc and area to show a part-to-whole comparison but problematic for many reasons.



PIE CHART

encodes data using angle, area, and arc to show a part-to-whole comparison but problematic for many reasons.



WORD CLOUD

encodes data using size of word to show comparisons, which is difficult for making precise quantitative comparisons.

CAUTION

These chart types are not recommended.