

Feature Contract

Live-Observable Event-Option Features

Kripta Studios

July 2026

Contents

1	Principle	2
2	Live Snapshot Surface	2
3	Allowed Feature Families	2
4	Forbidden Feature Families	2
5	Feature Audits	3
6	Current Component Policies	3
7	Open Interest and Coverage	3
8	Live Feature Mismatch Handling	3

1 Principle

Every feature used by the live event-option scorer must be observable at or before the snapshot timestamp. Future option highs/lows, future spot movement, realized PnL, label columns, and post-entry outcomes are forbidden as model inputs.

2 Live Snapshot Surface

The feed builds event-option snapshots from:

- current 0DTE option Greeks;
- current 0DTE option OHLC/premium data;
- current and historical spot candles;
- prior completed trading-day context;
- policy metadata and candidate identifiers.

The snapshot is written to:

`rt_data/YYYYMMDD/event_option_snapshots_latest.parquet`

3 Allowed Feature Families

Family	Examples
Contract state	delta, strike distance, side, expiry mode, premium, spread proxies.
Spot state	current spot, intraday returns up to the snapshot, realized volatility up to the snapshot.
Greek surface	live delta/gamma/theta/vega style fields from the current option chain.
Time context	minute of day, entry window flags, days/month identifiers used causally.
Prior history	backfilled spot history from previous completed days.
Policy context	ticker, event delta bucket, policy id, runtime cap/cooldown state.

4 Forbidden Feature Families

- any column derived from a future exit price;
- future option maximum favorable/adverse excursion;
- future spot return after the snapshot;
- labels such as win/loss, target-before-stop, realized return, future hold result;
- same-month model selection evidence used as if it were out-of-sample;
- any feature that exists in backtest/training but cannot be reproduced live.

5 Feature Audits

Leakage and live-equivalence checks are performed by:

```
neural/jepa/audit_event_option_feature_leakage.py
neural/jepa/audit_live_feature_drift.py
neural/jepa/validate_event_option_production_package.py
```

Live drift audit:

```
DAY=$(TZ=America/New_York date +%Y%m%d)
python3 neural/jepa/audit_live_feature_drift.py --day-dir "rt_data/$DAY" --strict-features
```

6 Current Component Policies

Ticker	Bucket	Min score	Max trades/day	Cooldown
SPXW	d25	0.34	4	0m
QQQ	d35	policy	2	30m
SPY	d35	policy	1	0m

7 Open Interest and Coverage

When a feature family requires open interest or historical coverage, the production package must record that coverage in its validation evidence. The current validation command uses `-ignore-raw-thetadata-coverage` only because the policy records the explicit raw-coverage assumption used for this package.

8 Live Feature Mismatch Handling

The bot runs with:

```
--strict-event-option-features
```

This means missing or invalid live features should fail closed rather than silently falling back to a different feature set.