

Model Lineage

Hybrid, GBT, JEPA, and Current Static-Union Production

Kripta Studios

July 2026

Contents

1	Status	2
2	Historical Hybrid Model	2
3	JEPA Research Line	2
4	Current Production Model	2
5	Why Legacy Models Are Not Live	2
6	Promotion Standard	3

1 Status

The old Hybrid Attention-MLP and GBT+RL architecture is not the active live trading model. The active model family is the JEPA event-option static-union package:

```
neural/models/jepa/jepa_production_event_options_frozen2025_static_union_202607/
```

2 Historical Hybrid Model

The repository still contains:

```
neural/hybrid_model.py
neural/train_walkforward.py
models/trading_hybrid*.joblib
neural/rl/
```

These files represent earlier research and backtesting infrastructure. They are useful for comparisons and future experiments, but they do not define the July 2026 live system.

3 JEPA Research Line

The JEPA research line produced several useful artifacts:

- 180 minute direction models;
- XInputJEPA latent features;
- SIGReg/VISReg-inspired anti-collapse experiments;
- OptionValueJEPA strike and exit research;
- event-option dense candidate selection.

The production winner is not a literal end-to-end JEPA controller. It is a static-union event-option policy with live-ready component registry and mechanical exits.

4 Current Production Model

Layer	Current role
Event-option snapshot	Builds causal candidate rows from live option and spot data.
Component registry	Loads scorer components and live-equivalence metadata.
Policy JSON	Defines active tickers, buckets, gates, caps, cooldowns, and exit contract.
Trading bot	Applies policy, records state, emits paper order intents.

5 Why Legacy Models Are Not Live

- GBT+RL underperformed stronger baselines in prior tests.
- OptionValue and learned exits have not beaten the simpler static policy under live-ready gates.
- 180 minute JEPA direction work is useful but not the currently deployed event-option policy.

- The live services now explicitly disable level-signal, structural-profile, and option-value paths.

6 Promotion Standard

A legacy model can become live only if it:

1. beats the current static-union package on causal validation;
2. passes feature leakage and live equivalence checks;
3. exports a production package with ‘production_live_ready‘ status;
4. is wired into systemd and starts cleanly;
5. produces forward paper/live behavior consistent with replay.