

Data Structure Reference

Historical ThetaData, Live Runtime Files, and Production Artifacts

Kripta Studios

July 2026

Contents

1	Historical Data Roots	2
2	Live Runtime Data	2
3	Bot State	2
4	Production Artifacts	3
5	JSONL Intent Shape	3
6	Logs and Exports	3

1 Historical Data Roots

Local historical data is expected under `D:/ThetaData`. The current event-option pipeline uses:

```
D:/ThetaData/data_options/SPXW
D:/ThetaData/data_options/QQQ
D:/ThetaData/data_options/SPY
D:/ThetaData/data_underlying_derived/SPXW
D:/ThetaData/data_underlying_derived/QQQ
D:/ThetaData/data_underlying_derived/SPY
```

SPX trades SPXW options. QQQ and SPY use their own option chains.

2 Live Runtime Data

On the VPS, each trading day writes into:

```
rt_data/YYYYMMDD/
```

Important files:

File	Meaning
<code>event_option_snapshots_latest.parquet</code>	Live event-option candidate snapshot consumed by the bot.
<code>spot_{TICKER}_latest.parquet</code>	Latest live or derived spot candles for SPX, QQQ, SPY, and support symbols.
<code>{OPTION_SYMBOL}_greeks_0dte_latest.parquet</code>	0DTE option Greeks for SPXW, QQQ, or SPY.
<code>{OPTION_SYMBOL}_ohlc_0dte_latest.parquet</code>	0DTE option OHLC data used for entry/exit pricing.
<code>realtime_feed.log</code>	Feed-side operational log.
<code>live_feature_drift_audit.json</code>	Output from the live feature drift audit.

3 Bot State

The event-option bot writes state under:

```
trades_jepa/
```

File	Meaning
<code>open_positions_jepa.json</code>	Current open paper positions. Deployment reset should check this first.
<code>event_option_runtime_state.json</code>	Runtime counters and policy replay state.
<code>evaluated_features_jepa.json</code>	Last evaluated feature records.
<code>cooldowns_jepa.json</code>	Cooldown state by ticker/policy.
<code>trades_jepa.csv</code>	Closed trade ledger.
<code>event_option_candidate_audit_jepa.jsonl</code>	Candidate selection and rejection audit.
<code>paper_order_intents_jepa.jsonl</code>	Paper order intents emitted by the bot.
<code>tradingbot_jepa.log</code>	Bot operational log.

4 Production Artifacts

The active package path is:

```
neural/models/jepa/jepa_production_event_options_frozen2025_static_union_202607/
```

Required files:

Artifact	Required role
<code>event_option_policy.json</code>	Runtime policy, static caps, exit contract, and production status.
<code>component_registry.json</code>	Registry of scoring components and live-equivalence meta-data.
Component files	Model and sidecar files referenced by the registry.

5 JSONL Intent Shape

Each paper intent records the action, ticker, contract, quantity, price, policy id, and reason. Typical actions:

```
BUY_TO_OPEN  
SELL_TO_CLOSE
```

Typical close reasons:

```
event_option_stop_loss_30%  
event_option_take_profit_50%  
event_option_trail_stop  
event_option_max_hold  
event_option_eod
```

Reason strings can include legacy percentages from older live sessions. The current deployed exit contract is checked from the service startup log and policy, not from stale historical intent files.

6 Logs and Exports

Operational reviews are usually exported under:

```
log_exports/jepa_live_review_YYYYMMDD_*.tar.gz
```

Local analysis folders such as `analysis_jepa_live_review_*` are diagnostic artifacts, not source code.