

J&A AUTOMATION

Worker User Guide

Field-work, time, report, receipt and personal compensation reference.

Live browser validation against deployed application SHA
2058db24ca4d5d6b3f66bde11b6230e271a2d06c

English edition · document and validation date 6 September 2026

Contents

1. Purpose, safety boundary and navigation
2. Access and security
3. 3. Today / field workspace /app
4. 4. Authorized projects and contacts /app/projects
5. 5. Time entries /app/time
6. 6. Daily and technical reports /app/reports
7. 7. Expenses and private receipts /app/expenses
8. 8. My Pay /app/pay
9. 9. Documents /app/documents
10. 10. Profile and security /app/profile
11. Validation record and support

Purpose and safety boundary

This is a task-oriented reference to controls observed in the deployed interface. The live inspection was read-only: it did not send email, issue an invoice, consume a sequence, record payment/collection, create customer acceptance, alter account security, or create synthetic data.

Screenshots are current sanitized browser captures. Values, personal names, email addresses, money and long identifiers were visually redacted before capture; they demonstrate layout and controls, not production records.

Navigation

Use the persistent left navigation at desktop widths and the compact bottom navigation at phone widths. The top bar provides Search, Language, account options, webmail and sign out.

2. Access and security

Sign-in

Enter your own email and password on the sign-in page and select Sign in. Do not record credentials, recovery material, session cookies or tokens in reports, screenshots, or uploads.

Passkeys and MFA

Profile and security exposes Register passkey and Enable MFA. MFA is optional for all worker accounts and actions; it is not required to sign in or complete an authorized workflow. No mid-session reauthentication prompt was observed in either journey. An earlier Enable MFA automation attempt returned a visible failure and did not complete enrollment; subsequent read-only Profile checks observed Not enabled for both roles.

Language and sign-out

Select Language before generating user-facing content. Use Sign out when leaving a shared device. Do not modify another person's account settings.

Worker confidentiality verification

The worker journey exposed Today, Time, Expenses, Reports, My Pay, Profile, assigned projects, documents, contacts and published schedule. Read-only direct navigation to Finance, Billing, Collections, Accounting and Audit returned authorization errors (403). Sanitized JSON response DTO-key inspection found no customer billing-rate, revenue-budget, PO-cap, internal-cost/margin, or other-worker-compensation key.

Deployed-SHA finding: direct Worker navigation to Approvals returned a 500 error page rather than a normal authorization error; no protected content was rendered. A local source correction now rejects Worker and Auditor Approvals loads with a pre-repository 403 and has a dedicated regression. This manual run did not deploy that correction.

3. Today / field workspace

Observed route: /app

Start daily work from the role-scoped field workspace.




Figure 1. Sanitized live desktop capture, 1440 × 900.

3.1 Procedure

1. Use the compact navigation for Today, Time, Expenses, Reports, My Pay, and Profile.
2. Open only the assigned project and task.
3. Use Search to locate an authorized record.

3.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.

Table 3.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
Print report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search workspace	input (text) name: q <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Dismiss notification	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

4. Authorized projects and contacts

Observed route: /app/projects

Review authorized projects and permitted client contacts.




Figure 2. Sanitized live desktop capture, 1440 × 900.




Figure 2a. Sanitized not_present interactive surface: Assigned project detail link (1440x900).

4.1 Procedure

1. Open the assigned project before logging time or reports.
2. Use Client contacts only for work coordination.
3. Commercial rates, revenue budgets, PO caps and internal economics are not worker workflow data.

4.2 Interactive-surface disposition

The following non-mutating targets were individually opened or inspected in the live role state. “Not present” means the launch surface was absent in that state; “prohibited mutation” means the visible control was deliberately not activated.

Table 4.2. Opened interactive surfaces

Target	Disposition	Viewport	Observed boundary
Assigned project detail link	not_present	1440x900	The non-mutating launch/disclosure control was not present in this live role/view state.

4.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.

Table 4.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
Print report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search workspace	input (text) name: q <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Dismiss notification	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

5. Time entries

Observed route: /app/time

Record actual time and review recent time entries.




Figure 3. Sanitized live desktop capture, 1440 × 900.




Figure 3a. Sanitized opened interactive surface: Log time form (1440x900).

5.1 Procedure

1. Choose the assigned project and correct week/date.
2. Record only actual time worked; expected schedule hours are not actuals.
3. Submit through the displayed workflow and correct returned work with the requested note.

5.2 Interactive-surface disposition

The following non-mutating targets were individually opened or inspected in the live role state. “Not present” means the launch surface was absent in that state; “prohibited mutation” means the visible control was deliberately not activated.

Table 5.2. Opened interactive surfaces

Target	Disposition	Viewport	Observed boundary
Log time form	opened	1440x900	Opened through a non-mutating tab, disclosure, detail link, or form-launch control; no values were entered and no submit action was activated.

5.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.

Table 5.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
Print report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search workspace	input (text) name: <code>q</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
week	input (date) name: <code>week</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Open week	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Copy previous week layout	summary <i>enabled</i>	Expand to inspect the associated form or record detail before deciding whether a business action is authorized.	—
sourceWeekStart	input (hidden) name: <code>sourceWeekStart</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
targetWeekStart	input (hidden) name: <code>targetWeekStart</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Add this week's layout	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
week	input (hidden) name: <code>week</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
project	select name: <code>project</code> <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]

Visible label	Element / state	How to use safely	Observed options or help
category	select name: <code>category</code> <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; Work [regular]; Overtime [overtime]; Travel [travel]; Standby [standby]; Commissioning [commissioning]; Weekend / holiday [weekend_holiday]; Remote support [remote_support]; Training [training]; Internal [internal]
Apply filters	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Log time	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Dismiss notification	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Close time form	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
projectId	select name: <code>projectId</code> <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]
workDate	input (date) name: <code>workDate</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
category	select name: <code>category</code> <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	Work [regular]; Overtime [overtime]; Travel [travel]; Standby [standby]; Commissioning [commissioning]; Weekend / holiday [weekend_holiday]; Remote support [remote_support]; Training [training]; Internal [internal]
minutes	input (number) name: <code>minutes</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
summary	textarea name: <code>summary</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Cancel	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Save draft	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

A phone-width capture of this view follows the desktop figure.




Figure 3b. Sanitized live phone capture, 390 × 844.

6. Daily and technical reports

Observed route: `/app/reports`

Create or review Daily and technical field reports.




Figure 4. Sanitized live desktop capture, 1440 × 900.




Figure 4a. Sanitized not_present interactive surface: Technical reports tab and new form (1440x900).

6.1 Procedure

1. Select Daily and record factual work details.
2. Attach only permitted project evidence.
3. Submit for review; customer acceptance is not a worker-created signature.

6.2 Interactive-surface disposition

The following non-mutating targets were individually opened or inspected in the live role state. “Not present” means the launch surface was absent in that state; “prohibited mutation” means the visible control was deliberately not activated.

Table 6.2. Opened interactive surfaces

Target	Disposition	Viewport	Observed boundary
Technical reports tab and new form	not_present	1440x900	The non-mutating launch/disclosure control was not present in this live role/view state.
Client Sign-off tab	opened	1440x900	Opened through a non-mutating tab, disclosure, detail link, or form-launch control; no values were entered and no submit action was activated.
New daily report form	opened	1440x900	Opened through a non-mutating tab, disclosure, detail link, or form-launch control; no values were entered and no submit action was activated.

6.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.

Table 6.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
Print report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search workspace	input (text) name: <code>q</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Daily	button <i>enabled</i>	Select to change the visible review subview; this is a read-only navigation action.	—
Technical / PLC	button <i>enabled</i>	Select to change the visible review subview; this is a read-only navigation action.	—
Client Sign-off	button <i>enabled</i>	Select to change the visible review subview; this is a read-only navigation action.	—
New daily report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Dismiss notification	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Close report form	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
projectId	select name: <code>projectId</code> <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]
workDate	input (date) name: <code>workDate</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—

Visible label	Element / state	How to use safely	Observed options or help
Site / shift	input (text) name: siteShift enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
summary	textarea name: summary required	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
tasksCompleted	textarea name: tasksCompleted required	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
problemsFound	textarea name: problemsFound enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
correctiveActions	textarea name: correctiveActions enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
downtimeMinutes	input (number) name: downtimeMinutes enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
standbyReason	input (text) name: standbyReason enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
openItems	textarea name: openItems enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
nextDayPlan	textarea name: nextDayPlan enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
safetyRelated	input (checkbox) name: safetyRelated enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Cancel	button enabled	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Save daily report	button enabled	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

7. Expenses and private receipts

Observed route: /app/expenses

Submit expenses and receipts for reimbursement review.




Figure 5. Sanitized live desktop capture, 1440 × 900.




Figure 5a. Sanitized opened interactive surface: Record expense form (1440x900).

7.1 Procedure

1. Enter actual project, date, amount, category and business reason.
2. Upload a legible private receipt through the authorized form.
3. Check recent expenses for returned items before resubmitting.

7.2 Interactive-surface disposition

The following non-mutating targets were individually opened or inspected in the live role state. “Not present” means the launch surface was absent in that state; “prohibited mutation” means the visible control was deliberately not activated.

Table 7.2. Opened interactive surfaces

Target	Disposition	Viewport	Observed boundary
Record expense form	opened	1440x900	Opened through a non-mutating tab, disclosure, detail link, or form-launch control; no values were entered and no submit action was activated.

7.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.

Table 7.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
Print report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search workspace	input (text) name: <code>q</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Vendor, project or date	input (search) <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Project All projects	select <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]
Status All statusesDraftSubmittedApprovedNeeds changes	select <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; Draft [draft]; Submitted [submitted]; Approved [approved]; Needs changes [needs_changes]
+ Record expense	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Dismiss notification	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Close expense form	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
receipt	input (file) name: <code>receipt</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
projectId	select name: <code>projectId</code> <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]

Visible label	Element / state	How to use safely	Observed options or help
spentOn	input (date) name: <code>spentOn</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
category	select name: <code>category</code> <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	Hotel [hotel]; Rental car [rental_car]; Fuel [fuel]; Tolls [tolls]; Parking [parking]; Airfare [airfare]; Train / bus / taxi / rideshare [ground_transport]; Meals [meals]; Per diem [per_diem]; Project materials [materials]; Tools / consumables [tools]; Shipping [shipping]; +3 further sanitized options in RUN.json
vendor	input (text) name: <code>vendor</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
amount	input (text) name: <code>amount</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
currency	select name: <code>currency</code> <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	USD [USD]; BRL [BRL]; EUR [EUR]
whoPaid	select name: <code>whoPaid</code> <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	Worker [worker]; Company card [company_card]; Company direct [company_direct]; Client paid directly [client]; Third party [third_party]
description	textarea name: <code>description</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Card, transfer or cash	input (text) name: <code>paymentMethod</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Cancel	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Save draft	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

8. My Pay

Observed route: /app/pay

Review Worker statement, own activity detail, settlement status and reimbursement status.




Figure 6. Sanitized live desktop capture, 1440 × 900.




Figure 6a. Sanitized inspected interactive surface: My Pay period controls (1440x900).

8.1 Procedure

1. Review only your own approved activity.
2. Use supported download/export controls for your own record when present.
3. Escalate discrepancies to an owner or payroll contact; do not edit settlement records.

8.2 Interactive-surface disposition

The following non-mutating targets were individually opened or inspected in the live role state. “Not present” means the launch surface was absent in that state; “prohibited mutation” means the visible control was deliberately not activated.

Table 8.2. Opened interactive surfaces

Target	Disposition	Viewport	Observed boundary
My Pay period controls	inspected	1440x900	The form/filter surface was already visible and was inspected without entering values.

8.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.

Table 8.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
Print report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search workspace	input (text) name: q <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
start	input (date) name: start <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
end	input (date) name: end <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Apply period	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Generate report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Dismiss notification	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

9. Documents

Observed route: /app/documents

Register or review private project artifacts and artifact details.




Figure 7. Sanitized live desktop capture, 1440 × 900.




Figure 7a. Sanitized inspected interactive surface: Private artifact register form (1440x900).

9.1 Procedure

1. Use Register a private artifact only for an authorized work document.
2. Confirm project and access scope before upload.
3. Do not upload credentials, unrelated customer data, or sensitive personal records.

9.2 Interactive-surface disposition

The following non-mutating targets were individually opened or inspected in the live role state. “Not present” means the launch surface was absent in that state; “prohibited mutation” means the visible control was deliberately not activated.

Table 9.2. Opened interactive surfaces

Target	Disposition	Viewport	Observed boundary
Private artifact register form	inspected	1440x900	The form/filter surface was already visible and was inspected without entering values.

9.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.

Table 9.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
Print report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search workspace	input (text) name: <code>q</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Project Required	select name: <code>projectId</code> <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]
Artifact type Required	input (text) name: <code>artifactType</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Sensitivity	select name: <code>sensitivity</code> <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	Internal [internal]; Sensitive [sensitive]; Customer private [customer_private]
Description Required	textarea name: <code>description</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
File Required	input (file) name: <code>file</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Upload and register hash	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Dismiss notification	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

10. Profile and security

Observed route: /app/profile

Maintain skills, availability, passkeys, optional MFA and language preferences.




Figure 8. Sanitized live desktop capture, 1440 × 900.




Figure 8a. Sanitized inspected interactive surface: Read-only MFA status verification (1440x900).

10.1 Procedure

1. Register passkey is available if you choose to add a device credential.
2. Enable MFA is available as an optional authenticator setting.
3. Accurate profile data does not grant finance or billing access.

10.2 Interactive-surface disposition

The following non-mutating targets were individually opened or inspected in the live role state. “Not present” means the launch surface was absent in that state; “prohibited mutation” means the visible control was deliberately not activated.

Table 10.2. Opened interactive surfaces

Target	Disposition	Viewport	Observed boundary
Passkey control	prohibited_mutation	1440x900	Passkey enrollment was not activated.
Optional MFA control	prohibited_mutation	1440x900	The Enable MFA control was not activated during the read-only post-incident check.
Read-only MFA status verification	inspected	1440x900	Authenticator app status observed as Not enabled; no security control was activated.

10.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.

Table 10.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
Print report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search workspace	input (text) name: q <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Add Skill	summary <i>enabled</i>	Expand to inspect the associated form or record detail before deciding whether a business action is authorized.	—
workerId	input (hidden) name: workerId <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
skillId	select name: skillId <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]
proficiency	input (number) name: proficiency <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Add skill	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Remove Skill	summary <i>enabled</i>	Expand to inspect the associated form or record detail before deciding whether a business action is authorized.	—
skillId	select name: skillId <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]
Remove skill	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

Visible label	Element / state	How to use safely	Observed options or help
startsAt	input (datetime-local) name: startsAt <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
endsAt	input (datetime-local) name: endsAt <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
availability	select name: availability <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	Available [available]; Unavailable [unavailable]; Tentative [tentative]
note	textarea name: note <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Save availability	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Device name	input (text) name: passkeyName <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Register passkey	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Enable MFA	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Dismiss notification	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

11. Validation record and support

The auditable route/action matrix, timestamp, viewport, screenshot SHA-256 hashes, privacy checks, authorization outcomes, creation/cleanup ledger and prohibited-action notation are in `docs/evidence/client-ready-20260906/manual-browser/RUN.json` and `COVERAGE.md`. Prior executed lifecycle operations are cross-referenced only from `docs/evidence/client-ready-20260906/operations/PRODUCTION_OPERATIONS_EVIDENCE.json` and `RUN_REPORT.md`; this manual run itself was read-only.

If a required control is absent, an authorization error occurs, or a record conflicts with approved source evidence, stop and contact the platform owner. Do not bypass a role, fabricate acceptance, or use a financial action as a test.