

J&A AUTOMATION

Owner User Guide

Operational administration, review, finance and compliance reference.

Live browser validation against deployed application SHA
2058db24ca4d5d6b3f66bde11b6230e271a2d06c

English edition · document and validation date 6 September 2026

Contents

1. Purpose, safety boundary and navigation
2. Access and security
3. 3. Today dashboard /app
4. 4. Clients /app/projects?view=clients
5. 5. Projects /app/projects
6. 6. Team access /app/projects?view=team
7. 7. Resource planning /app/planning
8. 8. Documents /app/documents
9. 9. Time entries /app/time
10. 10. Approval queue /app/approvals
11. 11. Daily and technical reports /app/reports
12. 12. Expenses and receipts /app/expenses
13. 13. Billing streams /app/billing
14. 14. Project finance /app/finance?view=overview
15. 15. Economic review /app/finance?view=economic
16. 16. Commercial configuration /app/finance?view=commercial
17. 17. Collections / ledger /app/ledger
18. 18. Accounting /app/accounting
19. 19. Audit log /app/audit
20. 20. Profile and security /app/profile
21. Validation record and support

Purpose and safety boundary

This is a task-oriented reference to controls observed in the deployed interface. The live inspection was read-only: it did not send email, issue an invoice, consume a sequence, record payment/collection, create customer acceptance, alter account security, or create synthetic data.

Screenshots are current sanitized browser captures. Values, personal names, email addresses, money and long identifiers were visually redacted before capture; they demonstrate layout and controls, not production records.

Navigation

Use the persistent left navigation at desktop widths and the compact bottom navigation at phone widths. The top bar provides Search, Language, account options, webmail and sign out.

2. Access and security

Sign-in

Enter your own email and password on the sign-in page and select Sign in. Do not record credentials, recovery material, session cookies or tokens in reports, screenshots, or uploads.

Passkeys and MFA

Profile and security exposes Register passkey and Enable MFA. MFA is optional for all owner accounts and actions; it is not required to sign in or complete an authorized workflow. No mid-session reauthentication prompt was observed in either journey. An earlier Enable MFA automation attempt returned a visible failure and did not complete enrollment; subsequent read-only Profile checks observed Not enabled for both roles.

Language and sign-out

Select Language before generating user-facing content. Use Sign out when leaving a shared device. Do not modify another person's account settings.

3. Today dashboard

Observed route: /app

Review operational totals, active projects, outstanding reports, and available quick actions.




Figure 1. Sanitized live desktop capture, 1440 × 900.




Figure 1a. Sanitized opened interactive surface: Phone navigation drawer (390x844).

3.1 Procedure

1. Use Search to locate an authorized project, person, or invoice.
2. Open project cards to reach the corresponding project workspace.
3. Use New project, Log actual time, Write field report, Create invoice draft, or View pending reports only with business authorization.

3.2 Interactive-surface disposition

The following non-mutating targets were individually opened or inspected in the live role state. “Not present” means the launch surface was absent in that state; “prohibited mutation” means the visible control was deliberately not activated.

Table 3.2. Opened interactive surfaces

Target	Disposition	Viewport	Observed boundary
Phone navigation drawer	opened	390x844	Retained prior sanitized evidence; opened through a non-mutating phone navigation control.

3.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.

Table 3.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
Print report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search workspace	input (text) name: q <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Dismiss notification	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

4. Clients

Observed route: /app/projects?view=clients

Maintain client contacts from the Projects workspace; the direct clients address resolves to this view.




Figure 2. Sanitized live desktop capture, 1440 × 900.




Figure 2a. Sanitized opened interactive surface: Add client contact form (1440x900).

4.1 Procedure

1. Use the company/contact/site search to narrow the directory.
2. Open Contacts or Projects and sites for the selected client.
3. Do not alter production contact or billing data during a review.

4.2 Interactive-surface disposition

The following non-mutating targets were individually opened or inspected in the live role state. “Not present” means the launch surface was absent in that state; “prohibited mutation” means the visible control was deliberately not activated.

Table 4.2. Opened interactive surfaces

Target	Disposition	Viewport	Observed boundary
Add client contact form	opened	1440x900	Opened through a non-mutating tab, disclosure, detail link, or form-launch control; no values were entered and no submit action was activated.
Edit client contact form	opened	1440x900	Opened through a non-mutating tab, disclosure, detail link, or form-launch control; no values were entered and no submit action was activated.

4.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.

Table 4.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
Print report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search workspace	input (text) name: <code>q</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Company, contact, phone or site	input (search) <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Add contact	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Edit contact	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
contactId	input (hidden) name: <code>contactId</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Delete contact	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Dismiss notification	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
clientId	input (hidden) name: <code>clientId</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—

Visible label	Element / state	How to use safely	Observed options or help
name	input (text) name: name <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
email	input (email) name: email <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
phone	input (text) name: phone <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
role	input (text) name: role <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
isPrimary	input (checkbox) name: isPrimary <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
isBillingContact	input (checkbox) name: isBillingContact <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Save contact	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Cancel	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Update contact	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

5. Projects

Observed route: /app/projects

Review authorized projects, client contacts, milestones, schedules, assignment history, and team access.




Figure 3. Sanitized live desktop capture, 1440 × 900.




Figure 3a. Sanitized opened interactive surface: New Client form (1440x900).

5.1 Procedure

1. Open the relevant project before changing configuration.
2. Review Expected working schedule and Assignment history before schedule changes or corrections.
3. Use Create milestone only for an approved deliverable.

5.2 Interactive-surface disposition

The following non-mutating targets were individually opened or inspected in the live role state. “Not present” means the launch surface was absent in that state; “prohibited mutation” means the visible control was deliberately not activated.

Table 5.2. Opened interactive surfaces

Target	Disposition	Viewport	Observed boundary
New Client form	opened	1440x900	Opened through a non-mutating tab, disclosure, detail link, or form-launch control; no values were entered and no submit action was activated.
New Project form	opened	1440x900	Opened through a non-mutating tab, disclosure, detail link, or form-launch control; no values were entered and no submit action was activated.
Assign Worker form	prohibited_mutation	1440x900	The hard safety guard blocked a security or committing control.
Update assignment form	not_present	1440x900	The non-mutating launch/disclosure control was not present in this live role/view state.
Project close disclosure	inspected	1440x900	The form/filter surface was already visible and was inspected without entering values.

5.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.

Table 5.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
Print report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search workspace	input (text) name: q <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
New Client	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Update Client	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
New Project	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

Visible label	Element / state	How to use safely	Observed options or help
Assign Worker	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Update Assignment	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Remove Assignment	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
projectId	input (hidden) name: <code>projectId</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
version	input (hidden) name: <code>version</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
status	input (hidden) name: <code>status</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Reason	input (text) name: <code>reason</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Begin close	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Delete project	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Restore project	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
legalName	input (text) name: <code>legalName</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
displayName	input (text) name: <code>displayName</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—

Visible label	Element / state	How to use safely	Observed options or help
clientCode	input (text) name: clientCode enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
currency	select name: currency enabled	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]
timezone	input (text) name: timezone required	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
billingContactName	input (text) name: billingContactName enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
billingEmail	input (email) name: billingEmail enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
billingAddress	textarea name: billingAddress required	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
paymentTermsDays	input (number) name: paymentTermsDays required	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
poReference	input (text) name: poReference enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
notes	textarea name: notes enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Create client	button enabled	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
clientId	select name: clientId required	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; +11 further sanitized options in RUN.json
name	input (text) name: name required	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—

Visible label	Element / state	How to use safely	Observed options or help
costCenterCode	input (text) name: costCenterCode <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
description	textarea name: description <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
projectAlias	input (text) name: projectAlias <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
projectManagerId	select name: projectManagerId <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]
billingModel	select name: billingModel <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	[redacted record] [tm]; [redacted record] [tm_daily_minimum]; [redacted record] [all_in]; [redacted record] [capped_tm]
startDate	input (date) name: startDate <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
plannedEndDate	input (date) name: plannedEndDate <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Expected hours / day	input (number) name: expectedHoursPerDay <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Client daily minimum hours	input (number) name: clientDailyMinimumHours <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
budgetType	select name: budgetType <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	[redacted record] [none]; [redacted record] [revenue]; [redacted record] [purchase_order]; [redacted record] [labor]; [redacted record] [travel]; [redacted record] [combined]
revenueBudgetMinor	input (text) name: revenueBudgetMinor <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
poCapMinor	input (text) name: poCapMinor <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
laborBudgetMinutes	input (number) name: laborBudgetMinutes <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—

Visible label	Element / state	How to use safely	Observed options or help
travelBudgetMinor	input (text) name: travelBudgetMinor <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
weeklyCloseEnabled	input (checkbox) name: weeklyCloseEnabled <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
dailyReportRequired	input (checkbox) name: dailyReportRequired <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
technicalReportingRequired	input (checkbox) name: technicalReportingRequired <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Create project	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

6. Team access

Observed route: /app/projects?view=team

Review and manage the project team access view.




Figure 4. Sanitized live desktop capture, 1440 × 900.




Figure 4a. Sanitized opened interactive surface: Create user access form (1440x900).

6.1 Procedure

1. Use the Name, role or project search to locate a workforce record.
2. Confirm assignment context before changing access.
3. Do not use a team record to infer or disclose compensation.

6.2 Interactive-surface disposition

The following non-mutating targets were individually opened or inspected in the live role state. “Not present” means the launch surface was absent in that state; “prohibited mutation” means the visible control was deliberately not activated.

Table 6.2. Opened interactive surfaces

Target	Disposition	Viewport	Observed boundary
Create user access form	opened	1440x900	Opened through a non-mutating tab, disclosure, detail link, or form-launch control; no values were entered and no submit action was activated.
Edit team member disclosure	not_present	1440x900	The non-mutating launch/disclosure control was not present in this live role/view state.

6.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.

Table 6.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
Print report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search workspace	input (text) name: <code>q</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Specialists	a <i>enabled</i>	Select to change the visible review subview; this is a read-only navigation action.	—
Mailboxes (@j-automation.com)	a <i>enabled</i>	Select to change the visible review subview; this is a read-only navigation action.	—
Create user	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search team	input (search) <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Include inactive specialists	input (checkbox) <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Edit team member	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
userId	input (hidden) name: <code>userId</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
status	input (hidden) name: <code>status</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Remove access	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

Visible label	Element / state	How to use safely	Observed options or help
Close	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Email / company alias	input (email) name: email <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Access role	select name: role <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	[redacted record] [worker]; [redacted record] [project_manager]; [redacted record] [finance_admin]; [redacted record] [auditor_read_only]
Invitation expires	select name: expiresInDays <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]
Create invitation	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

7. Resource planning

Observed route: /app/planning

Review published schedules and resource planning.




Figure 5. Sanitized live desktop capture, 1440 × 900.




Figure 5a. Sanitized inspected interactive surface: Publish field assignment form (1440x900).

7.1 Procedure

1. Open the relevant published schedule.
2. Check assignment dates and availability before proposing a change.
3. Do not create fictitious shifts or alter an approved schedule during validation.

7.2 Interactive-surface disposition

The following non-mutating targets were individually opened or inspected in the live role state. “Not present” means the launch surface was absent in that state; “prohibited mutation” means the visible control was deliberately not activated.

Table 7.2. Opened interactive surfaces

Target	Disposition	Viewport	Observed boundary
Publish field assignment form	inspected	1440x900	The form/filter surface was already visible and was inspected without entering values.
New Skill form	opened	1440x900	Opened through a non-mutating tab, disclosure, detail link, or form-launch control; no values were entered and no submit action was activated.
Update Skill form	opened	1440x900	Opened through a non-mutating tab, disclosure, detail link, or form-launch control; no values were entered and no submit action was activated.

7.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.

Table 7.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
[redacted planning record]	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
[redacted planning record]	select <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	[redacted record] [en]; [redacted record] [es]; [redacted record] [pt]
[redacted planning record]	input (text) name: <code>q</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
[redacted planning record]	select name: <code>projectId</code> <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; +13 further sanitized options in RUN.json
[redacted planning record]	select name: <code>workerId</code> <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; +91 further sanitized options in RUN.json
[redacted planning record]	input (datetime-local) name: <code>startsAt</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—

Visible label	Element / state	How to use safely	Observed options or help
[redacted planning record]	input (datetime-local) name: endsAt required	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
[redacted planning record]	input (number) name: plannedMinutes required	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
[redacted planning record]	input (text) name: site enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
[redacted planning record]	input (text) name: requiredSkill enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Publish assignment	button enabled	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
New Skill	summary enabled	Expand to inspect the associated form or record detail before deciding whether a business action is authorized.	—
[redacted planning record]	input (text) name: code required	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
[redacted planning record]	input (text) name: name required	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Update Skill	summary enabled	Expand to inspect the associated form or record detail before deciding whether a business action is authorized.	—
[redacted planning record]	select name: skillId required	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]
Delete Skill	summary enabled	Expand to inspect the associated form or record detail before deciding whether a business action is authorized.	—
[redacted planning record]	summary enabled	Expand to inspect the associated form or record detail before deciding whether a business action is authorized.	—
[redacted planning record]	select name: proficiency enabled	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]

8. Documents

Observed route: /app/documents

Review private project documents and artifact details.




Figure 6. Sanitized live desktop capture, 1440 × 900.




Figure 6a. Sanitized inspected interactive surface: Private artifact register form (1440x900).

8.1 Procedure

1. Confirm project and access scope before opening an artifact.
2. Register an artifact only when it is an authorized business document.
3. Do not upload credentials or unrelated customer data.

8.2 Interactive-surface disposition

The following non-mutating targets were individually opened or inspected in the live role state. “Not present” means the launch surface was absent in that state; “prohibited mutation” means the visible control was deliberately not activated.

Table 8.2. Opened interactive surfaces

Target	Disposition	Viewport	Observed boundary
Private artifact register form	inspected	1440x900	The form/filter surface was already visible and was inspected without entering values.

8.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.

Table 8.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
Print report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search workspace	input (text) name: <code>q</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Project Required	select name: <code>projectId</code> <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; +16 further sanitized options in RUN.json
Artifact type Required	input (text) name: <code>artifactType</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Sensitivity	select name: <code>sensitivity</code> <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	[redacted record] [internal]; [redacted record] [sensitive]; [redacted record] [customer_private]
Description Required	textarea name: <code>description</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
File Required	input (file) name: <code>file</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Upload and register hash	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
documentId	input (hidden) name: <code>documentId</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—

Visible label	Element / state	How to use safely	Observed options or help
Delete	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Dismiss notification	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

9. Time entries

Observed route: /app/time

Review actual time one week at a glance and recent entries.




Figure 7. Sanitized live desktop capture, 1440 × 900.




Figure 7a. Sanitized opened interactive surface: Log time form (1440x900).

9.1 Procedure

1. Select the correct project and period.
2. Check source evidence before approving, returning, or correcting work.
3. Retain a clear reason for any controlled correction; never silently revise approved history.

9.2 Interactive-surface disposition

The following non-mutating targets were individually opened or inspected in the live role state. “Not present” means the launch surface was absent in that state; “prohibited mutation” means the visible control was deliberately not activated.

Table 9.2. Opened interactive surfaces

Target	Disposition	Viewport	Observed boundary
Log time form	opened	1440x900	Opened through a non-mutating tab, disclosure, detail link, or form-launch control; no values were entered and no submit action was activated.

9.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.

Table 9.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
Print report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search workspace	input (text) name: <code>q</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
week	input (date) name: <code>week</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Open week	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Copy previous week layout	summary <i>enabled</i>	Expand to inspect the associated form or record detail before deciding whether a business action is authorized.	—
sourceWeekStart	input (hidden) name: <code>sourceWeekStart</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
targetWeekStart	input (hidden) name: <code>targetWeekStart</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Add this week's layout	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
week	input (hidden) name: <code>week</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—

Visible label	Element / state	How to use safely	Observed options or help
project	select name: <code>project</code> <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; +16 further sanitized options in RUN.json
category	select name: <code>category</code> <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; [redacted record] [regular]; [redacted record] [overtime]; [redacted record] [travel]; [redacted record] [standby]; [redacted record] [commissioning]; [redacted record] [weekend_holiday]; [redacted record] [remote_support]; [redacted record] [training]; [redacted record] [internal]
Apply filters	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Log time	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Dismiss notification	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Close time form	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
projectId	select name: <code>projectId</code> <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; +16 further sanitized options in RUN.json
workDate	input (date) name: <code>workDate</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—

Visible label	Element / state	How to use safely	Observed options or help
category	select name: <code>category</code> <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	[redacted record] [regular]; [redacted record] [overtime]; [redacted record] [travel]; [redacted record] [standby]; [redacted record] [commissioning]; [redacted record] [weekend_holiday]; [redacted record] [remote_support]; [redacted record] [training]; [redacted record] [internal]
minutes	input (number) name: <code>minutes</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
summary	textarea name: <code>summary</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Cancel	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Save draft	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

10. Approval queue

Observed route: /app/approvals

Review Time, Project approvals, and Finance review queues.




Figure 8. Sanitized live desktop capture, 1440 × 900.




Figure 8a. Sanitized not_present interactive surface: Project approvals tab (1440x900).

10.1 Procedure

1. Open the relevant queue tab.
2. Inspect supporting time, report, and receipt evidence.
3. Approve or return the item with a factual note.

10.2 Interactive-surface disposition

The following non-mutating targets were individually opened or inspected in the live role state. “Not present” means the launch surface was absent in that state; “prohibited mutation” means the visible control was deliberately not activated.

Table 10.2. Opened interactive surfaces

Target	Disposition	Viewport	Observed boundary
Project approvals tab	not_present	1440x900	The non-mutating launch/disclosure control was not present in this live role/view state.
Finance review tab	not_present	1440x900	The non-mutating launch/disclosure control was not present in this live role/view state.
Review detail action	opened	1440x900	Opened through a non-mutating tab, disclosure, detail link, or form-launch control; no values were entered and no submit action was activated.

10.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.

Table 10.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
Print report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search workspace	input (text) name: <code>q</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Time	button <i>enabled</i>	Select to change the visible review subview; this is a read-only navigation action.	—
Expenses	button <i>enabled</i>	Select to change the visible review subview; this is a read-only navigation action.	—
Date, type or record	input (search) <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Review stage [redacted record] [redacted record][redacted record] [redacted record][redacted record]	select <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; [redacted record] [operational]; [redacted record] [report]; [redacted record] [correction]; [redacted record] [owner_override]
Clear filters	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
recordType	input (hidden) name: <code>recordType</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
originalId	input (hidden) name: <code>originalId</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
requestId	input (hidden) name: <code>requestId</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—

Visible label	Element / state	How to use safely	Observed options or help
ownerOverride	input (hidden) name: ownerOverride <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
reason	input (text) name: reason <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Create owner override draft	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
type	input (hidden) name: type <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
id	input (hidden) name: id <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
decision	input (hidden) name: decision <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Approve	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Review actions	summary <i>enabled</i>	Expand to inspect the associated form or record detail before deciding whether a business action is authorized.	—
Needs changes	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Reject	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Dismiss notification	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

11. Daily and technical reports

Observed route: /app/reports

Review Daily reports and Generated period files.




Figure 9. Sanitized live desktop capture, 1440 × 900.




Figure 9a. Sanitized not_present interactive surface: Technical reports tab and new form (1440x900).

11.1 Procedure

1. Use Daily to inspect field and technical reporting.
2. Generate or review a customer-period file only after real acceptance is received.
3. Keep customer acceptance non-monetary; do not invent a signature.

11.2 Interactive-surface disposition

The following non-mutating targets were individually opened or inspected in the live role state. “Not present” means the launch surface was absent in that state; “prohibited mutation” means the visible control was deliberately not activated.

Table 11.2. Opened interactive surfaces

Target	Disposition	Viewport	Observed boundary
Technical reports tab and new form	not_present	1440x900	The non-mutating launch/disclosure control was not present in this live role/view state.
Client Sign-off tab	prohibited_mutation	1440x900	The hard safety guard blocked a security or committing control.
New daily report form	opened	1440x900	Opened through a non-mutating tab, disclosure, detail link, or form-launch control; no values were entered and no submit action was activated.

11.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.

Table 11.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
Print report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search workspace	input (text) name: <code>q</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Daily	button <i>enabled</i>	Select to change the visible review subview; this is a read-only navigation action.	—
Technical / PLC	button <i>enabled</i>	Select to change the visible review subview; this is a read-only navigation action.	—
Client Sign-off	button <i>enabled</i>	Select to change the visible review subview; this is a read-only navigation action.	—
type	input (hidden) name: <code>type</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
id	input (hidden) name: <code>id</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
version	input (hidden) name: <code>version</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Submit	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
New daily report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Refresh period reports Finance / Owner action · creates reviewed period files	summary <i>enabled</i>	Expand to inspect the associated form or record detail before deciding whether a business action is authorized.	—

Visible label	Element / state	How to use safely	Observed options or help
Open period refresh	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Dismiss notification	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Close report form	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
projectId	select name: <code>projectId</code> <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; +16 further sanitized options in RUN.json
workDate	input (date) name: <code>workDate</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Site / shift	input (text) name: <code>siteShift</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
summary	textarea name: <code>summary</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
tasksCompleted	textarea name: <code>tasksCompleted</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
problemsFound	textarea name: <code>problemsFound</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
correctiveActions	textarea name: <code>correctiveActions</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
downtimeMinutes	input (number) name: <code>downtimeMinutes</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
standbyReason	input (text) name: <code>standbyReason</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—

Visible label	Element / state	How to use safely	Observed options or help
openItems	textarea name : openItems enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
nextDayPlan	textarea name : nextDayPlan enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
safetyRelated	input (checkbox) name : safetyRelated enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Cancel	button enabled	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Save daily report	button enabled	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

12. Expenses and receipts

Observed route: /app/expenses

Review Expenses and reimbursements and recent submitted expenses.




Figure 10. Sanitized live desktop capture, 1440 × 900.




Figure 10a. Sanitized opened interactive surface: Record expense form (1440x900).

12.1 Procedure

1. Open the receipt and check project, date, amount and business reason.
2. Approve, return, or classify through the permitted review path.
3. Do not upload private receipts merely to populate an example.

12.2 Interactive-surface disposition

The following non-mutating targets were individually opened or inspected in the live role state. “Not present” means the launch surface was absent in that state; “prohibited mutation” means the visible control was deliberately not activated.

Table 12.2. Opened interactive surfaces

Target	Disposition	Viewport	Observed boundary
Record expense form	opened	1440x900	Opened through a non-mutating tab, disclosure, detail link, or form-launch control; no values were entered and no submit action was activated.

12.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.


Table 12.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
Print report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search workspace	input (text) name: q <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Vendor, project or date	input (search) <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Project [redacted record][redacted record][redacted record][redacted record][redacted record][redacted record][redacted record][redacted record][r	select <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; +16 further sanitized options in RUN.json
Status [redacted record][redacted record][redacted record][redacted record]	select <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; [redacted record] [draft]; [redacted record] [submitted]; [redacted record] [approved]; [redacted record] [needs_changes]
+ Record expense	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Dismiss notification	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Close expense form	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

Visible label	Element / state	How to use safely	Observed options or help
receipt	input (file) name: receipt enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
projectId	select name: projectId required	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; +16 further sanitized options in RUN.json
spentOn	input (date) name: spentOn required	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
category	select name: category required	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	[redacted record] [hotel]; [redacted record] [rental_car]; [redacted record] [fuel]; [redacted record] [tolls]; [redacted record] [parking]; [redacted record] [airfare]; [redacted record] [ground_transport]; [redacted record] [meals]; [redacted record] [per_diem]; [redacted record] [materials]; [redacted record] [tools]; [redacted record] [shipping]; +3 further sanitized options in RUN.json
vendor	input (text) name: vendor required	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
amount	input (text) name: amount required	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
currency	select name: currency required	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]
whoPaid	select name: whoPaid required	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	[redacted record] [worker]; [redacted record] [company_card]; [redacted record] [company_direct]; [redacted record] [client]; [redacted record] [third_party]
description	textarea name: description required	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Card, transfer or cash	input (text) name: paymentMethod enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Cancel	button enabled	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

Visible label	Element / state	How to use safely	Observed options or help
Save draft	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

Review Billing streams and the Invoice register, which keep candidate streams distinct.



1. Review the candidate stream and source records before drafting.
2. Create or edit a draft only when records and decisions are authorized.
3. This validation did not issue an invoice, consume a sequence, send email, or create a fiscal document.

Page 39 of 65

Table 13.2. Opened interactive surfaces

Target	Disposition	Viewport	Observed boundary
Billing streams tab	opened	1440x900	Opened through a non-mutating tab, disclosure, detail link, or form-launch control; no values were entered and no submit action was activated.
Configure billing tab	opened	1440x900	Opened through a non-mutating tab, disclosure, detail link, or form-launch control; no values were entered and no submit action was activated.
Invoice register filters	opened	1440x900	Opened through a non-mutating tab, disclosure, detail link, or form-launch control; no values were entered and no submit action was activated.

13.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.

Table 13.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
Print report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search workspace	input (text) name: q <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Invoices	button <i>enabled</i>	Select to change the visible review subview; this is a read-only navigation action.	—
Billing streams	button <i>enabled</i>	Select to change the visible review subview; this is a read-only navigation action.	—
Configure billing	button <i>enabled</i>	Select to change the visible review subview; this is a read-only navigation action.	—
All invoices	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
WIP / Ready	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Drafts	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

Visible label	Element / state	How to use safely	Observed options or help
Outstanding	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Overdue	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Invoice, project or period	input (search) <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Project [redacted record][redacted record][redacted record][redacted record][redacted record][redacted record][redacted record][r	select <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; +16 further sanitized options in RUN.json
Stage [redacted record][redacted record][redacted record][redacted record]	select <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	[redacted record] [all]; [redacted record] [wip]; [redacted record] [drafts]; [redacted record] [outstanding]; [redacted record] [overdue]
Clear filters	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
[redacted record]	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Dismiss notification	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
billingRuleId	input (hidden) name: <code>billingRuleId</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
periodStart	input (date) name: <code>periodStart</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
periodEnd	input (date) name: <code>periodEnd</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—

Visible label	Element / state	How to use safely	Observed options or help
[redacted record]	summary <i>enabled</i>	Expand to inspect the associated form or record detail before deciding whether a business action is authorized.	—
templateId	select name: templateId <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	[redacted record] [default]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]
recipientEmail	input (email) name: recipientEmail <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
paymentTermsDays	input (number) name: paymentTermsDays <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
poNumberOverride	input (text) name: poNumberOverride <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
groupingMode	select name: groupingMode <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	[redacted record] [summary]; [redacted record] [detail]; [redacted record] [by_worker]; [redacted record] [by_day]; [redacted record] [by_category]
reportLocale	select name: reportLocale <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	[redacted record] [en]; [redacted record] [pt]; [redacted record] [es]
Configure billing	summary <i>enabled</i>	Expand to inspect the associated form or record detail before deciding whether a business action is authorized.	—
projectId	select name: projectId <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; +16 further sanitized options in RUN.json
streamType	select name: streamType <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	[redacted record] [labor]; [redacted record] [expense]; [redacted record] [milestone]; [redacted record] [other]
cadenceType	select name: cadenceType <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	[redacted record] [weekly]; redacted option [redacted-value]; [redacted record] [semi_monthly]; [redacted record] [monthly]; [redacted record] [custom]; [redacted record] [milestone]; [redacted record] [manual]
effectiveFrom	input (date) name: effectiveFrom <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—

Visible label	Element / state	How to use safely	Observed options or help
anchorDate	input (date) name: anchorDate enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
legalEntityId	select name: legalEntityId required	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]
taxProfileId	select name: taxProfileId required	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]
currency	select name: currency required	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]
billingContactId	select name: billingContactId enabled	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value];
semiMonthlyRule	input (text) name: semiMonthlyRule required	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
autoGenerateDraft	input (checkbox) name: autoGenerateDraft enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Save billing stream	button enabled	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
code	input (text) name: code required	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
legalName	input (text) name: legalName required	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
billingAddress	textarea name: billingAddress required	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
companyIdentifiers	textarea name: companyIdentifiers required	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Save legal entity	button enabled	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

Visible label	Element / state	How to use safely	Observed options or help
name	input (text) name: name <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
componentName	input (text) name: componentName <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
componentPercent	input (number) name: componentPercent <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
componentBasisPoints	input (hidden) name: componentBasisPoints <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
componentCompound	input (checkbox) name: componentCompound <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Save tax profile	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
prefix	input (text) name: prefix <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
digits	input (number) name: digits <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
accountantApprovedAt	input (datetime-local) name: accountantApprovedAt <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Save numbering policy	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

14. Project finance

Observed route: /app/finance?view=overview

Review Finance overview and Planned / Expected project economics.




Figure 12. Sanitized live desktop capture, 1440 × 900.




Figure 12a. Sanitized opened interactive surface: Economic review tab (1440x900).

14.1 Procedure

1. Select the correct project and period.
2. Treat rates, forecasts, cost, revenue, budget and margin as internal information.
3. Confirm recipient and period before any report/export action.

14.2 Interactive-surface disposition

The following non-mutating targets were individually opened or inspected in the live role state. “Not present” means the launch surface was absent in that state; “prohibited mutation” means the visible control was deliberately not activated.

Table 14.2. Opened interactive surfaces

Target	Disposition	Viewport	Observed boundary
Economic review tab	opened	1440x900	Opened through a non-mutating tab, disclosure, detail link, or form-launch control; no values were entered and no submit action was activated.

14.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.

Table 14.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
Print report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search workspace	input (text) name: <code>q</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
view	input (hidden) name: <code>view</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Project	select name: <code>project</code> <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; +15 further sanitized options in RUN.json
Estimate to complete	summary <i>enabled</i>	Expand to inspect the associated form or record detail before deciding whether a business action is authorized.	—
Dismiss notification	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Portfolio	button <i>enabled</i>	Select to change the visible review subview; this is a read-only navigation action.	—
Worker economics	button <i>enabled</i>	Select to change the visible review subview; this is a read-only navigation action.	—
Time entries	button <i>enabled</i>	Select to change the visible review subview; this is a read-only navigation action.	—
Expense ledger	button <i>enabled</i>	Select to change the visible review subview; this is a read-only navigation action.	—
Settlements	button <i>enabled</i>	Select to change the visible review subview; this is a read-only navigation action.	—

Visible label	Element / state	How to use safely	Observed options or help
Previous	button <i>disabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Next	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

15. Economic review

Observed route: /app/finance?view=economic

Review the owner economic-analysis view.




Figure 13. Sanitized live desktop capture, 1440 × 900.

15.1 Procedure

1. Select the authorized project and reporting period.
2. Interpret revenue, cost and margin only with approved commercial context.
3. Do not share owner-only economics with workers or external parties.

15.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.

Table 15.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
Print report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search workspace	input (text) name: q <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
view	input (hidden) name: view <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—

Visible label	Element / state	How to use safely	Observed options or help
Project	select name: <code>project</code> <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; +15 further sanitized options in RUN.json
Estimate to complete	summary <i>enabled</i>	Expand to inspect the associated form or record detail before deciding whether a business action is authorized.	—
Portfolio	button <i>enabled</i>	Select to change the visible review subview; this is a read-only navigation action.	—
Worker economics	button <i>enabled</i>	Select to change the visible review subview; this is a read-only navigation action.	—
Time entries	button <i>enabled</i>	Select to change the visible review subview; this is a read-only navigation action.	—
Expense ledger	button <i>enabled</i>	Select to change the visible review subview; this is a read-only navigation action.	—
Settlements	button <i>enabled</i>	Select to change the visible review subview; this is a read-only navigation action.	—
Previous	button <i>disabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Next	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Dismiss notification	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

16. Commercial configuration

Observed route: /app/finance?view=commercial

Review owner commercial configuration controls.




Figure 14. Sanitized live desktop capture, 1440 × 900.




Figure 14a. Sanitized inspected interactive surface: Commercial classification/configuration form (1440x900).

16.1 Procedure

1. Open the correct project configuration.
2. Check the source contract before changing a rate, budget or cap.
3. Do not use production commercial settings as a test fixture.

16.2 Interactive-surface disposition

The following non-mutating targets were individually opened or inspected in the live role state. “Not present” means the launch surface was absent in that state; “prohibited mutation” means the visible control was deliberately not activated.

Table 16.2. Opened interactive surfaces

Target	Disposition	Viewport	Observed boundary
Commercial classification/configuration form	inspected	1440x900	The form/filter surface was already visible and was inspected without entering values.
Phone commercial configuration form	inspected	390x844	Retained prior sanitized evidence; visible form was inspected without entering values.

16.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.

Table 16.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
Print report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search workspace	input (text) name: <code>q</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
view	input (hidden) name: <code>view</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Project	select name: <code>project</code> <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; +15 further sanitized options in RUN.json
All	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Needs classification	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Reimbursable at cost	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

Visible label	Element / state	How to use safely	Observed options or help
Non-billable	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Classify	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
idempotencyKey	input (hidden) name: idempotencyKey <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Project Required	select name: projectId <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; +16 further sanitized options in RUN.json
Issuing legal entity revision Required	select name: legalEntityRevisionId <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]
Effective from Required	input (date) name: effectiveFrom <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Effective to	input (date) name: effectiveTo <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Reason Required	textarea name: reason <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Save issuing authority	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
overtimeEnabled	input (hidden) name: overtimeEnabled <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Overtime derivation	input (checkbox) name: overtimeEnabled <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Overtime threshold (minutes) Required	input (number) name: overtimeThresholdMinutes <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—

Visible label	Element / state	How to use safely	Observed options or help
Travel client billability Required	select name: <code>travelClientBillable</code> <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	[redacted record] [true]; [redacted record] [false]
Customer sign-off before billing Required	select name: <code>customerSignoffRequired</code> <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	[redacted record] [true]; [redacted record] [false]
Save project policy	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Edit / supersede	summary <i>enabled</i>	Expand to inspect the associated form or record detail before deciding whether a business action is authorized.	—
supersedesId	input (hidden) name: <code>supersedesId</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
workerId	input (hidden) name: <code>workerId</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
projectId	input (hidden) name: <code>projectId</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
currency	input (hidden) name: <code>currency</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
ruleType	input (hidden) name: <code>ruleType</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
rateBasis	input (hidden) name: <code>rateBasis</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
settlementTrigger	input (hidden) name: <code>settlementTrigger</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
overtimeMethod	input (hidden) name: <code>overtimeMethod</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
overtimeMultiplierBps	input (hidden) name: <code>overtimeMultiplierBps</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
overtimeRateMinor	input (hidden) name: <code>overtimeRateMinor</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
dailyGuaranteeMinutes	input (hidden) name: <code>dailyGuaranteeMinutes</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—

Visible label	Element / state	How to use safely	Observed options or help
weekendMethod	input (hidden) name: weekendMethod enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
travelMethod	input (hidden) name: travelMethod enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
standbyMethod	input (hidden) name: standbyMethod enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
rateMinor	input (hidden) name: rateMinor enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
INPUT	input (text) required	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
effectiveFrom	input (date) name: effectiveFrom required	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Save superseding rule	button enabled	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
ruleId	input (hidden) name: ruleId enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Deactivate	button enabled	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
eligibleForPercentage	input (hidden) name: eligibleForPercentage enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
hourlyRateMinor	input (hidden) name: hourlyRateMinor enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
category	input (hidden) name: category enabled	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Save superseding rate	button enabled	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

17. Collections / ledger

Observed route: /app/ledger

Review the master Invoice / Cost / Collection Ledger.




Figure 15. Sanitized live desktop capture, 1440 × 900.




Figure 15a. Sanitized inspected interactive surface: Ledger filters and record detail (1440x900).

17.1 Procedure

1. Filter to the required project, invoice, or cost record.
2. Review collection status against authoritative banking evidence.
3. This validation did not record a payment, collection, or reconciliation.

17.2 Interactive-surface disposition

The following non-mutating targets were individually opened or inspected in the live role state. “Not present” means the launch surface was absent in that state; “prohibited mutation” means the visible control was deliberately not activated.

Table 17.2. Opened interactive surfaces

Target	Disposition	Viewport	Observed boundary
Ledger filters and record detail	inspected	1440x900	The form/filter surface was already visible and was inspected without entering values.

17.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.

Table 17.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
Print report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search workspace	input (text) name: q <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Invoice, client or project	input (search) <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Collection status [redacted record] [redacted record][redacted record] [redacted record][redacted record] [redacted record]	select <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; [redacted record] [unpaid]; [redacted record] [partially_paid]; [redacted record] [paid]; [redacted record] [overdue]; [redacted record] [void]
Clear filters	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Dismiss notification	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

18. Accounting

Observed route: /app/accounting

Review or generate the monthly Accounting Pack and its register.




Figure 16. Sanitized live desktop capture, 1440 × 900.




Figure 16a. Sanitized inspected interactive surface: Accounting Pack input panel (1440x900).

18.1 Procedure

1. Choose a closed and approved reporting period.
2. Review the pack register and generated artifacts before export.
3. Do not close a period or send an export as a UI test.

18.2 Interactive-surface disposition

The following non-mutating targets were individually opened or inspected in the live role state. “Not present” means the launch surface was absent in that state; “prohibited mutation” means the visible control was deliberately not activated.

Table 18.2. Opened interactive surfaces

Target	Disposition	Viewport	Observed boundary
Accounting Pack input panel	inspected	1440x900	The form/filter surface was already visible and was inspected without entering values.

18.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.

Table 18.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
Print report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search workspace	input (text) name: <code>q</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
periodStart	input (date) name: <code>periodStart</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
periodEnd	input (date) name: <code>periodEnd</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Accounting Pack report language	select name: <code>reportLocale</code> <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	[redacted record] [en]; [redacted record] [pt]; [redacted record] [es]
Generate pack	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Dismiss notification	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

19. Audit log

Observed route: /app/audit

Inspect the append-only security and finance audit view.




Figure 17. Sanitized live desktop capture, 1440 × 900.




Figure 17a. Sanitized inspected interactive surface: Audit filters (1440x900).

19.1 Procedure

1. Filter to the relevant record or event.
2. Use the audit trail to explain approved changes and corrections.
3. Do not attempt to alter or remove audit history.

19.2 Interactive-surface disposition

The following non-mutating targets were individually opened or inspected in the live role state. “Not present” means the launch surface was absent in that state; “prohibited mutation” means the visible control was deliberately not activated.

Table 19.2. Opened interactive surfaces

Target	Disposition	Viewport	Observed boundary
Audit filters	inspected	1440x900	The form/filter surface was already visible and was inspected without entering values.

19.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.

Table 19.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
Print report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search workspace	input (text) name: q <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Dismiss notification	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

20. Profile and security

Observed route: /app/profile

Manage workforce skills/availability and personal security settings.




Figure 18. Sanitized live desktop capture, 1440 × 900.




Figure 18a. Sanitized inspected interactive surface: Read-only MFA status verification (1440x900).

20.1 Procedure

1. Register passkey is available if you choose to add a device credential.
2. Enable MFA is available as an optional authenticator setting.
3. Language and account options are available from the top bar.

20.2 Interactive-surface disposition

The following non-mutating targets were individually opened or inspected in the live role state. “Not present” means the launch surface was absent in that state; “prohibited mutation” means the visible control was deliberately not activated.

Table 20.2. Opened interactive surfaces

Target	Disposition	Viewport	Observed boundary
Passkey control	prohibited_mutation	1440x900	Passkey enrollment was not activated.
Optional MFA control	prohibited_mutation	1440x900	Enable MFA was not activated during the retained read-only evidence check.
Read-only MFA status verification	inspected	1440x900	Retained prior sanitized evidence observed Authenticator app status as Not enabled; no security control was activated.

20.3 Field, filter, option and action inventory

The following table de-duplicates the base view and every opened interactive surface. Persistent navigation links are documented in Section 1 and are not repeated as form controls.

Table 20.1. Sanitized observed controls and option sets

Visible label	Element / state	How to use safely	Observed options or help
Print report	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Search workspace	input (text) name: <code>q</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
worker	select name: <code>worker</code> <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; +89 further sanitized options in RUN.json
View worker profile	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Add Skill	summary <i>enabled</i>	Expand to inspect the associated form or record detail before deciding whether a business action is authorized.	—
workerId	input (hidden) name: <code>workerId</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
skillId	select name: <code>skillId</code> <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]
proficiency	input (number) name: <code>proficiency</code> <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—

Visible label	Element / state	How to use safely	Observed options or help
Add skill	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Remove Skill	summary <i>enabled</i>	Expand to inspect the associated form or record detail before deciding whether a business action is authorized.	—
skillId	select name: skillId <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]
Remove skill	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
startsAt	input (datetime-local) name: startsAt <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
endsAt	input (datetime-local) name: endsAt <i>required</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
availability	select name: availability <i>enabled</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	[redacted record] [available]; [redacted record] [unavailable]; [redacted record] [tentative]
note	textarea name: note <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Save availability	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Manage worker skills	summary <i>enabled</i>	Expand to inspect the associated form or record detail before deciding whether a business action is authorized.	—
workerId	select name: workerId <i>required</i>	Choose the option that matches the approved record or filter; do not infer a value from another project or worker.	redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; redacted option [redacted-value]; +89 further sanitized options in RUN.json
Assign skill	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Manage worker availability	summary <i>enabled</i>	Expand to inspect the associated form or record detail before deciding whether a business action is authorized.	—

Visible label	Element / state	How to use safely	Observed options or help
Save worker availability	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Device name	input (text) name: <code>passkeyName</code> <i>enabled</i>	Enter factual or approved record data only. Required fields must be completed before a submitted action can be valid.	—
Register passkey	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Enable MFA	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—
Dismiss notification	button <i>enabled</i>	May open a non-submitting surface or begin a committing action. Check the interactive-surface disposition table: only tabs, details, safe links and non-submitting form launches were opened; committing actions were prohibited.	—

21. Validation record and support

The auditable route/action matrix, timestamp, viewport, screenshot SHA-256 hashes, privacy checks, authorization outcomes, creation/cleanup ledger and prohibited-action notation are in `docs/evidence/client-ready-20260906/manual-browser/RUN.json` and `COVERAGE.md`. Prior executed lifecycle operations are cross-referenced only from `docs/evidence/client-ready-20260906/operations/PRODUCTION_OPERATIONS_EVIDENCE.json` and `RUN_REPORT.md`; this manual run itself was read-only.

If a required control is absent, an authorization error occurs, or a record conflicts with approved source evidence, stop and contact the platform owner. Do not bypass a role, fabricate acceptance, or use a financial action as a test.