

Session – 8

Q1. Write a PL/SQL block that declares two variables: one for a user's name (VARCHAR2) and one for their age (NUMBER). Assign values and print both using DBMS_OUTPUT.PUT_LINE.

queries.sql ×	I/O AI Agent
<pre>1 DECLARE 2 user_name VARCHAR2(50); 3 user_age NUMBER; 4 BEGIN 5 user_name := 'Krish'; 6 user_age := 20; 7 8 DBMS_OUTPUT.PUT_LINE('Name: ' user_name); 9 DBMS_OUTPUT.PUT_LINE('Age: ' user_age); 10 END; 11 /</pre>	STDIN Input for the program (Optional) Output: Name: Krish Age: 20

Q2. Create a PL/SQL block that uses an IF statement to check if a given order amount is above 500. If yes, print 'Eligible for free delivery', else print 'Delivery charges apply'.

queries.sql ×	I/O AI Agent
<pre>1 DECLARE 2 order_amount NUMBER; 3 BEGIN 4 order_amount := 600; 5 6 IF order_amount > 500 THEN 7 DBMS_OUTPUT.PUT_LINE('Eligible for free delivery'); 8 ELSE 9 DBMS_OUTPUT.PUT_LINE('Delivery charges apply'); 10 END IF; 11 END; 12 /</pre>	STDIN Input for the program (Optional) Output: Eligible for free delivery

Q3. Write a PL/SQL block that uses a simple LOOP to print the numbers 1 to 5 using DBMS_OUTPUT.PUT_LINE.

Hint: Use a counter variable and EXIT WHEN condition inside the loop.

<pre>1 DECLARE 2 counter NUMBER := 1; 3 BEGIN 4 LOOP 5 DBMS_OUTPUT.PUT_LINE(counter); 6 counter := counter + 1; 7 8 EXIT WHEN counter > 5; 9 END LOOP; 10 END; 11 /</pre>	I/O AI Agent STDIN Input for the program (0 Output: 1 2 3 4 5
--	---

Q4. Declare a cursor in PL/SQL to select all product names from a table called PRODUCTS. Fetch each product name and print it using DBMS_OUTPUT.PUT_LINE.

Hint: Assume the PRODUCTS table has a column PRODUCT_NAME.

ANS:

```
DECLARE
```

```
    CURSOR c IS SELECT PRODUCT_NAME FROM  
PRODUCTS;
```

```
    p VARCHAR2(50);
```

```
BEGIN
```

```
    OPEN c;
```

```
LOOP
```

```
    FETCH c INTO p;
```

```
    EXIT WHEN c%NOTFOUND;
```

```
    DBMS_OUTPUT.PUT_LINE(p);
```

```
END LOOP;
```

```
CLOSE c;
```

```
END;
```

```
/
```

Q5. Write a PL/SQL block that tries to divide two numbers entered as variables. If a division by zero occurs, catch the exception and print 'Cannot divide by zero'. Otherwise, print the result.

<pre>1 DECLARE 2 a NUMBER := 10; 3 b NUMBER := 0; 4 result NUMBER; 5 BEGIN 6 result := a / b; 7 DBMS_OUTPUT.PUT_LINE('Result: ' result); 8 9 EXCEPTION 10 WHEN ZERO_DIVIDE THEN 11 DBMS_OUTPUT.PUT_LINE('Cannot divide by zero'); 12 END; 13 /</pre>	I/O AI Agent STDIN Input for the program (Output: Cannot divide by zero
---	---