

Diagnosis-Procedure Compatibility Policy

Synthetic Training Policy - Non-PHI

Encodes clinical coding compatibility rules between `diagnosis_code` and `procedure_code`. Maps each diagnosis family to its compatible and incompatible procedures, and defines the denial-risk implications of incompatible coding pairs.

Policy ID	CLAIMOPS-POL-006
Effective Date	2026-04-25
Applies To	Synthetic claims, provider, diagnosis, and cost datasets in this repository
Source Type	Locally generated demo policy; not a real payer coverage policy

Policy Summary

- Each `diagnosis_code` has a defined set of compatible `procedure_codes` based on clinical coding guidelines.
- A compatible diagnosis-procedure pair has a lower `pair_risk_prior` and does not trigger medical-necessity review from coding mismatch alone.
- An incompatible diagnosis-procedure pair sets `dx_px_compatible` = 0 and carries an elevated `pair_risk_prior`, signaling higher denial probability.
- Incompatible pairs require supporting documentation explaining why the billed procedure was performed for the given diagnosis.

Rules

Rule ID	Requirement
DXPX-10	D10: Compatible with PROC2, PROC5 (low risk prior 0.38). Incompatible with PROC1, PROC3, PROC4, PROC6 (high risk prior 0.75). Incompatible pairs trigger medical-necessity review.
DXPX-20	D20: Compatible with PROC3, PROC4 (low risk prior 0.29). Incompatible with PROC1, PROC2, PROC5, PROC6 (high risk prior 0.84). Incompatible pairs trigger medical-necessity review.
DXPX-30	D30: Compatible with PROC1, PROC6 (low risk prior 0.18). Incompatible with PROC2, PROC3, PROC4, PROC5 (high risk prior 0.73). Incompatible pairs trigger medical-necessity review.
DXPX-40	D40: Compatible with PROC1, PROC6 (low risk prior 0.18). Incompatible with PROC2, PROC3, PROC4, PROC5 (high risk prior 0.73). Incompatible pairs trigger medical-necessity review.
DXPX-50	D50: Compatible with PROC2, PROC5 (low risk prior 0.38). Incompatible with PROC1, PROC3, PROC4, PROC6 (high risk prior 0.75). Incompatible pairs trigger medical-necessity review.
DXPX-60	D60: Compatible with PROC6 (low risk prior 0.18). Incompatible with PROC1, PROC2, PROC3, PROC4, PROC5 (high risk prior 0.73). Incompatible pairs trigger medical-necessity review.

Remediation Guidance

- Before submitting, verify that the selected procedure_code is clinically indicated for the diagnosis_code.
- For incompatible pairs, attach chart notes or a letter of medical necessity explaining the clinical rationale.
- If the procedure_code was entered in error, correct it and re-run pre-submission validation.
- Use diagnosis_code and procedure_code (not patient identifiers or dates) when searching for policy guidance.

RAG Safety Note

This document contains only synthetic policy text. It intentionally avoids patient names, patient identifiers, service dates, and real billed amounts. Use policy_id, rule_id, denial reason, diagnosis category, and procedure status as retrieval metadata.