1. INTRODUCTION

1.1 PROBLEM SUMMRY

1.1.1 Problem Identification

In today's market, customers often face difficulty finding eyewear that combines style, comfort, quality, and affordability in one place. Many optical stores do not provide a user-friendly experience, making it hard for users to explore different designs, compare features, and choose eyewear that matches their personal style and lifestyle. Lack of variety, outdated designs, poor online experience, and limited guidance further reduce customer satisfaction. Therefore, there is a need for an optical store platform that offers a modern, easy-to-use interface with premium-quality eyewear, trendy designs, and a smooth browsing experience to help customers make the right choice confidently.

1.1.2 Problem Solution

This is our luxurious eyewear website where style meets comfort and quality. We bring you a premium collection of eyewear designed to enhance your vision and elevate your look. Our website offers a clean, modern, and user-friendly experience, making it easy to explore different styles, compare features, and choose the perfect pair of glasses. Whether you are looking for trendy frames, classic designs, or high-end luxury pieces, we are committed to giving you the best in fashion and function. Discover eyewear that reflects your personality and fits your lifestyle – all in one elegant place.

2. PLANNING

2.1 MODEL DESCRIPTION



Fig 2.1 Iterative Waterfall Model

- In our project we are using iterative waterfall model.
- It is not possible to strictly follow the classical waterfall model.
- Making necessary changes to the classical waterfall model so that it becomes applicable to practical software development projects.
- The main change to the classical waterfall model is in the form of providing feedback paths from every phase to its preceding phases as shown in figure.
- The feedback paths allow for correction of the errors committed during a phase as and when these are detected in a later phase.
- For example, if during testing a design error is identified then the feedback path allows the design to be reworked and the changes to be reflected in the design document.
- There is no feedback path to the feasibility stage. This means that the feasibility study errors cannot be corrected.

Requirements analysis and specification

- The aim of the requirements analysis and specification phase is to understand the exact requirements of the customer and to document them properly. This phase consists of two distinct activities, namely
  - Requirements gathering and analysis, and
  - Requirements specification
- The goal of the requirements gathering activity is to collect all relevant information from the customer regarding the product to be developed. This is done to clearly understand the customer requirements so that incompleteness and inconsistencies are removed.
- The requirements analysis activity is begun by collecting all relevant data regarding the product to be developed from the users of the product and from the customer through interviews and discussions.
- During SRS activity, the user requirements are systematically organized into a Software Requirements Specification (SRS) document.

Design

- During the design phase the software architecture is derived from the SRS document. Two distinctly different approaches are available.
- Traditional design consists of two different activities; first a structured analysis of the requirements specification is carried out where the detailed structure of the problem is examined. During structured design, the results of structured analysis are transformed into the software design.

Coding and unit testing (Implementation)

- The purpose of the coding and unit testing phase of software development is to translate the software design into source code. Each component of the design is implemented as a program module. The end-product of this phase is a set of program modules that have been individually tested.
- Each module is unit tested for determine the correct working of all the individual modules.

Integration and system testing

- Integration of different modules is done once they have been coded and unit tested. During the integration and system testing phase, the modules are integrated in a planned manner.
- Finally, when all the modules have been successfully integrated and tested, system testing is carried out. The goal of system testing is to ensure that the developed system conforms to its requirements laid out in the SRS document. System testing usually consists of three different kinds of testing activities.
- α – testing: It is the system testing performed by the development team.
- β – Testing: It is the system testing performed by a friendly set of customers.
- Acceptance testing: It is the system testing performed by the customer himself after the product delivery to determine whether to accept or reject the delivered product.

Maintenance

- Maintenance involves performing any one or more of the following three kinds of activities:
  - Correcting errors that were not discovered during the product development phase. This is called corrective maintenance.
  - Improving the implementation of the system, and enhancing the functionalities of the system according to the customer's requirements. This is called perfective maintenance.
  - Porting the software to work in a new environment. For example, porting may be required to get the software to work on a new computer platform or with a new operating system. This is called adaptive maintenance.

2.2 Risk Management

- The aim of risk management is to reducing the impact of all kind of risks that might affect a project. Risk management consists of three essential activities: risk identification, risk assessment, and risk containment.

Risk Identification

- A software project can be affected by a large variety of risks. In order to be able to systematically identify the important risks which might affect a software project, it is necessary to categorize risks into different classes.
- The project manager can then examine which risks from each class are relevant to the project. There are three main categories of risks which can affect a software project:

Project Risks

- Project risks concern varies forms of budgetary, schedule, personnel, resource, and customer-related problems. An important project risk is schedule. It is very difficult to monitor and control a software project.

- It is very difficult to control something which cannot be seen.
- The invisibility of the product being developed is an important reason for many software projects failure.
- So in our project we are trying to resolve this kind of project risk which is also known as schedule risk.

Technical Risks

- Technical risks concern design, implementation, interfacing, testing, and maintenance problems.
- Technical risks also include ambiguous specification, incomplete specification, changing specification, technical uncertainty. Most technical risks occur due to the team member's insufficient knowledge about the project.
- So in order to prevent this risk, we have done appropriate project analysis before starting our project.

Business Risks

- This type of risks include risks of building an excellent product that no one wants, losing budgetary or personnel commitments, etc.

Risk Assessment

- Risk assessment involves identifying risk, analyzing them and then assigns priority to them on the basis of the analysis.
- The objective of risk assessment is to rank the risks in terms of their damage. For risk assessment, first each risk should be rated in two ways:
- The probability of a risk coming true (denoted as r).
- The result of the problems associated with that risk (denoted as s).
- Based on these two factors, the priority of each risk can be computed:

$$\mathbf{p = r * s}$$

- Where, p is the priority with which the risk must be handled, r is the probability of the risk becoming true, and so is the result of damage caused due to the risk becoming true. If all identified risks are prioritized, then the most likely and damaging risks can be handled first and reject procedures can be designed for these risks.

Risk Containment

- After all the identified risks of a project are assessed, plans must be made to containment the most damaging and the most likely risks.
- Different risks require different containment procedures. In fact, most risks require expertness on the part of the project manager in handling the risk.
- There are three main strategies to plan for risk containment:
  - **Avoid the risk:** This may take several forms such as discussing with the customer to change the requirements to reduce the scope of the work.
  - **Transfer the risk:** This strategy involves getting the risky component developed by a third party.
  - **Risk reduction:** This involves planning ways to containment the damage due to a risk.
- To choose between the different strategies of handling a risk, the project manager must consider the cost of handling the risk and the corresponding reduction in risk.
- For this we may compute the risk leverage of the different risks. Risk leverage is the difference in risk divided by the cost of reducing the risk.
- **Risk leverage = (Risk before reducing - Risk after reducing) / cost of reducing**

3. DETAIL DESCRIPTION

Admin

The "Admin" table is designed to store information about administrators in a system. It holds essential details related to each administrator, such as their unique ID, name, username, and password. This table is intended to manage and store information about administrators who have access to the system. The table's fields allow for the identification of administrators, including their names, usernames, and passwords.

- **AdminID**:- ID of Admin.
- **AdminName**:- Name of Admin.
- **AdminUsername**:- Username of Admin.
- **AdminPassword**:- Password of Admin.

User

The user table stores details of registered customers. It includes username, email, encrypted password, and account creation time. It also supports password recovery using reset tokens and expiry time. This table is essential for customer authentication, order placement, cart handling, and feedback submission.

- **UserID**:- ID of User.
- **Username**:- Username of user.
- **Password**:- Password of user dashboard.
- **Email**:- Email ID of user.

Categories

The categories table is designed to store additional or informational categories with descriptions. It can be used for static content classification or future expansion.

- **ID**:- ID of categories.
- **Name**:- name of categories.
- **Description**:- Description of categories.

Brands

The brands table stores eyewear brand information like GUCCI, PRADA, DIOR, etc. Each brand can be linked to a main category. This allows customers to filter products based on brand and helps the store manage branded products efficiently.

- **ID**:- ID of Brands.
- **name**:- name of Brand.
- **main_category ID**:- ID of main categories.

Genders

The genders table specifies the target gender for products, such as Male, Female, and Unisex. It can also be linked to a main category. This table helps users browse products suitable for different genders.

- **ID**:- Unique identification number for each gender.
- **name**:- name of gender.
- **Main_categories ID**:- References the related main category for which the gender applies.

Price_categories

The price_categories table groups products based on price ranges like Luxury and Ultra Luxury. It stores minimum and maximum price limits. This allows customers to filter products according to budget and helps the store classify products economically.

- **ID:-**Unique price category ID**.**
- **Label**:- Name of the price category.
- **Min_price**:- Minimum price range
- **Max_price**:- Maximum price range.
- **Main_categories ID**:- Related main category.

Products

The products table is the core table of the optical store. It stores complete product details including product name, price, description, image path, and creation date. It is linked with brand, gender, price category, and main category tables. This table represents all eyewear items available for sale.

- **ID**:- Unique product ID.
- **main_category_id**:- Product's main category.
- **name**:- Product name.
- **brand_ID**:- Brand of the product.
- **gender_ID**:- Target gender.
- **price_category_ID**:- Price classification.
- **price**:- Product price.
- **description**:- Product details.
- **image_path**:- Main product image.

Product_images

The product_images table stores multiple images for each product. Each record links an image path to a product ID. This allows the website to show image galleries for products, improving product visualization.

- **ID**:- Unique image ID.
- **product_ID**:- Associated product ID.
- **image_path**:- Image file path.

Images

The images table stores general image paths used in the system. It is mainly used to manage image references centrally.

- **path**:- File path of the image.

Carts

The carts table represents shopping carts created by users. Each cart is linked to a specific user and has a creation timestamp. This table allows users to collect products before checkout.

- **ID**:- Unique cart ID.
- **user_ID**:- ID of the user who owns the cart.

Cart_items

The cart_items table stores individual products added to a cart. It contains cart ID, product ID, and quantity. This table manages cart contents and supports dynamic cart updates.

- **ID**:- Unique cart item ID
- **cart_ID**:- Reference to the cart.
- **product_ID**:- ID of the product added to the cart.
- **quantity**:- Number of units of the product.

Wishlist

The wishlist table stores products that users save for future reference. Each record connects a user with a product. This feature improves user engagement and helps track customer interest.

- **ID**:- Unique wishlist ID.
- **user_ID**:- ID of the user.
- **product_ID**:- Saved product ID.

Orders

The orders table stores complete order information once a user places an order. It includes customer name, email, shipping address, total amount, order status, payment method, and order date. This table is crucial for order tracking and delivery management.

- **ID**:- Unique order ID.
- **user**_ID:- ID of the user who placed the order.
- **name**:- Customer name.
- **email**:- Customer email address.
- **shipping_address**:- Delivery address.
- **total_amount**:- Total price of the order.
- **status**:- Current order status.
- **payment_method**:- Selected payment method.

Order_items

The order_items table stores individual product details within an order. It includes product ID, quantity, and price at the time of purchase. This table provides a detailed breakdown of each order.

- **ID**:- Unique order item ID.
- **order_ID**:- Reference to the order.
- **product_ID**:- Purchased product ID.
- **quantity**:- Quantity ordered.
- **price**:- Price of the product at the time of order.

Payments

The payments table stores payment transaction details related to orders. It supports multiple payment methods such as COD, UPI, CARD, and NET BANKING. It records payment amount, status, transaction ID, and optional payment details. This table ensures proper financial tracking.

- **ID**:- Unique payment ID.
- **order_ID**:- Associated order ID.
- **payment_method**:- Method of payment (COD, UPI, CARD).
- **amount**:- Payment amount.
- **payment_status**:- Status of the payment.
- **transaction_ID**:- Unique transaction reference.
- **paid_at**:- Date and time of payment.

Feedback

The feedback table stores customer reviews and ratings for products. It includes a rating (1 to 5) and optional written review. This table helps improve product quality and builds customer trust.

- **ID**:- Unique feedback ID.
- **user_ID**:- ID of the user who submitted feedback.
- **product_ID**:- ID of the reviewed product.
- **rating**:- Rating value between 1 and 5.
- **review**:- Textual review of the product.

Contact_messages

The contact_messages table stores messages sent by users through the contact form. It includes sender name, email, subject, message content, and date. This table supports customer communication and issue resolution.

- **ID**:- Unique message ID.
- **user_name**:-Name of the user
- **user_email**:- Email address of the user.
- **subject**:- Subject of the message.
- **message**:- Content of the message.

Main_categories

The main_categories table defines the primary classification of eyewear products such as Sunglasses, Rimless, Half Frame, and Full Frame. Each category has a name and slug for SEO-friendly URLs. This table helps organize products at a high level.

- **ID**:- Unique main category ID.
- **name**:- Name of the main category.

4. DIAGRAMS

4.1 CLASS DIAGRAM



Fig 4.1 Class Diagram of Optical Store

4.2 SEQUENCE DIAGRAM

4.2.1 SEQUENCE DIAGRAM FOR ADMIN



Fig 4.2.1 Sequence Diagram for Admin of Optical Store

4.2.1 SEQUENCE DIAGRAM FOR USER



Fig 4.2.2 Sequence Diagram for User of Optical Store

4.3 COLLABORATION DIAGRAM

4.3.1 COLLABORATION DIAGRAM FOR ADMIN



Fig 4.3.1 Collaboration Diagram for Admin of Optical Store

4.3.2 COLLABORATION DIAGRAM FOR USER



Fig 4.3.2 Collaboration Diagram for User of Optical Store

4.4 STATE DIAGRAM



Fig 4.4 State Diagram for Order of Optical Store

4.5 ACTIVITY DIAGRAM

4.5.1 ACTIVITY DIAGRAM FOR ADMIN



Fig 4.5.1 Activity Diagram for Admin of Optical Store

4.5.2 ACTIVITY DIAGRAM FOR USER



Fig 4.5.2 Activity Diagram for User of Optical Store

4.6 USE CASE DIAGRAM



Fig 4.6 Use case Diagram of Optical Store

4.7 DATA FLOW DIAGRAM

4.1.1 DATA FLOW DIAGRAM LEVEL 0



Fig 4.7.1 Data Flow Diagram Level 0 of Optical Store

4.7.2 DATA FLOW DIAGRAM LEVEL 1 FOR ADMIN



Fig 4.7.2 Data Flow Diagram for Level 1 for Admin of Optical Store

4.7.3 DATA FLOW DIAGRAM LEVEL 1 FOR USER



Fig 4.7.3 Data Flow Diagram for Level 1 for User of Optical Store

5. DATA DICTIONARY

5.1 DATABASE TABLES

Table 1.1 : admins

FieldName	DataType	Size	Constraint	Reference
id	int	11	PRIMARY KEY	-
username	varchar	100	NOT NULL	-
password	varchar	255	NOT NULL	-

Table 1.2 : user

Field Name	DataType	Size	Constraint	Reference
id	int	11	PRIMARY KEY	-
username	varchar	100	NOT NULL	-
email	varchar	255	UNIQUE, NOT NULL	-
password	varchar	255	NOT NULL	-

Table 1.3 : brands

Field Name	DataType	Size	Constraint	Reference
id	int	11	PRIMARY KEY	-
name	varchar	150	NOT NULL	-
main_category_id	int	11	FOREIGN KEY	Main_categories→ Main_categories(id)

Table 1.4 : carts

Field Name	Data Type	Size	Constraint	Reference
id	int	11	PRIMARY KEY	-
user_id	int	11	FOREIGN KEY	User→user(id)
email	varchar	255	NOT NULL	-
password	varchar	255	NOT NULL	-

Table 1.5 : cart_items

Field Name	Data Type	Size	Constraint	Reference
id	int	11	PRIMARY KEY	-
cart_id	int	11	FOREIGN KEY	Cart→carts(id)
product_id	int	11	FOREIGN KEY	Products→products(id)
quantity	int	11	NOT NULL	-

Table 1.6 : categories

Field Name	Data Type	Size	Constraint	Reference
id	int	11	PRIMARY KEY	-
name	varchar	150	NOT NULL	-
description	text	-	NULL	-

Table 1.7 : contact_messages

Field Name	Data Type	Size	Constraint	Reference
id	int	11	PRIMARY KEY	-
user_name	varchar	255	NOT NULL	-
user_email	varchar	255	NOT NULL	-
subject	varchar	255	NOT NULL	-
message	text	-	NOT NULL	-

Table 1.8 : feedback

Field Name	Data Type	Size	Constraint	Reference
id	int	11	PRIMARY KEY	-
user_id	int	11	FOREIGN KEY	User→user(id)
product_id	int	11	FOREIGN KEY	Products→products(id)
rating	int	11	NOT NULL	-
review	text	-	NULL	-

Table 1.9 : genders

Field Name	Data Type	Size	Constraint	Reference
id	int	11	PRIMARY KEY	-
name	varchar	100	NOT NULL	-
main_category_id	int	11	NULL	-

Table 1.10 : main_categories

Field Name	Data Type	Size	Constraint	Reference
id	int	11	PRIMARY KEY	-
name	varchar	255	NOT NULL	-
slug	varchar	255	NOT NULL	-

Table 1.11 : price_categories

Field Name	Data Type	Size	Constraint	Reference
id	int	11	PRIMARY KEY	-
label	varchar	150	NOT NULL	-
min_price	decimal	12,2	NULL	-
max_price	decimal	12,2	NULL	-
main_category_id	int	11	FOREIGN KEY	Main_categories→ Main_categories(id)

Table 1.12 : product_images

Field Name	Data Type	Size	Constraint	Reference
id	int	11	PRIMARY KEY	-
product_id	int	11	FOREIGN KEY	Products→products(id)
image_path	varchar	255	NOT NULL	-

Table 1.13 : products

Field Name	Data Type	Size	Constraint	Reference
id	int	11	PRIMARY KEY	-
main_category_id	int	11	FOREIGN KEY	Main_categories→ Main_categories(id)
name	varchar	255	NOT NULL	-
brand_id	int	11	FOREIGN KEY	Brands→brands(id)
gender_id	int	11	FOREIGN KEY	Genders→genders(id)
price_category_id	int	11	FOREIGN KEY	Price_categories→ Price_categories(id)
price	decimal	12,2	NOT NULL	-
description	text	-	NULL	-
image_path	varchar	255	NULL	-

Table 1.14 : orders

Field Name	Data Type	Size	Constraint	Reference
id	int	11	PRIMARY KEY	-
user_id	int	11	FOREIGN KEY	User→user(id)
name	varchar	255	NOT NULL	-
email	varchar	255	NOT NULL	-
shipping_address	text	-	NOT NULL	-
total_amount	decimal	10,2	NOT NULL	-
status	enum	-	-	-
payment_method	varchar	50	NULL	-

Table 1.15 : order_items

Field Name	Data Type	Size	Constraint	Reference
id	int	11	PRIMARY KEY	-
order_id	int	11	FOREIGN KEY	Order→orders(id)
product_id	int	11	FOREIGN KEY	Product→products(id)
quantity	int	11	NOT NULL	-
price	decimal	10,2	NOT NULL	-

Table 1.16 : payments

Field Name	Data Type	Size	Constraint	Reference
id	int	11	PRIMARY KEY,	-
order_id	int	11	FOREIGN KEY	Orders→orders(id)
payment_method	enum	-		-
amount	decimal	12,2	NOT NULL	-
payment_status	enum	-		-
transaction_id	varchar	255	NULL	-
paid_at	timestamp	-	NULL	-
payment_info	text	-	NULL	-

Table 1.17 : wishlist

Field Name	Data Type	Size	Constraint	Reference
id	int	11	PRIMARY KEY	-
user_id	int	11	FOREIGN KEY	User→user(id)
product_id	int	11	FOREIGN KEY	Products→products(id)

5.2 ER DIAGRAM



Fig 5.2 ER Diagram of Optical Store

6. SCREENSHOTS

REGISTER PAGE



Fig 6.1 Register Page

- This is a register page for user.
- Users are prompted to enter a username, email address, password, and confirm their password.
- A "Register" button is available to submit the information.

LOGIN PAGE



Fig 6.2 Login Page

- Link to Register for a new account.
- Secure and authorized access to your account.
- Title: Welcome Back, Input Fields: Email and Password ,Action: Login button.

HOME PAGE



Fig 6.3 Home Page

- This is Home page of site.
- The company offers "Luxury Eyewear, Exceptional Service".
- New arrivals are featured under a "Season Collection" banner.

ABOUT US PAGE



Fig 6.4 About Page

- Lumineux Opticals is an eyewear company formed from the collaboration of two established mother showrooms: Amee Optical and Clear Vision.
- The company combines decades of experience from Amee Optical (3 branches in Rajkot and Junagadh) and Clear Vision (2 branches in Rajkot) to offer premium eyewear.
- **Contact Information:**
    - Location: Ahmedabad, Gujarat, India
    - Phone: +91 98765 43210
    - Email: support@lumineux.com

CATEGORIES PAGE



Fig 6.5 Categories Page

- A display of various sunglasses for sale, organized into different models and brands.
- Brands visible in the listings include Dior, Prada, and Gucci.
- The site includes navigation links for "About", "Categories", and "Contact".
- The footer contains quick links, contact information (email: support@lumineux.com), and social media icons.

CONTACT US PAGE



Fig 6.6 Contact Us Page

- "Contact Us" page for a company named Lumineux Opticals. It includes a message submission form and contact details.
- Company Name: Lumineux Opticals.
- Location: Ahmedabad, Gujarat, India.
- Phone Number: +91 98765 43210.
- Email: support@lumineux.com.

CART PAGE



Fig 6.7 Cart Page

- The site identifies itself as "Lumineux Opticals", offering premium eyewear crafted for clarity, comfort, and luxury.
- A "Guuci Half rim frame for women" priced at ₹10,000 is listed for review before checkout.
- The site identifies itself as "Lumineux Opticals", offering premium eyewear crafted for clarity, comfort, and luxury.

WISHLIST PAGE



Fig 6.8 Wishlist Page

- The image displays a screenshot of the "My Wishlist" page on the "Lumineux Opticals" e-commerce website. The website is dedicated to selling premium eyewear.
- Company Name: Lumineux Opticals.
- Location: Ahmedabad, Gujarat, India.
- Contact Information: +91 98765 43210, support@lumineux.com.
- About Section: Lumineux Opticals offers high-quality frames and lenses designed for clarity, comfort, and style.

ORDER PAGE



Fig 6.9 Order Page

- The order includes two pairs of Prada shaded Sunglasses and one pair of Prada Symbol Sunglasses.
- "My Orders" webpage for a company named "Lumineux Opticals", detailing a specific order that includes Prada sunglasses.
- The order number is #95, with a total of ₹20,160,040.00.

PROFILE PAGE



Fig 6.10 Profile Page

- "Edit Profile" page for an online account with "Lumineux Opticals", showing a successful profile update for a user.
- The page allows managing account details and changing the password.
- The user successfully updated their profile details.

ADMIN LOGIN PAGE



Fig 6.11 Admin Login Page

- Login form used for authenticating users and granting access to secure sections of a website or application.
- Input fields for a username ("admin") and a password (masked).
- A "Login" button to submit credentials.
- To prevent unauthorized access to an administration area.

ADMIN DASHBOARD PAGE



Fig 6.12 Admin Dasboard Page

- The dashboard shows 26 total products currently listed.
- There are 4 main categories and 3 brands available.
- The system has 2 pending orders and 2 price categories.
- Users can manage products, orders, payments, contact messages, and user feedback from the sidebar menu.

MANAGE CATEGORIES PAGE



Fig 6.13 Manage Categories Page

- DIOR, GUCCI, and PRADA are currently listed with options to Update or Delete.
- Includes links to Dashboard, Manage Products, Orders, Payments, Contact Messages, Users, Feedback, Categories, and Logout.
- Forms are available to "Add Brand" and "Add Gender" to the system.
- The panel uses a green and white color scheme with clear labeling for actions and sections.



Fig 6.14 Manage categories Page

- It shows existing categories like "Full Frame," "Half Frame," "Rimless," and "Sunglasses," along with options to add new ones, and update or delete existing entries.
- An administrative user interface for category management.
- Options to add, update, and delete product categories.
- Categories: "Full Frame," "Half Frame," "Rimless," and "Sunglasses".
- A sidebar with links to Dashboard, Manage Products, Orders, Payments, Contact Messages, Users, Feedback, Categories, and Logout.



Fig 6.15 Manage categories Page

- Allows administrators to add, update, and delete gender options (Female, Male, Unisex) for products.
- Provides functionality to add, update, and delete price categories (Luxury, Ultra Luxury) with defined minimum and maximum price ranges.
- The sidebar menu includes links to Dashboard, Manage Products, Orders, Payments, Contact Messages, Users, Feedback, Categories, and Logout.
- This dashboard helps organize product data and streamline administrative tasks within an online store management system.

MANAGE PRODUCT PAGE



Fig 6.16 Manage product Page

- The panel lists several pairs of Gucci eyewear with details such as name, category, brand, gender, price, and actions like "Edit" and "Delete".
- The panel is for "Manage Products" and shows a table of six items.
- Actions available for each product are "Edit" and "Delete".

ADD PRODUCT PAGE



Fig 6.17 Add product Page

- The form requires inputs for Product Name, Main Category, Brand, Gender, Price Category, Price, and Description.
- It also allows for uploading a Product Image file.
- Navigation links for Dashboard, Manage Products, Categories, Orders, and Logout are visible on the left sidebar.

MANAGE ORDER PAGE



Fig 6.18 Manage order Page

- Orders Management" dashboard, which allows filtering, updating status, and managing all orders.
- Options to "Update" status, "View" details, and "Delete" orders are available.

MANAGE USER PAGE



Fig 6.19 Manage user Page

- The panel is for an application or website with features for managing products, orders, payments, contact messages, users, feedback, and categories.
- The "Users Management" section lists three registered users with their IDs, usernames, email addresses, creation timestamps, and a "Delete" action button for each.

MANAGE PAYMENT PAGE



Fig 6.20 Manage payment Page

- Payments Management: An administrative interface to view and manage all transactions.
- Includes links for Dashboard, Manage Products, Orders, Contact Messages, Users, Feedback, and Categories.
- Each transaction entry has a "Delete" action button.

MANAGE CONTACT PAGE



Fig 6.21 Manage contact page

- The panel is titled "Contact Messages" and includes navigation links for Dashboard, Manage Products, Orders, Payments, Users, Feedback, categories, and Logout.
- It lists user inquiries with details like ID, User Name, User Email, Subject, Message, Created At, and an Action to Delete.

7. CONCLUSION

The eyewear store system provides an efficient and user-friendly solution for managing daily store operations such as customer records, inventory, billing, and prescriptions. It helps reduce manual work, saves time, and improves accuracy. By using this system, the eyewear store can enhance customer service and overall business performance. With future enhancements, the system can be further improved to meet growing customer needs and support long-term business growth.

8. FUTURE ENHANCMENT

In the future, the eyewear store can be enhanced by adding online appointment booking and online shopping for frames and lenses. Features like virtual try-on can help customers choose products easily. Automated inventory management will track stock levels and reduce manual work. The system can also include customer records and reminders for eye check-ups and offers. Supporting multiple digital payment options and using sales analytics will improve business efficiency and customer satisfaction.

9. REFERENCES

Description	Websites
Diagram	www.draw.io
Images	www.pinterest