Waterfall model

Winston Royce introduced the Waterfall Model in 1970.This model has five phases: Requirements analysis and specification, design, implementation, and unit testing, integration and system testing, and operation and maintenance. The steps always follow in this order and do not overlap. The developer must complete every phase before the next phase begins. This model is named "**Waterfall Model**", because its diagrammatic representation resembles a cascade of waterfalls.

1. Requirements analysis and specification phase: The aim of this phase is to understand the exact requirements of the customer and to document them properly. Both the customer and the software developer work together so as to document all the functions, performance, and interfacing requirement of the software. It describes the "what" of the system to be produced and not "how."In this phase, a large document called **Software Requirement Specification (SRS)** document is created which contained a detailed description of what the system will do in the common language.



2. Design Phase: This phase aims to transform the requirements gathered in the SRS into a suitable form which permits further coding in a programming language. It defines the overall software architecture together with high level and detailed design. All this work is documented as a Software Design Document (SDD).

3. Implementation and unit testing: During this phase, design is implemented. If the SDD is complete, the implementation or coding phase proceeds smoothly, because all the information needed by software developers is contained in the SDD.

During testing, the code is thoroughly examined and modified. Small modules are tested in isolation initially. After that these modules are tested by writing some overhead code to check the interaction between these modules and the flow of intermediate output.

4. Integration and System Testing: This phase is highly crucial as the quality of the end product is determined by the effectiveness of the testing carried out. The better output will lead to satisfied customers, lower maintenance costs, and accurate results. Unit testing determines the efficiency of individual modules. However, in this phase, the modules are tested for their interactions with each other and with the system.

5. Operation and maintenance phase: Maintenance is the task performed by every user once the software has been delivered to the customer, installed, and operational.

When to use SDLC Waterfall Model?

Some Circumstances where the use of the Waterfall model is most suited are:

- When the requirements are constant and not changed regularly.
- A project is short
- The situation is calm
- Where the tools and technology used is consistent and is not changing
- When resources are well prepared and are available to use.

Advantages of Waterfall model

- This model is simple to implement also the number of resources that are required for it is minimal.
- The requirements are simple and explicitly declared; they remain unchanged during the entire project development.
- The start and end points for each phase is fixed, which makes it easy to cover progress.
- The release date for the complete product, as well as its final cost, can be determined before development.
- It gives easy to control and clarity for the customer due to a strict reporting system.

Disadvantages of Waterfall model

- In this model, the risk factor is higher, so this model is not suitable for more significant and complex projects.
- This model cannot accept the changes in requirements during development.
- It becomes tough to go back to the phase. For example, if the application has now shifted to the coding phase, and there is a change in requirement, It becomes tough to go back and change it.
- Since the testing done at a later stage, it does not allow identifying the challenges and risks in the earlier phase, so the risk reduction strategy is difficult to prepare.

← Prev

Next →

Feedback

- Send your Feedback to feedback@javatpoint.com

Help Others, Please Share

Learn Latest Tutorials

Splunk tutorial
Splunk

SPSS tutorial
SPSS

Swagger tutorial
Swagger

T-SQL tutorial
Transact-SQL

Tumblr tutorial
Tumblr

React tutorial
ReactJS

Regex tutorial
Regex

Reinforcement learning tutorial
Reinforcement Learning

R Programming tutorial
R Programming

RxJS tutorial
RxJS

React Native tutorial
React Native

Python Design Patterns
Python Design Patterns

Python Pillow tutorial
Python Pillow

Python Turtle tutorial
Python Turtle

Keras tutorial
Keras

Preparation


Aptitude

Aptitude


Logical Reasoning

Reasoning


Verbal Ability

Verbal Ability


Interview Questions

Interview Questions


Company Interview Questions

Company Questions

Trending Technologies


Artificial Intelligence Tutorial

Artificial Intelligence


AWS Tutorial

AWS


Selenium tutorial

Selenium


Cloud Computing tutorial

Cloud Computing


Hadoop tutorial

Hadoop


ReactJS Tutorial

ReactJS

Data Science Tutorial

Data Science

Angular 7 Tutorial

Angular 7

Blockchain Tutorial

Blockchain

Git Tutorial

Git

Machine Learning Tutorial

Machine Learning

DevOps Tutorial

DevOps

B.Tech / MCA

DBMS tutorial

DBMS

Data Structures tutorial

Data Structures

DAA tutorial

DAA

Operating System tutorial

Operating System

Computer Network tutorial

Computer Network

Compiler Design tutorial

Compiler Design

Computer Organization and Architecture

Computer Organization

Discrete Mathematics Tutorial

Discrete Mathematics

Ethical Hacking Tutorial

Ethical Hacking

Computer Graphics Tutorial

Computer Graphics

Software Engineering Tutorial

Software Engineering

html tutorial

Web Technology

Cyber Security tutorial

Cyber Security

Automata Tutorial

Automata

C Language tutorial

C Programming

C++ tutorial

C++

Java tutorial

Java

.Net Framework tutorial

.Net

Python tutorial

Python

List of Programs

Programs

Control Systems tutorial

Control System

Data Mining Tutorial

Data Mining

Data Warehouse Tutorial

Data Warehouse