

Make first word bold of all elements.

```
<html>
<body>
<p>First Sentence</p>
<p>Second Sentence</p>
<p>Third Sentence</p>
<p>Fourth Sentence</p>
<p>Fivth Sentence</p>

<script src="js/jquery-3.6.3.min.js"> </script>
<script>
    $('p').each(function(){
        var pdata = $(this);
        pdata.html( pdata.text().replace(/(^\\w+)/,'<strong>$1</strong>') );
    });
</script>
</body>
</html>
```

First Sentence

Second Sentence

Third Sentence

Fourth Sentence

Fivth Sentence

Blink text using jQuery.

```
<html>
<body>
<p>First Sentence</p>
<p>Second Sentence</p>
<p class="blink">Blink</p>
<p>Fourth Sentence</p>
<p>Fivth Sentence</p>

<script src="js/jquery-3.6.3.min.js"> </script>
<script>
  function blink_text() {
    $('.blink').fadeOut(3000);
    $('.blink').fadeIn(3000);
  }
  setInterval(blink_text, 5000);
</script>
</body>
</html>
```

First Sentence

Second Sentence

Blink

Fourth Sentence

Fivth Sentence

First Sentence

Second Sentence

Fourth Sentence

Fivth Sentence

Set the background color red of the specified elements

```
<html>
  <body>
    <head>
      <style type="text/css">
        button {
          display: block;
          margin: 20px 0 0 0;
        }
      </style>
    </head>
    <body>
      <p>jQuery background color red</p>
      <span>Hello</span>
      <button id="button1">Click to see the effect</button>

      <script src="js/jquery-3.6.3.min.js"> </script>
      <script>
        $('#button1').click(function(){
          $("p").add( "span" ).css( "background", "red" );
        });
      </script>
    </body>
  </html>
```

jQuery background color red

Hello

Click to see the effect

Double click on paragraph to toggle background color.

```
<!DOCTYPE html>
<html>
<head>

  <style>
    p {
background: gray;
color: white;
}
    p.dbl {
background: pink;
color: black;
}
  </style>
</head>
<body>
<p>Double-click here to change the background color.</p>
  <script src="js/jquery-3.6.3.min.js"> </script>
  <script>
    var pdbl = $( "p:first" );
    pdbl.dblclick(function() {
      pdbl.toggleClass( "dbl" );
    });
  </script>
</body>
</html>
```

Double-click here to change the background color.

Double-click here to change the background color.

Attach a function to the blur event.

```
<!DOCTYPE html>

<html>

<head>


</head>

<body>

<form>

<input id="field1" type="text" value="Field 1">
<input id="field2" type="text" value="Field 2">
</form>

<p>Write something in the input Field 1.</p>

<script src="js/jquery-3.6.3.min.js"> </script>
<script>
$( "#field1" ).blur(function() {
    alert( " focus is remove from  Field1" );
});

</script>

</body>

</html>
```

Write something in the input Field 1.

This page says

focus is remove from Field1

OK