```
Practical of
Nome: - KRISHANT CHAUHAN
laurse' - BCA 5 A
                                        App Development
Rall no: - 29
                                   Code, - PB502
                                                What
Uni. Roll no: - 1921085
< ; xw1 revoion = "1.0" evercoding = "0H-8" ?>
 < androidx. Constraint layout. widget. Constraint Layout
    xmins: android ="http: 11 scheams. andrord. (om lapk restand".
    xmins: tools = "http: 11 scheamas. android. com 1 tools"
    xmins: app = " http://scheamos.android.com/appe/sus-auto"
    andrord: layout - width = " match-parent"
    android: layout_height = "match_parent"
    tools: (ontext=". main Activity">
     <Button tradere ) 444 1990 lagin 910 xbranco trefor
          android: id = "@ +id/button"
          android: layout_width = "wrap_ content"
     android: layout -height =" wrop - Content"
          android: lext z "Button"
       app: layout - constraint Bottom - to Botton of =" parel'
          app: loyout_ Constraint End_ to Endoy 2" parent"
      "BPH.O" = Loid_ lobrogirotherizandamo = "0.498"
       " Constraint Start - tostart of = " parent"
   Constraint Top_ to Bottomey = "@+id/d"
                      - Constraint Vertical-bias=" 0.15" />
   S & HitText
              android: id = "@ +id/et"
              android: layout_width = " wrop_ (on tens"
                       " toget - heigh = " wrap- (entend"
               " = ! layout - margintap = "1084"
                       : ems = "10"
                      : input Type = " text Person Name"
                " Lext 2" Name"
```

app: layout _ Constraint End _ to Endot = "paret" - Constraint Stort to Stort of 2" porent" - Constraint Top- to Top of = "parent" 1> Llandroid x. Cons braint layout. widget. Constraint Layout? chooling. bischow compacts 11:4Hd" = 29001 : 201012 "of Towa Ada Code Debre Comedos Wight " a glo isalmix ead-dolor "= Mbin - fucuol: brombone Package com example. Implicit; the land thought is broken "Hiwit Arriom " = tx storo) : Clost import androidx. appromped app. Applambact Activity; "norted | bi + @ " = bi : break no import ... = Albin tuopal: biocomo public class Main Activity extends App Compat Activity 2 @ Overrige protected void on breate (Bundle Sewed Instances states) Super. Onerreale (Some Instance State); Sex Content View (R. Layout activity_ main); Edit Text et = Hindliew By Id (R. id. et); Button btn1 = Hindliew By Id (R. id. button); btn]. Set On ClickUstener (new View. On Click Listener) () { public Void on Click (View V) {
String und = c1. get Text (). to String(); @ Overrige Intent input = new Intent (Intent. ACTION -NIEW, Uni parse (unl)); X. Stand Starty Activity (Input);

VANUAN

10 Loider 9