```sql
create table travellers
(Customer_id bigint primary key,
Customer_name varchar(50) not null,
Phone_Number bigint,
DOB date,
city varchar(40),
country varchar(40),
Email_id varchar(100),
Password varchar(50)
);

create table flights
(Air_id int primary key,
Airline_Name varchar(100),
Departure_venue varchar(100),
Arrival_venue varchar(100),
Departure_Time date,
Arrival_Time date,
Seats int,
Duration char(4),
price int
);

insert into travellers
values (9321047829,'Shalini
Mehta',9321047829,'1993-12-12','Varanasi','India','s_mehta@email.com','Shalini@9321'),
(8022503369,'Rajesh
Wagle',8022503369,'1977-01-01','Mumbai','India','rajesh_wagle@email.com','Rajesh@trip01
01'),
(8340353648,'Arun Singal',8340353648,'1994-06-07','New Jersey','United States of
America','singal.arun@email.com','Arun_singal67'),
(8076367433,'Mahesh
Mondal',8076367433,'1988-01-01','Kolkata','India','mahesh111@email.com','mahesh@807'),
(9830136701,'Andrew William',9830136701,'2000-12-09','London','United
Kingdom','awilliam_uk123@email.com','a_william@920');

insert into flights
values (1234,'Airasia','Kolkata','Mumbai','2023-10-01 12:23:00','2023-10-01
15:20:00',100,'2:57',6000);
```