



TEST REPORT

Accredited by NABL (Chemical & Biological)

Report No :	ECI-ODS-2024/05/050	Report Date :	25.05.2024
Customer Name & Address	M/s. Britannia Labels India Private Limited SF.No.471/3,Ramegoundampalayam, Peruntholuvu Village, Tirupur – 641 665.		
Customer Reference :	IWO Date: 20/05/2024	Sample Reference No :	ECI-ODS-2024/05/050
Sample Drawn By :	ECI	Sample Received On :	21.05.2024
Sample Collected Date :	20.05.2024	Test Commenced On :	21.05.2024
Qty of Sample Received :	Charcoal Tube	Test Completed On :	25.05.2024
Sample Description :	ODS	Sampling Method :	IS 5182:Part 11
Sample Mark:	IInd Floor RFID		
S.No	CHEMICAL COMPOSITION OF ODS	RESULTS (mg/m ³)	TEST METHOD
1.	Trichlorofluoromethane (CFCl ₃)	Not Detected	Procedure: NIOSH - 2549
2.	Dichlorodifluoromethane (CF ₂ Cl ₂	Not Detected	
3.	Trichlorotrifluoroethane (C ₂ F ₃ Cl ₃)	Not Detected	
4.	Dichlorotetrafluoroethane (C ₂ F ₄ Cl ₂)	Not Detected	
5.	Chloropentafluoroethene (C ₂ F ₅ Cl)	Not Detected	
6.	Bromochlorodifluoromethane (CF ₂ BrCl)	Not Detected	
7.	Bromotrifluoromethane (CF ₃ Br)	Not Detected	
8.	Dibromotetrafluoroethane (C ₂ F ₄ Br ₂)	Not Detected	
9.	Chlorotrifluoromethane (CF ₃ Cl)	Not Detected	
10.	Pentachlorofluoroethane (C ₂ FCl ₅)	Not Detected	
11.	Tetrachlorodifluoroethane (C ₂ F ₂ Cl ₄)	Not Detected	
12.	Heptachlorofluoropropane (C ₃ FCl ₇)	Not Detected	
13.	Hexachlorodifluoropropane (C ₃ F ₂ Cl ₆)	Not Detected	
14.	Pentachlorotrifluoropropane (C ₃ F ₃ Cl ₅)	Not Detected	
15.	Tetrachlorotetrafluoropropane (C ₃ F ₄ Cl ₄)	Not Detected	
16.	Trichloropentafluoropropane (C ₃ F ₅ Cl ₃)	Not Detected	

#43, 2nd Street, Harvey Nagar, Arasaradi, Madurai - 625016 Tel: 0452 4355103
Email: lab@envirocareindia.com | Web: www.envirocareindia.com

Note: 1. The results relate only to this item tested.
2. Any Correction not attested shall invalidate this report.
3. Report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
4. Unless informed by customer, the test items will not be retained for more the 15 days from date of issue of test report.
5. Total liability of our laboratory is limited to the invoice amount
6. Any dispute arising out of this report is subjected to Madurai Jurisdiction Only.





TEST REPORT

Accredited by NABL (Chemical & Biological

Report No : ECI-ODS-2024/05/050

Procedure:
NIOSH - 2549

17.	Dichlorophexafluoropropane (C ₃ F ₆ Cl ₂)	Not Detected
18.	Chloroheptafluoropropane (C ₃ F ₇ Cl)	Not Detected
19.	Tetrachloromethane (CCl ₄)	Not Detected
20.	1,1,1-Trichloroethane (C ₂ H ₃ Cl ₃)	Not Detected
21.	Dichlorofluoromethane (CHFC1 ₂)	Not Detected
22.	Dichlorodifluoromethane (CHF ₂ Cl ₂)	Not Detected
23.	Chlorofluoromethane (CH ₂ FC1)	Not Detected
24.	Tetrachlorodifluoroethane (C ₂ HF ₂ Cl ₄)	Not Detected
25.	Trichlorodifluoroethane (C ₂ HF ₂ Cl ₃)	Not Detected
26.	2,2-dichloro-1,1,1-trifluoroethane (C ₂ HF ₃ Cl ₂)	Not Detected
27.	1,2-dichloro-1,1,2-trifluoroethane (CHCl ₂ CF ₃)	Not Detected
28.	2-chloro-1,1,1,2-trifluoroethane (C ₂ HF ₄ Cl)	Not Detected
29.	2-chloro-1,1,2-trifluoroethane (CHFC1CF ₃)	Not Detected
30.	Trichlorofluoroethane (C ₂ H ₂ FC1 ₃)	Not Detected
31.	Dichlorodifluoroethane (C ₂ H ₂ F ₂ Cl ₂)	Not Detected
32.	Chlorotrifluoroethane (C ₂ H ₃ F ₂ Cl)	Not Detected
33.	Dichlorofluoroethane (C ₂ H ₃ FC1 ₂)	Not Detected
34.	1,1-dichloro-1-fluoroethane (CH ₃ CFCl ₂)	Not Detected
35.	Chlorodifluoroethane (C ₂ H ₃ F ₂ Cl)	Not Detected
36.	1-chloro-1,1-difluoroethane (CH ₃ CF ₂ Cl)	Not Detected
37.	Chlorofluoroethane (C ₂ H ₄ FC1)	Not Detected
38.	Hexachlorofluoropropane (C ₃ HFCl ₆)	Not Detected
39.	Pentachlorodifluoropropane (C ₃ HF ₂ Cl ₅)	Not Detected
40.	Tetrachlorotrifluoropropane (C ₃ HF ₃ Cl ₄)	Not Detected
41.	Trichlorotetrafluoropropane (C ₃ HF ₄ Cl ₃)	Not Detected

#43, 2nd Street, Harvey Nagar, Arasaradi, Madurai - 625016 Tel: 0452 4355103
Email: lab@envirocareindia.com | Web: www.envirocareindia.com

Note: 1. The results relate only to this item tested.
2. Any Correction not attested shall invalidate this report.
3. Report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
4. Unless informed by customer, the test items will not be retained for more the 15 days from date of issue of test report.
5. Total liability of our laboratory is limited to the invoice amount
6. Any dispute arising out of this report is subjected to Madurai Jurisdiction Only.





TEST REPORT

Accredited by NABL (Chemical & Biological

Report No : ECI-ODS-2024/05/050

42.	Dichloropentafluoropropane (C ₃ HF ₅ Cl ₂)	Not Detected	Procedure: NIOSH - 2549
43.	1,3-dichloro-1,2,2,3,3-pentafluoropropane (CF ₃ CF ₂ CHCl ₂)	Not Detected	
44.	1,3-dichloro-1,2,2,3,3-pentafluoropropane (CF ₂ CICF ₂ CHCIF)	Not Detected	
45.	Chlorohexafluoropropane (C ₃ HF ₆ Cl)	Not Detected	
46.	Pentachlorofluoropropane (C ₃ H ₂ FCl ₅)	Not Detected	
47.	Tetrachlorodifluoropropane (C ₃ H ₂ F ₂ Cl ₄)	Not Detected	
48.	Trichlorotrifluoropropane (C ₃ H ₂ F ₃ Cl ₃)	Not Detected	
49.	Dichlorotetrafluoropropane (C ₃ H ₂ F ₄ Cl ₂)	Not Detected	
50.	Chloropentafluoropropane (C ₃ H ₂ F ₅ Cl)	Not Detected	
51.	Tetrachlorofluoropropane (C ₃ H ₃ FCl ₄)	Not Detected	
52.	Trichlorodifluoropropane (C ₃ H ₃ F ₂ Cl ₃)	Not Detected	
53.	Dichlorotrifluoropropane (C ₃ H ₃ F ₃ Cl ₂)	Not Detected	
54.	Chlorotetrafluoropropane (C ₃ H ₃ F ₄ Cl)	Not Detected	
55.	Trichlorofluoropropane (C ₃ H ₄ FCl ₃)	Not Detected	
56.	Dichlorodifluoropropane (C ₃ H ₄ F ₂ Cl ₂)	Not Detected	
57.	Chlorotrifluoropropane (C ₃ H ₄ F ₃ Cl)	Not Detected	
58.	Dichlorofluoropropane (C ₃ H ₅ FCl ₂)	Not Detected	
59.	Chlorodifluoropropane (C ₃ H ₅ F ₂ Cl)	Not Detected	
60.	Chlorofluoropropane (C ₃ H ₆ FCl)	Not Detected	
61.	Methyl bromide (CH ₃ Br)	Not Detected	

Remarks : ---

<--- End of Report --->

Verified By :

Sd.



For ENVIRO CARE INDIA PRIVATE LIMITED
(Laboratory Division)

[Signature]
Authorized Signatory

#43, 2nd Street, Harvey Nagar, Arasaradi, Madurai - 625016 Tel: 0452 4355103
Email: lab@envirocareindia.com | Web: www.envirocareindia.com

- Note:**
1. The results relate only to this item tested.
 2. Any Correction not attested shall invalidate this report.
 3. Report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
 4. Unless informed by customer, the test items will not be retained for more the 15 days from date of issue of test report.
 5. Total liability of our laboratory is limited to the invoice amount
 6. Any dispute arising out of this report is subjected to Madurai Jurisdiction Only.





TEST REPORT

Accredited by NABL (Chemical & Biological)

Report No :	ECI-ODS-2024/05/051	Report Date :	25.05.2024
Customer Name & Address	M/s. Britannia Labels India Private Limited SF.No.471/3,Ramegoundampalayam, Peruntholuvu Village, Tirupur – 641 665.		
Customer Reference :	IWO Date: 20/05/2024	Sample Reference No :	ECI-ODS-2024/05/051
Sample Drawn By :	ECI	Sample Received On :	21.05.2024
Sample Collected Date :	20.05.2024	Test Commenced On :	21.05.2024
Qty of Sample Received :	Charcoal Tube	Test Completed On :	25.05.2024
Sample Description :	ODS	Sampling Method :	IS 5182:Part 11
Sample Mark:	PFL & HT Area		

S.No	CHEMICAL COMPOSITION OF ODS	RESULTS (mg/m ³)	TEST METHOD
1.	Trichlorofluoromethane (CFCI ₃)	Not Detected	Procedure: NIOSH - 2549
2.	Dichlorodifluoromethane (CF ₂ Cl ₂	Not Detected	
3.	Trichlorotrifluoroethane (C ₂ F ₃ Cl ₃)	Not Detected	
4.	Dichlorotetrafluoroethane (C ₂ F ₄ Cl ₂)	Not Detected	
5.	Chloropentafluoroethane (C ₂ F ₅ Cl)	Not Detected	
6.	Bromochlorodifluoromethane (CF ₂ BrCl)	Not Detected	
7.	Bromotrifluoromethane (CF ₃ Br)	Not Detected	
8.	Dibromotetrafluoroethane (C ₂ F ₄ Br ₂)	Not Detected	
9.	Chlorotrifluoromethane (CF ₃ Cl)	Not Detected	
10.	Pentachlorofluoroethane (C ₂ FCI ₅)	Not Detected	
11.	Tetrachlorodifluoroethane (C ₂ F ₂ Cl ₄)	Not Detected	
12.	Heptachlorofluoropropane (C ₃ FCI ₇)	Not Detected	
13.	Hexachlorodifluoropropane (C ₃ F ₂ Cl ₆)	Not Detected	
14.	Pentachlorotrifluoropropane (C ₃ F ₃ Cl ₅)	Not Detected	
15.	Tetrachlorotetrafluoropropane (C ₃ F ₄ Cl ₄)	Not Detected	
16.	Trichloropentafluoropropane (C ₃ F ₅ Cl ₃)	Not Detected	

#43, 2nd Street, Harvey Nagar, Arasaradi, Madurai - 625016 Tel: 0452 4355103
Email: lab@envirocareindia.com | Web: www.envirocareindia.com

- Note: 1. The results relate only to this item tested.
2. Any Correction not attested shall invalidate this report.
3. Report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
4. Unless informed by customer, the test items will not be retained for more the 15 days from date of issue of test report.
5. Total liability of our laboratory is limited to the invoice amount
6. Any dispute arising out of this report is subjected to Madurai Jurisdiction Only.





TEST REPORT

Accredited by NABL (Chemical & Biological)

Report No : ECI-ODS-2024/05/051		
17.	Dichlorophexafluoropropane (C ₃ F ₆ Cl ₂)	Not Detected
18.	Chloroheptafluoropropane (C ₃ F ₇ Cl)	Not Detected
19.	Tetrachloromethane (CCl ₄)	Not Detected
20.	1,1,1-Trichloroethane (C ₂ H ₃ Cl ₃)	Not Detected
21.	Dichlorofluoromethane (CHFC1 ₂)	Not Detected
22.	Dichlorodifluoromethane (CHF ₂ Cl ₂)	Not Detected
23.	Chlorofluoromethane (CH ₂ FC1)	Not Detected
24.	Tetrachlorodifluoroethane (C ₂ HF ₂ Cl ₄)	Not Detected
25.	Trichlorodifluoroethane (C ₂ HF ₂ Cl ₃)	Not Detected
26.	2,2-dichloro-1,1,1-trifluoroethane (C ₂ HF ₃ Cl ₂)	Not Detected
27.	1,2-dichloro-1,1,2-trifluoroethane (CHCl ₂ CF ₃)	Not Detected
28.	2-chloro-1,1,1,2-trifluoroethane (C ₂ HF ₄ Cl)	Not Detected
29.	2-chloro-1,1,2-trifluoroethane (CHFC1CF ₃)	Not Detected
30.	Trichlorofluoroethane (C ₂ H ₂ FC1 ₃)	Not Detected
31.	Dichlorodifluoroethane (C ₂ H ₂ F ₂ Cl ₂)	Not Detected
32.	Chlorotrifluoroethane (C ₂ H ₃ F ₂ Cl)	Not Detected
33.	Dichlorofluoroethane (C ₂ H ₃ FC1 ₂)	Not Detected
34.	1,1-dichloro-1-fluoroethane (CH ₃ CFCl ₂)	Not Detected
35.	Chlorodifluoroethane (C ₂ H ₃ F ₂ Cl)	Not Detected
36.	1-chloro-1,1-difluoroethane (CH ₃ CF ₂ Cl)	Not Detected
37.	Chlorofluoroethane (C ₂ H ₄ FC1)	Not Detected
38.	Hexachlorofluoropropane (C ₃ HFCl ₆)	Not Detected
39.	Pentachlorodifluoropropane (C ₃ HF ₂ Cl ₅)	Not Detected
40.	Tetrachlorotrifluoropropane (C ₃ HF ₃ Cl ₄)	Not Detected
41.	Trichlorotetrafluoropropane (C ₃ HF ₄ Cl ₃)	Not Detected

Procedure:
NIOSH - 2549

#43, 2nd Street, Harvey Nagar, Arasaradi, Madurai - 625016 Tel: 0452 4355103
Email: lab@envirocareindia.com | Web: www.envirocareindia.com

- Note:
1. The results relate only to this item tested.
 2. Any Correction not attested shall invalidate this report.
 3. Report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
 4. Unless informed by customer, the test items will not be retained for more the 15 days from date of issue of test report.
 5. Total liability of our laboratory is limited to the invoice amount
 6. Any dispute arising out of this report is subjected to Madurai Jurisdiction Only.





TEST REPORT

Accredited by NABL (Chemical & Biological)

Report No : ECI-ODS-2024/05/051

42.	Dichloropentafluoropropane (C ₃ HF ₅ Cl ₂)	Not Detected
43.	1,3-dichloro-1,2,2,3,3-pentafluoropropane (CF ₃ CF ₂ CHCl ₂)	Not Detected
44.	1,3-dichloro-1,2,2,3,3-pentafluoropropane (CF ₂ ClCF ₂ CHClF)	Not Detected
45.	Chlorohexafluoropropane (C ₃ HF ₆ Cl)	Not Detected
46.	Pentachlorofluoropropane (C ₃ H ₂ FCl ₅)	Not Detected
47.	Tetrachlorodifluoropropane (C ₃ H ₂ F ₂ Cl ₄)	Not Detected
48.	Trichlorotrifluoropropane (C ₃ H ₂ F ₃ Cl ₃)	Not Detected
49.	Dichlorotetrafluoropropane (C ₃ H ₂ F ₄ Cl ₂)	Not Detected
50.	Chloropentafluoropropane (C ₃ H ₂ F ₅ Cl)	Not Detected
51.	Tetrachlorofluoropropane (C ₃ H ₃ FCl ₄)	Not Detected
52.	Trichlorodifluoropropane (C ₃ H ₃ F ₂ Cl ₃)	Not Detected
53.	Dichlorotrifluoropropane (C ₃ H ₃ F ₃ Cl ₂)	Not Detected
54.	Chlorotetrafluoropropane (C ₃ H ₃ F ₄ Cl)	Not Detected
55.	Trichlorofluoropropane (C ₃ H ₄ FCl ₃)	Not Detected
56.	Dichlorodifluoropropane (C ₃ H ₄ F ₂ Cl ₂)	Not Detected
57.	Chlorotrifluoropropane (C ₃ H ₄ F ₃ Cl)	Not Detected
58.	Dichlorofluoropropane (C ₃ H ₅ FCl ₂)	Not Detected
59.	Chlorodifluoropropane (C ₃ H ₅ F ₂ Cl)	Not Detected
60.	Chlorofluoropropane (C ₃ H ₆ FCl)	Not Detected
61.	Methyl bromide (CH ₃ Br)	Not Detected

Procedure:
NIOSH - 2549

Remarks : ---

<--- End of Report --->

For **ENVIRO CARE INDIA PRIVATE LIMITED**
(Laboratory Division)

Verified By :

S. d. i.



[Signature]
Authorized Signatory

#43, 2nd Street, Harvey Nagar, Arasaradi, Madurai - 625016 Tel: 0452 4355103
Email: lab@envirocareindia.com | Web: www.envirocareindia.com

- Note: 1. The results relate only to this item tested.
2. Any Correction not attested shall invalidate this report.
3. Report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
4. Unless informed by customer, the test items will not be retained for more the 15 days from date of issue of test report.
5. Total liability of our laboratory is limited to the invoice amount
6. Any dispute arising out of this report is subjected to Madurai Jurisdiction Only.





TEST REPORT

Accredited by NABL (Chemical & Biological)

Report No :	ECI-ODS-2024/05/052	Report Date :	25.05.2024
Customer Name & Address	M/s. Britannia Labels India Private Limited SF.No.471/3,Ramegoundampalayam, Peruntholuvu Village, Tirupur – 641 665.		
Customer Reference :	IWO Date: 20/05/2024	Sample Reference No :	ECI-ODS-2024/05/052
Sample Drawn By :	ECI	Sample Received On :	21.05.2024
Sample Collected Date :	20.05.2024	Test Commenced On :	21.05.2024
Qty of Sample Received :	Charcoal Tube	Test Completed On :	25.05.2024
Sample Description :	ODS	Sampling Method :	IS 5182:Part 11
Sample Mark:	Lot Production Area		

S.No	CHEMICAL COMPOSITION OF ODS	RESULTS (mg/m ³)	TEST METHOD
1.	Trichlorofluoromethane (CFCl ₃)	Not Detected	Procedure: NIOSH - 2549
2.	Dichlorodifluoromethane (CF ₂ Cl ₂)	Not Detected	
3.	Trichlorotrifluoroethane (C ₂ F ₃ Cl ₃)	Not Detected	
4.	Dichlorotetrafluoroethane (C ₂ F ₄ Cl ₂)	Not Detected	
5.	Chloropentafluoroethane (C ₂ F ₅ Cl)	Not Detected	
6.	Bromochlorodifluoromethane (CF ₂ BrCl)	Not Detected	
7.	Bromotrifluoromethane (CF ₃ Br)	Not Detected	
8.	Dibromotetrafluoroethane (C ₂ F ₄ Br ₂)	Not Detected	
9.	Chlorotrifluoromethane (CF ₃ Cl)	Not Detected	
10.	Pentachlorofluoroethane (C ₂ FCl ₅)	Not Detected	
11.	Tetrachlorodifluoroethane (C ₂ F ₂ Cl ₄)	Not Detected	
12.	Heptachlorofluoropropane (C ₃ FC ₂ Cl ₇)	Not Detected	
13.	Hexachlorodifluoropropane (C ₃ F ₂ Cl ₆)	Not Detected	
14.	Pentachlorotrifluoropropane (C ₃ F ₃ Cl ₅)	Not Detected	
15.	Tetrachlorotetrafluoropropane (C ₃ F ₄ Cl ₄)	Not Detected	
16.	Trichloropentafluoropropane (C ₃ F ₅ Cl ₃)	Not Detected	

#43, 2nd Street, Harvey Nagar, Arasaradi, Madurai - 625016 Tel: 0452 4355103
Email: lab@envirocareindia.com | Web: www.envirocareindia.com

- Note: 1. The results relate only to this item tested.
2. Any Correction not attested shall invalidate this report.
3. Report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
4. Unless informed by customer, the test items will not be retained for more the 15 days from date of issue of test report.
5. Total liability of our laboratory is limited to the invoice amount
6. Any dispute arising out of this report is subjected to Madurai Jurisdiction Only.





TEST REPORT

Accredited by NABL (Chemical & Biological)

Report No : ECI-ODS-2024/05/052		
17.	Dichlorophexafluoropropane (C ₃ F ₆ Cl ₂)	Not Detected
18.	Chloroheptafluoropropane (C ₃ F ₇ Cl)	Not Detected
19.	Tetrachloromethane (CCl ₄)	Not Detected
20.	1,1,1-Trichloroethane (C ₂ H ₃ Cl ₃)	Not Detected
21.	Dichlorofluoromethane (CHFC1 ₂)	Not Detected
22.	Dichlorodifluoromethane (CHF ₂ Cl ₂)	Not Detected
23.	Chlorofluoromethane (CH ₂ FC1)	Not Detected
24.	Tetrachlorodifluoroethane (C ₂ HF ₂ Cl ₄)	Not Detected
25.	Trichlorodifluoroethane (C ₂ HF ₂ Cl ₃)	Not Detected
26.	2,2-dichloro-1,1,1-trifluoroethane (C ₂ HF ₃ Cl ₂)	Not Detected
27.	1,2-dichloro-1,1,2-trifluoroethane (CHCl ₂ CF ₃)	Not Detected
28.	2-chloro-1,1,1,2-trifluoroethane (C ₂ HF ₄ Cl)	Not Detected
29.	2-chloro-1,1,2-trifluoroethane (CHFC1CF ₃)	Not Detected
30.	Trichlorofluoroethane (C ₂ H ₂ FCl ₃)	Not Detected
31.	Dichlorodifluoroethane (C ₂ H ₂ F ₂ Cl ₂)	Not Detected
32.	Chlorotrifluoroethane (C ₂ H ₃ F ₂ Cl)	Not Detected
33.	Dichlorofluoroethane (C ₂ H ₃ FC1 ₂)	Not Detected
34.	1,1-dichloro-1-fluoroethane (CH ₃ CFCl ₂)	Not Detected
35.	Chlorodifluoroethane (C ₂ H ₃ F ₂ Cl)	Not Detected
36.	1-chloro-1,1-difluoroethane (CH ₃ CF ₂ Cl)	Not Detected
37.	Chlorofluoroethane (C ₂ H ₄ FC1)	Not Detected
38.	Hexachlorofluoropropane (C ₃ HFCl ₆)	Not Detected
39.	Pentachlorodifluoropropane (C ₃ HF ₂ Cl ₅)	Not Detected
40.	Tetrachlorotrifluoropropane (C ₃ HF ₃ Cl ₄)	Not Detected
41.	Trichlorotetrafluoropropane (C ₃ HF ₄ Cl ₃)	Not Detected

Procedure:
NIOSH - 2549

#43, 2nd Street, Harvey Nagar, Arasaradi, Madurai - 625016 Tel: 0452 4355103
Email: lab@envirocareindia.com | Web: www.envirocareindia.com

Note: 1. The results relate only to this item tested.
2. Any Correction not attested shall invalidate this report.
3. Report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
4. Unless informed by customer, the test items will not be retained for more the 15 days from date of issue of test report.
5. Total liability of our laboratory is limited to the invoice amount
6. Any dispute arising out of this report is subjected to Madurai Jurisdiction Only.





TEST REPORT

Accredited by NABL (Chemical & Biological

Report No : ECI-ODS-2024/05/052

42.	Dichloropentafluoropropane (C ₃ HF ₅ Cl ₂)	Not Detected
43.	1,3-dichloro-1,2,2,3,3-pentafluoropropane (CF ₃ CF ₂ CHCl ₂)	Not Detected
44.	1,3-dichloro-1,2,2,3,3-pentafluoropropane (CF ₂ ClCF ₂ CHClF)	Not Detected
45.	Chlorohexafluoropropane (C ₃ HF ₆ Cl)	Not Detected
46.	Pentachlorofluoropropane (C ₃ H ₂ FCl ₅)	Not Detected
47.	Tetrachlorodifluoropropane (C ₃ H ₂ F ₂ Cl ₄)	Not Detected
48.	Trichlorotrifluoropropane (C ₃ H ₂ F ₃ Cl ₃)	Not Detected
49.	Dichlorotetrafluoropropane (C ₃ H ₂ F ₄ Cl ₂)	Not Detected
50.	Chloropentafluoropropane (C ₃ H ₂ F ₅ Cl)	Not Detected
51.	Tetrachlorofluoropropane (C ₃ H ₃ FCl ₄)	Not Detected
52.	Trichlorodifluoropropane (C ₃ H ₃ F ₂ Cl ₃)	Not Detected
53.	Dichlorotrifluoropropane (C ₃ H ₃ F ₃ Cl ₂)	Not Detected
54.	Chlorotetrafluoropropane (C ₃ H ₃ F ₄ Cl)	Not Detected
55.	Trichlorofluoropropane (C ₃ H ₄ FCl ₃)	Not Detected
56.	Dichlorodifluoropropane (C ₃ H ₄ F ₂ Cl ₂)	Not Detected
57.	Chlorotrifluoropropane (C ₃ H ₄ F ₃ Cl)	Not Detected
58.	Dichlorofluoropropane (C ₃ H ₅ FCl ₂)	Not Detected
59.	Chlorodifluoropropane (C ₃ H ₅ F ₂ Cl)	Not Detected
60.	Chlorofluoropropane (C ₃ H ₆ FCl)	Not Detected
61.	Methyl bromide (CH ₃ Br)	Not Detected

Procedure:
NIOSH - 2549

Remarks : ---

<--- End of Report --->

Verified By :

S.d.



For **ENVIRO CARE INDIA PRIVATE LIMITED**
(Laboratory Division)

Authorized Signatory

[Signature]

#43, 2nd Street, Harvey Nagar, Arasaradi, Madurai - 625016 Tel: 0452 4355103
Email: lab@envirocareindia.com | Web: www.envirocareindia.com

Note: 1. The results relate only to this item tested.

2. Any Correction not attested shall invalidate this report.

3. Report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.

4. Unless informed by customer, the test items will not be retained for more the 15 days from date of issue of test report.

5. Total liability of our laboratory is limited to the invoice amount

6. Any dispute arising out of this report is subjected to Madurai Jurisdiction Only.





Accredited by **NABL** (Chemical & Biological)

#43, 2nd Street, Harvey Nagar, Arasaradi, Madurai - 625016 | Tel: 0452 4355103
Email: lab@envirocareindia.com | Web: www.envirocareindia.com

6. Any dispute arising out of this report is subjected to Madurai Jurisdiction Only.

