

Quote No. : KAP-QT-00000161 / Project : SWARNIM  $\,$  / Date : 01/01/2025  $\,$ 

## To

Swarnim Group Swarnim Height Malabar Country Road Jagatpur Ahmedabad – 382481

Dear Sir,

We are delighted that you are considering our range of Windows and Doors for your premises.

It has gained rapid acceptance across all cities of India for the overwhelming advantages of better protection from noise, heat, rain, dust and pollution.

In drawing this proposal, it has been our endeavour to suggest designs which would enhance your comfort and aesthetics from inside and improve the facade of the building.

It has a well-established service network to deliver seamless service at your doorstep. Our offer comprises of the following in enclosure for your kind perusal:

- a. Window design, specification and value
- b. Terms and Conditions

We now look forward to be of service to you.

For , KAPISH METAL

**Authorized Signatory** 



Quote No. : KAP-QT-00000161 / Project : SWARNIM / Date : 01/01/2025

Code:	W2	Size :	W = 1806	.00; H = 1675.00		
Name :	3 TRACK 2 PANNEL	Profile System :	ADS SYST	EM - 27MM GULF SLIDING SE	RIES	
Location :	BED ROOM 3	Glass :	(1,2) 5mm	n Clear Toughened		
1	5 5	Computed Values	·			
		Sq.Ft. per window		32.561	Sq.Ft.	
1675	<u> </u>	Value per Sq.Ft.		509.47	INR	
9	H-80 (9H-80	Unit Price		16,588.79	INR	
		Quantity		1	Pcs	
. L		Value		16,588.79	INR	
	903 903	Weight		45.639	KG	
		Profile		Accessories		
		Profile Color: MILL FINISH		Locking: NA		
View	From Inside	MeshType: No Guide Rail: Sld Guidrail 14Mm	V 0M/10714)	Handle color : BLACK Handle Type : S1-Concealed	Lock	
		Sliding Sash: Sld Handle Sash Sliding Sash: Sld Interlock Sas 20Mm Sliding Sash: Sld Top Bottom 58Mm Track: Sld 3 Track 108Mm X	27Mm X 55Mm sh 38Mm X Sash 24Mm X	Handle Handle Type : S2-Concealed Handle Roller : Single Wheel Adjusta	Lock	
		Remarks :				
Code :	W1	Size :	W = 2900	.00; H = 2447.00		
Name :	3TRACK 3 PANNEL	Profile System :	ADS SYST	EM - 27MM GULF SLIDING SE	RIES	
Location :	LIVING ROOM	Glass :	(1,2,3) 5m	nm Clear Toughened		
		Computed Values				
		Sq.Ft. per window		76.381	Sq.Ft.	
		Value per Sq.Ft.		394.07	INR	
2447	<u>0</u>	Unit Price		30,099.59	INR	
		Quantity		1	Pcs	
982 936 982 2900 or		Value		30,099.59 INR		
		Weight		98.314 KG		
		Profile	Accessories			
View	From Inside	Profile Color: MILL FINISH MeshType: No Guide Rail: Sld Guidrail 14Mm Sliding Sash: Sld Handle Sash Sliding Sash: Sld Interlock Sas 20Mm Sliding Sash: Sld Top Bottom 58Mm Track: Sld 3 Track 108Mm X 4	27Mm X 55Mm sh 38Mm X Sash 24Mm X	Locking: NA Handle color: WHITE Handle Type: S1-SId Metro H Handle Type: S3-SId Metro H Roller: Double Roller With Gi 40Mm Series	Handle Set	



Quote No. : KAP-QT-00000161 / Project : SWARNIM / Date : 01/01/2025

Code:	W3	Size :	W = 1810	.00; H = 1651.00		
Name :	3 TRACK 2 PANNEL	Profile System :	ADS SYST	EM - 27MM GULF SLIDING SEF	RIES	
Location :	BEDROOM 2	Glass :	(1,2) 5mm	n Clear Toughened		
† IF	51 52	Computed Values				
		Sq.Ft. per window		32.163	Sq.Ft.	
1651	① _ ② _	Value per Sq.Ft.		512.35	INR	
16	H1=791 (GH=791	Unit Price		16,478.48	INR	
		Quantity		1	Pcs	
	TN	Value		16,478.48	INR	
<b>←</b>	_905905 <sup></sup> 1810	Weight		45.159	KG	
	our ————————————————————————————————————	Profile		Accessories		
View From Inside		Sliding Sash: Sld Handle Sas Sliding Sash: Sld Interlock S 20Mm Sliding Sash: Sld Top Botton 58Mm	Guide Rail :Sld Guidrail 14Mm X 8Mm(18714) Sliding Sash : Sld Handle Sash 27Mm X 55Mm Sliding Sash : Sld Interlock Sash 38Mm X 20Mm Sliding Sash : Sld Top Bottom Sash 24Mm X			
		Remarks :		1		
Code :	W4	Size :	W = 1805	5.00; H = 1651.00		
Name :	3TRACK 2 PANNEL	Profile System:	ADS SYST	EM - 27MM GULF SLIDING SEF	RIES	
Location :	BED ROOM 1	Glass:	(1,2) 5mm	n Clear Toughened		
1	51 52	Computed Values				
		Sq.Ft. per window		32.077 Sq.		
(241-251) (241-251) (341-251)		Value per Sq.Ft.		513.01 INF		
9	(941 – 791) (941 – 791)	Unit Price		16,455.66	INR	
		Quantity		1 Pcs		
	003 003	Value		16,455.66 INR		
View From Inside		Weight		45.071 KG		
		Profile	Profile		Accessories	
		Sliding Sash: Sld Handle Sas Sliding Sash: Sld Interlock Si 20Mm Sliding Sash: Sld Top Botton 58Mm Track: Sld 3 Track 108Mm X	MeshType: No Guide Rail: Sld Guidrail 14Mm X 8Mm(18714) Sliding Sash: Sld Handle Sash 27Mm X 55Mm Sliding Sash: Sld Interlock Sash 38Mm X 20Mm Sliding Sash: Sld Top Bottom Sash 24Mm X		Lock Lock ble Roller	



Quote No.: KAP-QT-00000161 / Project: SWARNIM / Date: 01/01/2025

Code:	W5	Size :	W = 553	3.00; H = 1163.00		
Name :	VENTILATION	Profile System :	ADS SYS	STEM - R 40 CASEMENT SERIES		
Location :	BEDROOM 3	Glass :	(1,2,3) 5	5MM FROSTED GLASS		
\$00		Computed Values	<u> </u>			
5	S1	Sq.Ft. per window		6.921	Sq.Ft.	
က		Value per Sq.Ft.		891.07	INR	
1163	3	Unit Price		6,167.33	INR	
σ.	GHH = 468	Quantity		1 Pcs		
	FI	Value		6,167.33 INR		
* *	← 353 → 200-	Weight		11.758	KG	
	← 553 →	Profile		Accessories		
View	From Inside	Profile Color : MILL FINISH MeshType : No		Locking : NA Handle color : BLACK		
		Casement Sash: Cmt T Sash 39.90Mm X 54Mm Outer: Cmt Outer Frame 40M Mullion: Cmt T Sash Muliion 4 54Mm(Art 19007A)	1m X 39Мm	Friction: Friction Stay 12 Inc Handle Type: S1-Single Poin Left		
		Remarks :				
Code:	W6	Size :	W = 353	3.00; H = 1168.00		
Name :	VENTILATION	Profile System :	ADS SYS	STEM - R 40 CASEMENT SERIES		
Location :	BEDROOM 2	Glass :	(1,2,3) 5	5MM FROSTED GLASS		
201		Computed Values				
Ž		Sq.Ft. per window		4.435	Sq.Ft.	
80		Value per Sq.Ft.		1,189.64	INR	
1168		Unit Price		5,275.78	INR	
σ.	GH=470	Quantity		1	Pcs	
	FI	Value		5,275.78	INR	
* *	-225 128	Weight		7.963	KG	
	←353→	Profile	Profile Accessories			
		Profile Color: MILL FINISH		Locking: NA		
View	Casement Sash : Cmt T Sash Mullion Friction : Fric		Handle color: BLACK Friction: Friction Stay 8 Inch Handle Type: S1-Single Poin Left	ction Stay 8 Inch		



Quote No.: KAP-QT-00000161 / Project: SWARNIM / Date: 01/01/2025

Code :	W7	Size :	W = 558.0	00; H = 658.00		
Name :	VENTILATION	Profile System :		EM - 27MM GULF FIX CASEME	NT SERIES	
Location :		Glass :			TT SERGES	
LOCATION:	BED ROOM 1	Glass :	, ,	(2) 5MM FROSTED GLASS (1) 4 MM PINHEAD GLASS		
<b>†</b>	À	Computed Values				
1	PAN MEAN	Sq.Ft. per window		3.950	Sq.Ft.	
22		Value per Sq.Ft.		636.86	INR	
9	80 64 L1 F1	Unit Price		2,515.84	INR	
	F1	Quantity		1 Pc		
*	¥	Value		2,515.84	INR	
	<del>-358→2</del> 00	Weight		6.08	KG	
	<b>←558</b> →	Profile		Accessories		
View From Inside		Profile Color: MILL FINISH MeshType: No Outer: Cmt Outer 58Mm X 32 Mullion: Cmt T Mullion 37Mm 3 Remarks:				
Code:	W8	Size :	W = 746.0	W = 746.00; H = 1333.00		
Name :	FIX SLIDING	Profile System :		ADS SYSTEM - 27MM GULF SLIDING SERIES , ADS SYSTEM - 27MM GULF FIX CASEMENT SERIES		
Location :	KITCHEN	Glass :	(1,2,3) 5m	(1,2,3) 5mm Clear Toughened		
178	EM 9 2 1	Computed Values				
		Sq.Ft. per window		10.699	Sq.Ft.	
1333	3 2	Value per Sq.Ft.		879.41 INR		
T F	(GH-543 H-543)	Unit Price		9,409.19 INR		
		Quantity		1 Pcs		
9	9647	Value		9,409.19 IN		
	746 →	Weight		17.075	KG	
Ç	OUT	Profile		Accessories		
View From Inside		Outer: Cmt Outer 58Mm X 32 Sliding Sash: Sld Handle Sash Sliding Sash: Sld Interlock Sa: 20Mm Sliding Sash: Sld Top Bottom 58Mm Track: Sld 2 Track 68Mm X 4: Coupler: Cover Adaptor 31Mi	MeshType: No Guide Rail: Sld Guidrail 14Mm X 8Mm(18714) Outer: Cmt Outer 58Mm X 32Mm Sliding Sash: Sld Handle Sash 27Mm X 55Mm Sliding Sash: Sld Interlock Sash 38Mm X 20Mm Sliding Sash: Sld Top Bottom Sash 24Mm X 58Mm Track: Sld 2 Track 68Mm X 43Mm Coupler: Cover Adaptor 31Mm X 25Mm Mullion: Cmt T Mullion 37Mm X 61Mm(19152)		Lock Lock ble Roller	



Quote No. : KAP-QT-00000161 / Project : SWARNIM / Date : 01/01/2025

Code :	W9	Size :	W = 735.0	00; H = 2419.00			
Name :	Casement Door N50	Profile System :	ADS SYST	EM - 50MM CASEMENT SERIES	5		
ocation :	KITCHEN AREA	Glass :	(1,2) 5mm	Clear Toughened			
500-	9	Computed Values	Computed Values				
		Sq.Ft. per window		19.138 Sq.F			
		Value per Sq.Ft.		640.95 INR			
6 6	2	Unit Price		12,266.84	INR		
2419 2219	9H 10X	Quantity		1 Pcs			
		Value		12,266.84 INR			
	P	Weight		29.704 KG			
1 1 1	735	Profile Accessories					
	700	Profile Color: MILL FINISH	Profile Color: MILL FINISH		Locking: NA		
View	From Inside	MeshType: No		Handle color : BLACK			
		Casement Sash: Cmt Inward Sash 59Mm X 62Mm Outer: Cmt Outer 50Mm X 45Mm Friction: Friction Stay 14 Inch Handle Type: S1-Single Point Ha					
		Inversion Clip: Cmt Inversion C 50Mm(19098) Mullion: Cmt T Mullion 50Mm X	lip 50Mm X				
		Remarks :					

Quote Total		
No. of Components	9	Pcs
Total Area	218.33	Sq.Ft.
Basic Value	1,15,257.51	INR
Sub Total	1,15,257.51	INR
Transportation Cost	1,000	INR
Loading And Unloading	1,000	INR
Total Project Cost	1,17,257.51	INR
Gst @18%	21,106.35	INR
Grand Total	1,38,363.85	INR
Average Price per Sq.Ft. without GST	537.07	INR
Average Price per Sq.Ft.	633.75	INR



Quote No. : KAP-QT-00000161 / Project : SWARNIM  $\,/\,$  Date : 01/01/2025

## **Terms and Conditions:-**

- 1. Payments terms:
  - a. 100% Advance along with order, if it is less than INR 100000.
  - b. 50% advance along with order, 50% before delivery, if it is more than INR 100000.
- 2. Validation of quote 30 days, total execution of project should be completed latest by 3-months.
- 3. P.O & Payments should made in the name of . **KAPISH METAL**Bank Name AXIS Bank
  - A/c No. 924030048009757, IFSC Code UTIB0001530, Branch Name CBB Ahmedabad
- 4. The prices are based on the sizes provided by the customer. The prices are valid for variation in sizes up to +/-30mm per window provided the design and style of product remains unchanged. The customer will be charged on pro-rate basis for difference between the actual sizes and given sizes, if any, beyond the above variation.
- 5. After hand overing the windows, cleaning not our scope.
- 6. Windows security tape should be remove while installing windows freely, After installation security tape will be removed by us that should be chargeable per window INR 100.
- 7. If any other commitments given by our sales team, before placing order please call us . Cell: 9574544012
- 8. After hand overing windows, If any service require related to windows & doors , that should be chargeable. Per visit INR 350.
- 9. Material unloading & storage should be your scope.
- 10. All disputes shall be subject jurisdiction only.

## Pre-Requisites for installation of Windows:-

- 1. Walls should be plastered from inside and outside, with inside POP complete.
- 2. All jams, sills and soffits should be plastered.
- 3. Flooring (where doors have to be installed) should be complete.
- 4. Aperture should be smooth.
- 5. Base and top of window should be water leveled and sides should be in vertical plump.
- 6. Sill width should be more than the window width.
- 7. Opening should be accessible from inside for installation.
- 8. Grills: Adequate care should be taken if grills have to be installed.
  - For Horizontal slider Window: Grill should be provided on the outer face of slider before the installation of the window.
  - b. For **Casement windows**: Screw type grill is recommended after installation of casement window.
- 9. Installation should happen before the last coat of paint. At least one coat of paint should be done before installation begins.
- 10. Scaffoldings/ bracing should not interrupt the window openings where openings where windows are supposed to be installed.

I hereby accept the estimate as per above mentioned price and specifications. I have read and understood the terms & conditions and agree to them.

Authorized Signatory Signature of Customer



Quote No. : KAP-QT-00000161 / Project : SWARNIM  $\,$  / Date : 01/01/2025