

Basic HTML

Tag	Description
<code><!DOCTYPE></code>	Defines the document type
<code><html></code>	Defines an HTML document
<code><head></code>	Contains metadata/information for the document
<code><title></code>	Defines a title for the document
<code><body></code>	Defines the document's body
<code><h1></code> to <code><h6></code>	Defines HTML headings
<code><p></code>	Defines a paragraph
<code>
</code>	Inserts a single line break
<code><hr></code>	Defines a thematic change in the content
<code><!--...--></code>	Defines a comment

Formatting

Tag	Description
<u><acronym></u>	Not supported in HTML5. Use <abbr> instead. Defines an acronym
<u><abbr></u>	Defines an abbreviation or an acronym
<u><address></u>	Defines contact information for the author/owner of a document/article
<u></u>	Defines bold text
<u><bdi></u>	Isolates a part of text that might be formatted in a different direction from other text outside it
<u><bdo></u>	Overrides the current text direction
<u><big></u>	Not supported in HTML5. Use CSS instead. Defines big text
<u><blockquote></u>	Defines a section that is quoted from another source
<u><center></u>	Not supported in HTML5. Use CSS instead. Defines centered text
<u><cite></u>	Defines the title of a work

<code><code></code>	Defines a piece of computer code
<code></code>	Defines text that has been deleted from a document
<code><dfn></code>	Specifies a term that is going to be defined within the content
<code></code>	Defines emphasized text
<code></code>	Not supported in HTML5. Use CSS instead. Defines font, color, and size for text
<code><i></code>	Defines a part of text in an alternate voice or mood
<code><ins></code>	Defines a text that has been inserted into a document
<code><kbd></code>	Defines keyboard input
<code><mark></code>	Defines marked/highlighted text
<code><meter></code>	Defines a scalar measurement within a known range (a gauge)
<code><pre></code>	Defines preformatted text
<code><progress></code>	Represents the progress of a task
<code><q></code>	Defines a short quotation

[<rp>](#)

Defines what to show in browsers that do not support ruby annotations

[<rt>](#)

Defines an explanation/pronunciation of characters (for East Asian typography)

[<ruby>](#)

Defines a ruby annotation (for East Asian typography)

[<s>](#)

Defines text that is no longer correct

[<samp>](#)

Defines sample output from a computer program

[<small>](#)

Defines smaller text

[<strike>](#)

Not supported in HTML5. Use or <s> instead.
Defines strikethrough text

[](#)

Defines important text

[<sub>](#)

Defines subscripted text

[<sup>](#)

Defines superscripted text

[<template>](#)

Defines a container for content that should be hidden when the page loads

[<time>](#)

Defines a specific time (or datetime)

[<tt>](#)

Not supported in HTML5. Use CSS instead.
Defines teletype text

[<u>](#)

Defines some text that is unarticulated and styled differently from normal text

[<var>](#)

Defines a variable

[<wbr>](#)

Defines a possible line-break

Forms and Input

Tag	Description
<u><form></u>	Defines an HTML form for user input
<u><input></u>	Defines an input control
<u><textarea></u>	Defines a multiline input control (text area)
<u><button></u>	Defines a clickable button
<u><select></u>	Defines a drop-down list
<u><optgroup></u>	Defines a group of related options in a drop-down list

<u><option></u>	Defines an option in a drop-down list
<u><label></u>	Defines a label for an <input> element
<u><fieldset></u>	Groups related elements in a form
<u><legend></u>	Defines a caption for a <fieldset> element
<u><datalist></u>	Specifies a list of pre-defined options for input controls
<u><output></u>	Defines the result of a calculation

Frames

Tag	Description
<u><frame></u>	Not supported in HTML5. Defines a window (a frame) in a frameset
<u><frameset></u>	Not supported in HTML5. Defines a set of frames
<u><noframes></u>	Not supported in HTML5. Defines an alternate content for users that do not support frames
<u><iframe></u>	Defines an inline frame

Images

Tag	Description
<code></code>	Defines an image
<code><map></code>	Defines a client-side image map
<code><area></code>	Defines an area inside an image map
<code><canvas></code>	Used to draw graphics, on the fly, via scripting (usually JavaScript)
<code><figcaption></code>	Defines a caption for a <code><figure></code> element
<code><figure></code>	Specifies self-contained content
<code><picture></code>	Defines a container for multiple image resources
<code><svg></code>	Defines a container for SVG graphics

Audio / Video

Tag	Description
<code><audio></code>	Defines sound content

<code><source></code>	Defines multiple media resources for media elements (<code><video></code> , <code><audio></code> and <code><picture></code>)
<code><track></code>	Defines text tracks for media elements (<code><video></code> and <code><audio></code>)
<code><video></code>	Defines a video or movie

Links

Tag	Description
<code><a></code>	Defines a hyperlink
<code><link></code>	Defines the relationship between a document and an external resource (most used to link to style sheets)
<code><nav></code>	Defines navigation links

Lists

Tag	Description
<code><menu></code>	Defines an alternative unordered list
<code></code>	Defines an unordered list
<code></code>	Defines an ordered list

<code></code>	Defines a list item
<code><dir></code>	Not supported in HTML5. Use <code></code> instead. Defines a directory list
<code><dl></code>	Defines a description list
<code><dt></code>	Defines a term/name in a description list
<code><dd></code>	Defines a description of a term/name in a description list

Tables

Tag	Description
<code><table></code>	Defines a table
<code><caption></code>	Defines a table caption
<code><th></code>	Defines a header cell in a table
<code><tr></code>	Defines a row in a table
<code><td></code>	Defines a cell in a table
<code><thead></code>	Groups the header content in a table

<code><tbody></code>	Groups the body content in a table
<code><tfoot></code>	Groups the footer content in a table
<code><col></code>	Specifies column properties for each column within a <code><colgroup></code> element
<code><colgroup></code>	Specifies a group of one or more columns in a table for formatting

Styles and Semantics

Tag	Description
<code><style></code>	Defines style information for a document
<code><div></code>	Defines a section in a document
<code></code>	Defines a section in a document
<code><header></code>	Defines a header for a document or section
<code><hgroup></code>	Defines a header and related content
<code><footer></code>	Defines a footer for a document or section
<code><main></code>	Specifies the main content of a document

<code><section></code>	Defines a section in a document
<code><search></code>	Defines a search section
<code><article></code>	Defines an article
<code><aside></code>	Defines content aside from the page content
<code><details></code>	Defines additional details that the user can view or hide
<code><dialog></code>	Defines a dialog box or window
<code><summary></code>	Defines a visible heading for a <code><details></code> element
<code><data></code>	Adds a machine-readable translation of a given content

Meta Info

Tag	Description
<code><head></code>	Defines information about the document
<code><meta></code>	Defines metadata about an HTML document
<code><base></code>	Specifies the base URL/target for all relative URLs in a document

<basefont>

Not supported in HTML5. Use CSS instead.

Specifies a default color, size, and font for all text in a document

Programming

Tag	Description
<u><script></u>	Defines a client-side script
<u><noscript></u>	Defines an alternate content for users that do not support client-side scripts
<u><applet></u>	Not supported in HTML5. Use <embed> or <object> instead. Defines an embedded applet
<u><embed></u>	Defines a container for an external (non-HTML) application
<u><object></u>	Defines an embedded object
<u><param></u>	Defines a parameter for an object