

SQL

```
mysql> CREATE DATABASE canteen_db;
```

ERROR 1007 (HY000): Can't create database 'canteen_db'; database exists

```
mysql> USE canteen_db;
```

Reading table information for completion of table and column names

You can turn off this feature to get a quicker startup with -A

Database changed

```
mysql> CREATE TABLE Students(
```

```
-> student_id INT PRIMARY KEY,
```

```
-> student_name VARCHAR(50),
```

```
-> department VARCHAR(30),
```

```
-> year INT,
```

```
-> phone_number VARCHAR(15)
```

```
-> );
```

ERROR 1050 (42S01): Table 'students' already exists

```
mysql> CREATE TABLE Categories(
```

```
-> category_id INT PRIMARY KEY,
```

```
-> category_name VARCHAR(30)
```

```
-> );
```

ERROR 1050 (42S01): Table 'categories' already exists

```
mysql> drop canteen_db
```

```
-> ;
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'canteen_db' at line 1

```
mysql> drop database canteen_db;
```

Query OK, 12 rows affected (0.042 sec)

```
mysql> exit
```

Welcome to the MySQL monitor. Commands end with ; or \g.

Your MySQL connection id is 14

Server version: 9.7.0 MySQL Community Server - GPL

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
mysql> CREATE DATABASE canteen_db;
```

Query OK, 1 row affected (0.002 sec)

```
mysql> USE canteen_db;
```

Database changed

```
mysql> CREATE TABLE Students(
```

```
-> student_id INT PRIMARY KEY,
```

```
-> student_name VARCHAR(50),
```

```
-> department VARCHAR(30),  
-> year INT,  
-> phone_number VARCHAR(15)  
-> );
```

Query OK, 0 rows affected (0.007 sec)

```
mysql> CREATE TABLE Categories(  
-> category_id INT PRIMARY KEY,  
-> category_name VARCHAR(30)  
-> );
```

Query OK, 0 rows affected (0.006 sec)

```
mysql> CREATE TABLE Food_Items(  
-> food_id INT PRIMARY KEY,  
-> food_name VARCHAR(50),  
-> category_id INT,  
-> price DECIMAL(10,2),  
-> availability VARCHAR(10),  
-> FOREIGN KEY(category_id)  
-> REFERENCES Categories(category_id)  
-> );
```

Query OK, 0 rows affected (0.009 sec)

```
mysql> CREATE TABLE Orders(  
-> order_id INT PRIMARY KEY,  
-> student_id INT,  
-> order_date DATE,  
-> total_amount DECIMAL(10,2),  
-> status VARCHAR(20),  
-> FOREIGN KEY(student_id)  
-> REFERENCES Students(student_id)  
-> );
```

Query OK, 0 rows affected (0.010 sec)

```
mysql> CREATE TABLE Order_Details(  
-> order_detail_id INT PRIMARY KEY,  
-> order_id INT,  
-> food_id INT,  
-> quantity INT,  
-> price DECIMAL(10,2),  
-> FOREIGN KEY(order_id)  
-> REFERENCES Orders(order_id),  
-> FOREIGN KEY(food_id)  
-> REFERENCES Food_Items(food_id)  
-> );
```

Query OK, 0 rows affected (0.009 sec)

```
mysql> CREATE TABLE Payments(  
-> payment_id INT PRIMARY KEY,  
-> order_id INT,  
-> payment_method VARCHAR(20),  
-> amount DECIMAL(10,2),  
-> payment_date DATE,
```

```
-> FOREIGN KEY(order_id)
-> REFERENCES Orders(order_id)
-> );
```

Query OK, 0 rows affected (0.008 sec)

```
mysql> CREATE TABLE Inventory(
-> inventory_id INT PRIMARY KEY,
-> item_name VARCHAR(50),
-> quantity INT,
-> unit VARCHAR(20),
-> minimum_stock INT
-> );
```

Query OK, 0 rows affected (0.006 sec)

```
mysql> CREATE TABLE Suppliers(
-> supplier_id INT PRIMARY KEY,
-> supplier_name VARCHAR(50),
-> phone VARCHAR(15),
-> address VARCHAR(100)
-> );
```

Query OK, 0 rows affected (0.005 sec)

```
mysql> CREATE TABLE Purchases(
-> purchase_id INT PRIMARY KEY,
-> supplier_id INT,
-> purchase_date DATE,
-> total_cost DECIMAL(10,2),
-> FOREIGN KEY(supplier_id)
-> REFERENCES Suppliers(supplier_id)
-> );
```

Query OK, 0 rows affected (0.010 sec)

```
mysql> CREATE TABLE Purchase_Details(
-> purchase_detail_id INT PRIMARY KEY,
-> purchase_id INT,
-> inventory_id INT,
-> quantity INT,
-> cost DECIMAL(10,2),
-> FOREIGN KEY(purchase_id)
-> REFERENCES Purchases(purchase_id),
-> FOREIGN KEY(inventory_id)
-> REFERENCES Inventory(inventory_id)
-> );
```

Query OK, 0 rows affected (0.009 sec)

```
mysql> CREATE TABLE Staff(
-> staff_id INT PRIMARY KEY,
-> staff_name VARCHAR(50),
-> position VARCHAR(30),
-> salary DECIMAL(10,2),
-> phone VARCHAR(15)
-> );
```

Query OK, 0 rows affected (0.005 sec)

```
mysql> CREATE TABLE Feedback(  
  -> feedback_id INT PRIMARY KEY,  
  -> student_id INT,  
  -> rating INT,  
  -> comments VARCHAR(100),  
  -> feedback_date DATE,  
  -> FOREIGN KEY(student_id)  
  -> REFERENCES Students(student_id)  
  -> );
```

Query OK, 0 rows affected (0.008 sec)

```
mysql> INSERT INTO Students VALUES  
  -> (1,'Saran','CSE',3,'9876543210'),  
  -> (2,'Priya','ECE',2,'9876543211'),  
  -> (3,'Rahul','AIML',3,'9876543212'),  
  -> (4,'Deepa','EEE',2,'9876543213'),  
  -> (5,'Anjali','CSE',4,'9876543214');
```

Query OK, 5 rows affected (0.002 sec)

Records: 5 Duplicates: 0 Warnings: 0

```
mysql> INSERT INTO Categories VALUES  
  -> (1,'Breakfast'),  
  -> (2,'Lunch'),  
  -> (3,'Snacks'),  
  -> (4,'Beverages'),  
  -> (5,'Desserts');
```

Query OK, 5 rows affected (0.002 sec)

Records: 5 Duplicates: 0 Warnings: 0

```
mysql> INSERT INTO Food_Items VALUES  
  -> (101,'Idli',1,30,'Yes'),  
  -> (102,'Meals',2,80,'Yes'),  
  -> (103,'Veg Burger',3,60,'Yes'),  
  -> (104,'Coffee',4,20,'Yes'),  
  -> (105,'Juice',4,50,'Yes');
```

Query OK, 5 rows affected (0.002 sec)

Records: 5 Duplicates: 0 Warnings: 0

```
mysql> INSERT INTO Orders VALUES  
  -> (1001,1,'2026-06-21',140,'Delivered'),  
  -> (1002,2,'2026-06-21',80,'Pending'),  
  -> (1003,3,'2026-06-21',100,'Ready');
```

Query OK, 3 rows affected (0.003 sec)

Records: 3 Duplicates: 0 Warnings: 0

```
mysql> INSERT INTO Order_Details VALUES  
  -> (1,1001,103,2,120),  
  -> (2,1001,104,1,20),  
  -> (3,1002,102,1,80),  
  -> (4,1003,101,2,60);
```

Query OK, 4 rows affected (0.002 sec)

Records: 4 Duplicates: 0 Warnings: 0

```
mysql> INSERT INTO Payments VALUES
```

```

-> (501,1001,'UPI',140,'2026-06-21'),
-> (502,1002,'Cash',80,'2026-06-21'),
-> (503,1003,'Debit Card',100,'2026-06-21');
Query OK, 3 rows affected (0.002 sec)
Records: 3 Duplicates: 0 Warnings: 0
mysql> INSERT INTO Inventory VALUES
-> (1,'Rice',50,'Kg',20),
-> (2,'Milk',10,'Litre',15),
-> (3,'Oil',25,'Litre',10);
Query OK, 3 rows affected (0.002 sec)
Records: 3 Duplicates: 0 Warnings: 0
mysql> INSERT INTO Suppliers VALUES
-> (1,'ABC Traders','9876543210','Madanapalle'),
-> (2,'Fresh Foods','9876543211','Tirupati');
Query OK, 2 rows affected (0.002 sec)
Records: 2 Duplicates: 0 Warnings: 0
mysql> INSERT INTO Purchases VALUES
-> (1,1,'2026-06-20',5000),
-> (2,2,'2026-06-21',3500);
Query OK, 2 rows affected (0.002 sec)
Records: 2 Duplicates: 0 Warnings: 0
mysql> INSERT INTO Purchase_Details VALUES
-> (1,1,1,50,2500),
-> (2,1,2,20,1500),
-> (3,2,3,10,1000);
Query OK, 3 rows affected (0.002 sec)
Records: 3 Duplicates: 0 Warnings: 0
mysql> INSERT INTO Staff VALUES
-> (1,'Ramesh','Manager',30000,'9999999999'),
-> (2,'Kumar','Chef',25000,'8888888888'),
-> (3,'Raj','Cashier',20000,'7777777777');
Query OK, 3 rows affected (0.002 sec)
Records: 3 Duplicates: 0 Warnings: 0
mysql> INSERT INTO Feedback VALUES
-> (1,1,5,'Excellent Food','2026-06-21'),
-> (2,2,4,'Good Service','2026-06-21'),
-> (3,3,5,'Nice Taste','2026-06-21');
Query OK, 3 rows affected (0.002 sec)
Records: 3 Duplicates: 0 Warnings: 0
mysql> SELECT * FROM Students;
+-----+-----+-----+-----+
| student_id | student_name | department | year | phone_number |
+-----+-----+-----+-----+
| 1 | Saran | CSE | 3 | 9876543210 |
| 2 | Priya | ECE | 2 | 9876543211 |
| 3 | Rahul | AIML | 3 | 9876543212 |
| 4 | Deepa | EEE | 2 | 9876543213 |
| 5 | Anjali | CSE | 4 | 9876543214 |

```

+-----+-----+-----+-----+-----+

5 rows in set (0.000 sec)

mysql> SELECT * FROM Categories;

+-----+-----+

| category_id | category_name |

+-----+-----+

| 1 | Breakfast |

| 2 | Lunch |

| 3 | Snacks |

| 4 | Beverages |

| 5 | Desserts |

+-----+-----+

5 rows in set (0.000 sec)

mysql> SELECT * FROM Food_Items;

+-----+-----+-----+-----+-----+

| food_id | food_name | category_id | price | availability |

+-----+-----+-----+-----+-----+

| 101 | Idli | 1 | 30.00 | Yes |

| 102 | Meals | 2 | 80.00 | Yes |

| 103 | Veg Burger | 3 | 60.00 | Yes |

| 104 | Coffee | 4 | 20.00 | Yes |

| 105 | Juice | 4 | 50.00 | Yes |

+-----+-----+-----+-----+-----+

5 rows in set (0.000 sec)

mysql> SELECT * FROM Orders;

+-----+-----+-----+-----+-----+

| order_id | student_id | order_date | total_amount | status |

+-----+-----+-----+-----+-----+

| 1001 | 1 | 2026-06-21 | 140.00 | Delivered |

| 1002 | 2 | 2026-06-21 | 80.00 | Pending |

| 1003 | 3 | 2026-06-21 | 100.00 | Ready |

+-----+-----+-----+-----+-----+

3 rows in set (0.000 sec)

mysql> SELECT * FROM Order_Details;

+-----+-----+-----+-----+-----+

| order_detail_id | order_id | food_id | quantity | price |

+-----+-----+-----+-----+-----+

| 1 | 1001 | 103 | 2 | 120.00 |

| 2 | 1001 | 104 | 1 | 20.00 |

| 3 | 1002 | 102 | 1 | 80.00 |

| 4 | 1003 | 101 | 2 | 60.00 |

+-----+-----+-----+-----+-----+

4 rows in set (0.000 sec)

mysql> SELECT * FROM Payments;

+-----+-----+-----+-----+-----+

| payment_id | order_id | payment_method | amount | payment_date |

+-----+-----+-----+-----+-----+

| 501 | 1001 | UPI | 140.00 | 2026-06-21 |

502	1002	Cash	80.00	2026-06-21
503	1003	Debit Card	100.00	2026-06-21

```
+-----+-----+-----+-----+-----+
```

3 rows in set (0.000 sec)

```
mysql> SELECT * FROM Inventory;
```

```
+-----+-----+-----+-----+-----+
```

inventory_id	item_name	quantity	unit	minimum_stock
--------------	-----------	----------	------	---------------

```
+-----+-----+-----+-----+-----+
```

1	Rice	50	Kg	20
---	------	----	----	----

2	Milk	10	Litre	15
---	------	----	-------	----

3	Oil	25	Litre	10
---	-----	----	-------	----

```
+-----+-----+-----+-----+-----+
```

3 rows in set (0.000 sec)

```
mysql> SELECT * FROM Suppliers;
```

```
+-----+-----+-----+-----+-----+
```

supplier_id	supplier_name	phone	address
-------------	---------------	-------	---------

```
+-----+-----+-----+-----+-----+
```

1	ABC Traders	9876543210	Madanapalle
---	-------------	------------	-------------

2	Fresh Foods	9876543211	Tirupati
---	-------------	------------	----------

```
+-----+-----+-----+-----+-----+
```

2 rows in set (0.000 sec)

```
mysql> SELECT * FROM Purchases;
```

```
+-----+-----+-----+-----+-----+
```

purchase_id	supplier_id	purchase_date	total_cost
-------------	-------------	---------------	------------

```
+-----+-----+-----+-----+-----+
```

1	1	2026-06-20	5000.00
---	---	------------	---------

2	2	2026-06-21	3500.00
---	---	------------	---------

```
+-----+-----+-----+-----+-----+
```

2 rows in set (0.000 sec)

```
mysql> SELECT * FROM Purchase_Details;
```

```
+-----+-----+-----+-----+-----+
```

purchase_detail_id	purchase_id	inventory_id	quantity	cost
--------------------	-------------	--------------	----------	------

```
+-----+-----+-----+-----+-----+
```

1	1	1	50	2500.00
---	---	---	----	---------

2	1	2	20	1500.00
---	---	---	----	---------

3	2	3	10	1000.00
---	---	---	----	---------

```
+-----+-----+-----+-----+-----+
```

3 rows in set (0.000 sec)

```
mysql> SELECT * FROM Staff;
```

```
+-----+-----+-----+-----+-----+
```

staff_id	staff_name	position	salary	phone
----------	------------	----------	--------	-------

```
+-----+-----+-----+-----+-----+
```

1	Ramesh	Manager	30000.00	9999999999
---	--------	---------	----------	------------

2	Kumar	Chef	25000.00	8888888888
---	-------	------	----------	------------

3	Raj	Cashier	20000.00	7777777777
---	-----	---------	----------	------------

```
+-----+-----+-----+-----+-----+
```

3 rows in set (0.000 sec)

```
mysql> SELECT * FROM Feedback;
```

```

+-----+-----+-----+-----+-----+
| feedback_id | student_id | rating | comments      | feedback_date |
+-----+-----+-----+-----+-----+
|          1 |          1 |       5 | Excellent Food | 2026-06-21    |
|          2 |          2 |       4 | Good Service   | 2026-06-21    |
|          3 |          3 |       5 | Nice Taste     | 2026-06-21    |
+-----+-----+-----+-----+-----+

```

3 rows in set (0.000 sec)

mysql> UPDATE Students

-> SET department='AIML'

-> WHERE student_id=1;

Query OK, 1 row affected (0.003 sec)

Rows matched: 1 Changed: 1 Warnings: 0

mysql> DELETE FROM Students

-> WHERE student_id=5;

Query OK, 1 row affected (0.002 sec)

mysql> UPDATE Food_Items

-> SET price=70

-> WHERE food_id=101;

Query OK, 1 row affected (0.002 sec)

Rows matched: 1 Changed: 1 Warnings: 0

mysql> DELETE FROM Food_Items

-> WHERE food_id=105;

Query OK, 1 row affected (0.001 sec)

mysql> UPDATE Orders

-> SET status='Delivered'

-> WHERE order_id=1002;

Query OK, 1 row affected (0.001 sec)

Rows matched: 1 Changed: 1 Warnings: 0

mysql> SELECT s.student_name,

-> o.order_id,

-> o.total_amount

-> FROM Students s

-> JOIN Orders o

-> ON s.student_id = o.student_id;

```

+-----+-----+-----+
| student_name | order_id | total_amount |
+-----+-----+-----+
| Saran        | 1001    | 140.00      |
| Priya        | 1002    | 80.00       |
| Rahul        | 1003    | 100.00      |
+-----+-----+-----+

```

3 rows in set (0.001 sec)

mysql> SELECT f.food_name,

-> od.quantity

-> FROM Food_Items f

-> JOIN Order_Details od

-> ON f.food_id = od.food_id;


```
+-----+-----+
| food_name | quantity |
+-----+-----+
```

```
| Idli      |      2 |
| Meals     |      1 |
| Veg Burger|      2 |
| Coffee    |      1 |
+-----+-----+
```

4 rows in set (0.001 sec)

```
mysql> SELECT o.order_id,
->      p.amount,
->      p.payment_method
-> FROM Orders o
-> JOIN Payments p
-> ON o.order_id = p.order_id;
```

```
+-----+-----+-----+
| order_id | amount | payment_method |
+-----+-----+-----+
|    1001 | 140.00 | UPI            |
|    1002 |  80.00 | Cash           |
|    1003 | 100.00 | Debit Card     |
+-----+-----+-----+
```

3 rows in set (0.001 sec)

```
mysql> SELECT s.student_name,
->      f.rating,
->      f.comments
-> FROM Students s
-> JOIN Feedback f
-> ON s.student_id = f.student_id;
```

```
+-----+-----+-----+
| student_name | rating | comments      |
+-----+-----+-----+
| Saran        |      5 | Excellent Food |
| Priya        |      4 | Good Service   |
| Rahul        |      5 | Nice Taste     |
+-----+-----+-----+
```

3 rows in set (0.001 sec)

```
mysql> SELECT SUM(total_amount) AS Total_Sales
-> FROM Orders;
```

```
+-----+
| Total_Sales |
+-----+
|    320.00 |
+-----+
```

1 row in set (0.002 sec)

```
mysql> SELECT COUNT(*) AS Total_Orders
-> FROM Orders;
```

```
+-----+
```

```
| Total_Orders |
```

```
+-----+
```

```
|      3 |
```

```
+-----+
```

```
1 row in set (0.000 sec)
```

```
mysql> SELECT AVG(total_amount) AS Avg_Order
```

```
-> FROM Orders;
```

```
+-----+
```

```
| Avg_Order |
```

```
+-----+
```

```
| 106.666667 |
```

```
+-----+
```

```
1 row in set (0.001 sec)
```

```
mysql> SELECT MAX(total_amount) AS Highest_Order
```

```
-> FROM Orders;
```

```
+-----+
```

```
| Highest_Order |
```

```
+-----+
```

```
|    140.00 |
```

```
+-----+
```

```
1 row in set (0.002 sec)
```

```
mysql> SELECT AVG(rating) AS Avg_Rating
```

```
-> FROM Feedback;
```

```
+-----+
```

```
| Avg_Rating |
```

```
+-----+
```

```
|   4.6667 |
```

```
+-----+
```

```
1 row in set (0.000 sec)
```

```
mysql> SELECT MAX(salary) AS Highest_Salary
```

```
-> FROM Staff;
```

```
+-----+
```

```
| Highest_Salary |
```

```
+-----+
```

```
|   30000.00 |
```

```
+-----+
```

```
1 row in set (0.000 sec)
```

```
mysql> SELECT payment_method,
```

```
->      SUM(amount) AS Revenue
```

```
-> FROM Payments
```

```
-> GROUP BY payment_method;
```

```
+-----+-----+
```

```
| payment_method | Revenue |
```

```
+-----+-----+
```

```
| UPI           | 140.00 |
```

```
| Cash          |  80.00 |
```

```
| Debit Card    | 100.00 |
```

```
+-----+-----+
```

3 rows in set (0.002 sec)

```
mysql> SELECT student_id,  
-> COUNT(order_id) AS Total_Orders  
-> FROM Orders  
-> GROUP BY student_id;
```

student_id	Total_Orders
1	1
2	1
3	1

3 rows in set (0.001 sec)

```
mysql> SELECT food_id,  
-> SUM(quantity) AS Total_Quantity  
-> FROM Order_Details  
-> GROUP BY food_id  
-> ORDER BY Total_Quantity DESC;
```

food_id	Total_Quantity
101	2
103	2
102	1
104	1

4 rows in set (0.001 sec)

```
mysql> SELECT *  
-> FROM Inventory  
-> WHERE quantity < minimum_stock;
```

inventory_id	item_name	quantity	unit	minimum_stock
2	Milk	10	Litre	15

1 row in set (0.001 sec)

```
mysql> SELECT s.supplier_name,  
-> p.total_cost  
-> FROM Suppliers s  
-> JOIN Purchases p  
-> ON s.supplier_id = p.supplier_id;
```

supplier_name	total_cost
ABC Traders	5000.00
Fresh Foods	3500.00

2 rows in set (0.001 sec)

```
mysql> SELECT pd.purchase_id,
->      i.item_name,
->      pd.quantity,
->      pd.cost
-> FROM Purchase_Details pd
-> JOIN Inventory i
-> ON pd.inventory_id = i.inventory_id;
```

```
+-----+-----+-----+-----+
| purchase_id | item_name | quantity | cost |
+-----+-----+-----+-----+
|      1 | Rice    |      50 | 2500.00 |
|      1 | Milk    |      20 | 1500.00 |
|      2 | Oil     |      10 | 1000.00 |
+-----+-----+-----+-----+
```

3 rows in set (0.001 sec)

```
mysql> DELIMITER //
```

```
mysql>
```

```
mysql> CREATE PROCEDURE ShowStudents()
-> BEGIN
->   SELECT * FROM Students;
-> END //
```

Query OK, 0 rows affected (0.005 sec)

```
mysql>
```

```
mysql> DELIMITER ;
```

```
mysql> CALL ShowStudents();
```

```
+-----+-----+-----+-----+-----+
| student_id | student_name | department | year | phone_number |
+-----+-----+-----+-----+-----+
|      1 | Saran      | AIML      | 3 | 9876543210 |
|      2 | Priya      | ECE       | 2 | 9876543211 |
|      3 | Rahul      | AIML      | 3 | 9876543212 |
|      4 | Deepa      | EEE       | 2 | 9876543213 |
+-----+-----+-----+-----+-----+
```

4 rows in set (0.002 sec)

Query OK, 0 rows affected (0.002 sec)

MONGODB

```
use canteen_db
switched to db canteen_db
db.createCollection("students")
db.createCollection("categories")
db.createCollection("food_items")
db.createCollection("orders")
db.createCollection("order_details")
db.createCollection("payments")
db.createCollection("inventory")
db.createCollection("suppliers")
db.createCollection("purchases")
db.createCollection("purchase_details")
db.createCollection("staff")
```

```

db.createCollection("feedback")
{ ok: 1 }

show collections
categories
feedback
food_items
inventory
order_details
orders
payments
purchase_details
purchases
staff
students
suppliers
db.students.insertMany([
{
  _id:1,
  student_name:"Saran",
  department:"CSE",
  year:3,
  phone_number:"9876543210"
},
{
  _id:2,
  student_name:"Priya",
  department:"ECE",
  year:2,
  phone_number:"9876543211"
},
{
  _id:3,
  student_name:"Rahul",
  department:"AIML",
  year:3,
  phone_number:"9876543212"
}
])
{
  acknowledged: true,
  insertedIds: {
    '0': 1,
    '1': 2,
    '2': 3
  }
}

db.categories.insertMany([
{ _id:1, category_name:"Breakfast"},

```

```
{_id:2,category_name:"Lunch"},
{_id:3,category_name:"Snacks"},
{_id:4,category_name:"Beverages"},
{_id:5,category_name:"Desserts"}
])
{
```

```
  acknowledged: true,
```

```
  insertedIds: {
```

```
    '0': 1,
```

```
    '1': 2,
```

```
    '2': 3,
```

```
    '3': 4,
```

```
    '4': 5
```

```
  }
```

```
}
```

```
db.food_items.insertMany([
```

```
{
```

```
  _id:101,
```

```
  food_name:"Idli",
```

```
  category:"Breakfast",
```

```
  price:30,
```

```
  availability:true
```

```
},
```

```
{
```

```
  _id:102,
```

```
  food_name:"Meals",
```

```
  category:"Lunch",
```

```
  price:80,
```

```
  availability:true
```

```
},
```

```
{
```

```
  _id:103,
```

```
  food_name:"Veg Burger",
```

```
  category:"Snacks",
```

```
  price:60,
```

```
  availability:true
```

```
},
```

```
{
```

```
  _id:104,
```

```
  food_name:"Coffee",
```

```
  category:"Beverages",
```

```
  price:20,
```

```
  availability:true
```

```
}
```

```
])
```

```
{
```

```
  acknowledged: true,
```

```
insertedIds: {
  '0': 101,
  '1': 102,
  '2': 103,
  '3': 104
}
}

db.orders.insertMany([
{
  _id:1001,
  student_id:1,
  total_amount:140,
  status:"Delivered"
},
{
  _id:1002,
  student_id:2,
  total_amount:80,
  status:"Pending"
},
{
  _id:1003,
  student_id:3,
  total_amount:100,
  status:"Ready"
}
])
{
  acknowledged: true,
  insertedIds: {
    '0': 1001,
    '1': 1002,
    '2': 1003
  }
}

db.order_details.insertMany([
{
  _id:1,
  order_id:1001,
  food_id:103,
  quantity:2,
  price:120
},
{
  _id:2,
```

```
order_id:1001,
food_id:104,
quantity:1,
price:20
},
{
_id:3,
order_id:1002,
food_id:102,
quantity:1,
price:80
}
])
{
  acknowledged: true,
  insertedIds: {
    '0': 1,
    '1': 2,
    '2': 3
  }
}

db.payments.insertMany([
{
_id:501,
order_id:1001,
payment_method:"UPI",
amount:140
},
{
_id:502,
order_id:1002,
payment_method:"Cash",
amount:80
},
{
_id:503,
order_id:1003,
payment_method:"Debit Card",
amount:100
}
])
{
  acknowledged: true,
  insertedIds: {
    '0': 501,
    '1': 502,
```



```

        '2': 503
    }
}

db.inventory.insertMany([
{
    _id:1,
    item_name:"Rice",
    quantity:50,
    unit:"Kg",
    minimum_stock:20
},
{
    _id:2,
    item_name:"Milk",
    quantity:10,
    unit:"Litre",
    minimum_stock:15
},
{
    _id:3,
    item_name:"Oil",
    quantity:25,
    unit:"Litre",
    minimum_stock:10
}
])
{
    acknowledged: true,
    insertedIds: {
        '0': 1,
        '1': 2,
        '2': 3
    }
}

db.suppliers.insertMany([
{
    _id:1,
    supplier_name:"ABC Traders",
    phone:"9876543210",
    address:"Madanapalle"
},
{
    _id:2,
    supplier_name:"Fresh Foods",
    phone:"9876543211",
    address:"Tirupati"
}
])

```

```

    ])
    {
        acknowledged: true,
        insertedIds: {
            '0': 1,
            '1': 2
        }
    }
}

db.purchases.insertMany([
    {
        _id:1,
        supplier_id:1,
        total_cost:5000
    },
    {
        _id:2,
        supplier_id:2,
        total_cost:3500
    }
])
{
    acknowledged: true,
    insertedIds: {
        '0': 1,
        '1': 2
    }
}

db.purchase_details.insertMany([
    {
        _id:1,
        purchase_id:1,
        inventory_id:1,
        quantity:50,
        cost:2500
    },
    {
        _id:2,
        purchase_id:1,
        inventory_id:2,
        quantity:20,
        cost:1500
    },
    {
        _id:3,
        purchase_id:2,

```

```

inventory_id:3,
quantity:10,
cost:1000
}
])
{
    acknowledged: true,
    insertedIds: {
        '0': 1,
        '1': 2,
        '2': 3
    }
}

db.staff.insertMany([
{
    _id:1,
    staff_name:"Ramesh",
    position:"Manager",
    salary:30000
},
{
    _id:2,
    staff_name:"Kumar",
    position:"Chef",
    salary:25000
},
{
    _id:3,
    staff_name:"Raj",
    position:"Cashier",
    salary:20000
}
])
{
    acknowledged: true,
    insertedIds: {
        '0': 1,
        '1': 2,
        '2': 3
    }
}

db.feedback.insertMany([
{
    _id:1,

```

```

student_id:1,
rating:5,
comments:"Excellent Food"
},
{
_id:2,
student_id:2,
rating:4,
comments:"Good Service"
},
{
_id:3,
student_id:3,
rating:5,
comments:"Nice Taste"
}
])
{
  acknowledged: true,
  insertedIds: {
    '0': 1,
    '1': 2,
    '2': 3
  }
}

db.students.find()
db.categories.find()
db.food_items.find()
db.orders.find()
db.order_details.find()
db.payments.find()
db.inventory.find()
db.suppliers.find()
db.purchases.find()
db.purchase_details.find()
db.staff.find()
db.feedback.find()
{
  _id: 1,
  student_id: 1,
  rating: 5,
  comments: 'Excellent Food'
}
{
  _id: 2,

```

```
    student_id: 2,  
    rating: 4,  
    comments: 'Good Service'  
  }  
  {  
    _id: 3,  
    student_id: 3,  
    rating: 5,  
    comments: 'Nice Taste'  
  }  
db.students.find()  
  
  {  
    _id: 1,  
    student_name: 'Saran',  
    department: 'CSE',  
    year: 3,  
    phone_number: '9876543210'  
  }  
  {  
    _id: 2,  
    student_name: 'Priya',  
    department: 'ECE',  
    year: 2,  
    phone_number: '9876543211'  
  }  
  {  
    _id: 3,  
    student_name: 'Rahul',  
    department: 'AIML',  
    year: 3,  
    phone_number: '9876543212'  
  }  
db.categories.find()  
  
  {
```

```
_id: 1,
category_name: 'Breakfast'
}
{
  _id: 2,
  category_name: 'Lunch'
}
{
  _id: 3,
  category_name: 'Snacks'
}
{
  _id: 4,
  category_name: 'Beverages'
}
{
  _id: 5,
  category_name: 'Desserts'
}
db.food_items.find()
{
  _id: 101,
  food_name: 'Idli',
  category: 'Breakfast',
  price: 30,
  availability: true
}
{
  _id: 102,
  food_name: 'Meals',
  category: 'Lunch',
  price: 80,
  availability: true
}
```

```
{
  _id: 103,
  food_name: 'Veg Burger',
  category: 'Snacks',
  price: 60,
  availability: true
}
```

```
{
  _id: 104,
  food_name: 'Coffee',
  category: 'Beverages',
  price: 20,
  availability: true
}
```

```
db.orders.find()
```

```
{
  _id: 1001,
  student_id: 1,
  total_amount: 140,
  status: 'Delivered'
}
```

```
{
  _id: 1002,
  student_id: 2,
  total_amount: 80,
  status: 'Pending'
}
```

```
{
  _id: 1003,
  student_id: 3,
  total_amount: 100,
  status: 'Ready'
}
```

```
db.order_details.find()
```

```
{
  _id: 1,
  order_id: 1001,
  food_id: 103,
  quantity: 2,
  price: 120
}

{
  _id: 2,
  order_id: 1001,
  food_id: 104,
  quantity: 1,
  price: 20
}

{
  _id: 3,
  order_id: 1002,
  food_id: 102,
  quantity: 1,
  price: 80
}

db.payments.find()

{
  _id: 501,
  order_id: 1001,
  payment_method: 'UPI',
  amount: 140
}

{
  _id: 502,
  order_id: 1002,
  payment_method: 'Cash',
  amount: 80
}
```



```
}
{
  _id: 503,
  order_id: 1003,
  payment_method: 'Debit Card',
  amount: 100
}
db.inventory.find()

{
  _id: 1,
  item_name: 'Rice',
  quantity: 50,
  unit: 'Kg',
  minimum_stock: 20
}

{
  _id: 2,
  item_name: 'Milk',
  quantity: 10,
  unit: 'Litre',
  minimum_stock: 15
}

{
  _id: 3,
  item_name: 'Oil',
  quantity: 25,
  unit: 'Litre',
  minimum_stock: 10
}
db.suppliers.find()
{
  _id: 1,
  supplier_name: 'ABC Traders',
  phone: '9876543210',
```

```
    address: 'Madanapalle'
  }
  {
    _id: 2,
    supplier_name: 'Fresh Foods',
    phone: '9876543211',
    address: 'Tirupati'
  }
```

```
db.purchases.find()
```

```
{
  _id: 1,
  supplier_id: 1,
  total_cost: 5000
}
```

```
{
  _id: 2,
  supplier_id: 2,
  total_cost: 3500
}
```

```
db.staff.find()
```

```
{
  _id: 1,
  staff_name: 'Ramesh',
  position: 'Manager',
  salary: 30000
}
```

```
{
  _id: 2,
  staff_name: 'Kumar',
  position: 'Chef',
  salary: 25000
}
```

```
{
  _id: 3,
```

```

    staff_name: 'Raj',
    position: 'Cashier',
    salary: 20000
  }
db.students.find({department:"CSE"})
{
  _id: 1,
  student_name: 'Saran',
  department: 'CSE',
  year: 3,
  phone_number: '9876543210'
}
db.students.updateOne(
  {_id:1},
  {$set:{department:"AIML"}}
)
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
db.students.deleteOne({_id:3})
{
  acknowledged: true,
  deletedCount: 1
}
db.payments.aggregate([
  {
    $group:{
      _id:null,
      totalRevenue:{$sum:"$amount"}
    }
  }
])
{
  _id: null,
  totalRevenue: 320
}

```

```

}

db.feedback.aggregate([
{
$group:{
_id:null,
avgRating:{$avg:"$rating"}
}
}
])
{
_id: null,
avgRating: 4.666666666666667
}

db.staff.aggregate([
{
$group:{
_id:null,
maxSalary:{$max:"$salary"}
}
}
])
{
_id: null,
maxSalary: 30000
}

db.order_details.aggregate([
{
$group:{
_id:"$food_id",
total:{$sum:"$quantity"}
}
},
{
$sort:{total:-1}
}
])
{
_id: 103,
total: 2
}
{
_id: 104,
total: 1
}

```

```
{  
  _id: 102,  
  total: 1  
}
```

```
Atlas atlas-ku75ct-shard-0 [primary] canteen_db
```