User Guides

Learn how to create and deploy video agents on your website

Creating Agents

1 Upload Your Video

Start by uploading a video that will represent your agent

Navigate to the agents page and click the **"+ Create Agent"** button in the top right corner. You'll be prompted to upload a video file. Supported formats include MP4, MOV, and WebM.

Tips for best results:

- Use high-quality video (1080p or higher recommended)
- Ensure descriptive narration and clear audio
- Keep videos under 25 minutes for optimal processing

Example of a well-structured agent video:

This video demonstrates proper framing, clear narration, and organized content structure that works well for creating conversational clips.



2 Configure Your Agent

Customize your agent's personality and behavior

After uploading, you'll configure your agent with the following settings:

Auto-clip
Turn on auto-clipping to automatically generate clips from your video.
This is only available for videos 25 minutes or less.

Agent Image
Upload an image for your agent

Agent Name
Give your agent a memorable name

First Message
Set the greeting message visitors will see

Tone & Personality
Define how your agent speaks (e.g., professional, friendly, casual)

Goal
Define what your agent is trying to accomplish

Call-to-Actions (CTAs)
Add up to two clickable buttons for important actions

3 Video Editor

Add video clips for different conversation topics and user interactions

Use the video editor to add video clips for different conversation topics and user interactions. Each clip should represent a specific topic or answer.

Pro Tip
Add video clips for common questions or topics your visitors might ask about. The more clips you add, the more comprehensive your agent's knowledge will be.

4 Test Your Agent

Try out your agent before deploying it

Once your agent is configured and clips are created, use the **"Test Agent"** button in the bottom right corner to interact with your agent and ensure it responds appropriately to different queries.

Adding Agents to a Website

Integration Options

There are two ways to add your agent to your website:

- Script Tag Integration (Recommended)
- React Component Integration

1 Script Tag Integration (Recommended)

The easiest way to add your agent to any website

Step 1: Copy the script

From your agent's detail page, copy the integration script. It will look like this:

```
<script
  src="https://app.startprimer.com/dist/primer-widget.iife.js"
  data-agent-id="your-agent-id"
></script>
```

Step 2: Add to your website

Paste the script tag in the `<head>` or before the closing `</body>` tag of your HTML:

```
<!DOCTYPE html>
<html>
  <head>
    <title>My Website</title>
    <!— Other head content —>
  </head>
  <body>
    <!— Your website content —>

    <!— Primer Agent Widget —>
    <script
      src="https://app.startprimer.com/dist/primer-widget.iife.js"
      data-agent-id="your-agent-id"
    ></script>
  </body>
</html>
```

That's it!

Your agent will now appear on your website. The widget will automatically load and position itself in the bottom-right corner of your page.

2 Custom React Component

For React, Next.js, and other JavaScript frameworks with custom trigger

Step 1: Load the widget script in your component

```
"use client"; // For Next.js

import { useEffect } from "react";

// Declare PrimerWidget type for TypeScript
declare global {
  interface Window {
    PrimerWidget?: {
      init: (config: {
        agentId: string;
        hideWidgetButton: boolean;
      }) => void;
    };
  }
}

export function CustomAgentButton({ agentId }) {
  useEffect(() => {
    // Load the script
    const script = document.createElement("script");
    script.src = "https://app.startprimer.com/dist/primer-widget.iife.js";
    script.async = true;
    script.onload = () => {
      // Initialize after script loads
      window.PrimerWidget?.init({
        agentId: agentId,
        hideWidgetButton: true, // Hide default widget
      });
    };
    document.head.appendChild(script);
  }, [agentId]);

  return (
    <button primer-open="true">
      Talk to Agent
    </button>
  );
}
```

Step 2: Use the component in your app

```
import { CustomAgentButton } from './CustomAgentButton';

function App() {
  return (
    <div>
      {/* Your app content */}

      <CustomAgentButton agentId="your-agent-id" />
    </div>
  );
}
```

Pro Tip

Any element with the `primer-open="true"` attribute will trigger the widget when clicked. You can style it however you want!