

The CUMI logo is located in the top left corner of the image. It consists of the word "CUMI" in white, bold, sans-serif capital letters, enclosed within a solid blue circle.

**CUMI**  
**POWER TOOLS**

**PROFESSIONAL TOOLS**

*Product Catalogue 2021*



## COMPLETE PRODUCT RANGE



CPTC 110-1350W

Tile Cutter



CTC 125 SG

Tile Cutter



CTC 150

Tile Cutter



CTC 110 Plus

Tile Cutter



CAG 4-600

Angle Grinder



CPAG 4-720W RS

Angle Grinder



CPAG 4-850W RS

Angle Grinder



CPAG 4-1200W

Angle Grinder



CPAG 5-1200W RS

Angle Grinder



CPAG 7-2200W

Angle Grinder



CAG 180 Elite

Angle Grinder



CAG 230 Elite

Angle Grinder



CPID 013 - 710W FRVS

Impact Drill



CPDG 6-550W

Die Grinder



CCM 355 E

Chop Saw



Professional Tool

# TILE CUTTERS

**Professional**



**Heavy duty stone cutting**

**Tile Cutter 110 mm**

**CPTC 110-1350 W**

Power Input	1350 Watts
Speed (No Load)	13500 RPM
Bore Diameter	20 mm
Diameter of Blade	110 mm
Cutting Depth	34 mm
Weight	2.9 kg

**Tile Cutter 125 mm**

**CTC 125 SG**

Power Input	1350 Watts
Speed (No Load)	12000 RPM
Bore Diameter	20 mm
Diameter of Blade	125 mm
Cutting Depth	38 mm
Weight	2.9 kg

**Medium & Light duty  
Stone cutting**



**Tile Cutter 110 mm**

**CTC 110 Plus**

Power Input	1050 Watts
Speed (No Load)	12000 RPM
Bore Diameter	20 mm
Diameter of Blade	110 mm & 125 mm
Cutting Depth	34 mm / 38 mm
Weight	2.8 kg

**Stone & Wood**

**Wood & Plywood**



# CUMI PROFESSIONAL TILE CUTTER

## CPTC 110-1350W

**Cutting  
Made  
Easy**



**Professional Tool**

**Tile Cutter 110 mm**

**CPTC 110-1350 W**

<b>Power Input</b>	<b>1350 Watts</b>
<b>Speed (No Load)</b>	<b>13500 RPM</b>
<b>Bore Diameter</b>	<b>20 mm</b>
<b>Diameter of Blade</b>	<b>110 mm</b>
<b>Cutting Depth</b>	<b>34 mm</b>
<b>Weight</b>	<b>2.9 kg</b>

### **Features , Benefits , Advantages**



**Powerful Motor**  
Cuts hard granite upto 1" thickness in one pass. Saves on labour and earn more.



**SLIM GRIP**  
Non-stop pain free working. Earn more and finisher work fast.



**0 to 45° Tilt Base**  
Multiple shapes with just one machine.  
No extra machine required  
Saves more money



**Compact Tool Design**  
Compact tool for less operator fatigue.




**Japanese Industrial Quality 1st. Grade Bearings**  
2X less services required - saves time and money on maintenance.



**Lock on button**  
Lock on button for one hand control.




**Xtra Toughened Alloy Honed Gears**  
Perfect gear match - low noise & higher machine life. Saves more money.



**Double Insulation**  
Shock proof and value user's life.



**Tile**



**Marble**



**Granite**

**Best value in class**

# ANGLE GRINDERS

**Professional**



**Angle Grinder 100mm**      **CAG 4-600**

Power Input	650 Watts
Speed (No Load)	11000 RPM
Bore Diameter	16 mm
Diameter of Wheel	100 mm
Spindle Thread	M10
Weight	1.6 kg



**Angle Grinder 100mm**      **CPAG 4-720W RS**

Power Input	720 Watts
Speed (No Load)	12000 RPM
Bore Diameter	16 mm
Diameter of Wheel	100 mm
Spindle Thread	M10
Weight	1.7 kg

**Professional**



**Angle Grinder 100mm**      **CPAG 4-850W RS**

Power Input	850 Watts
Speed (No Load)	11000 RPM
Bore Diameter	16 mm
Diameter of Wheel	100 mm
Spindle Thread	M10
Weight	1.9 kg

**Professional**



**Angle Grinder 100mm**      **CAPG 4 - 1200W RS**

Power Input	1200 Watts
Speed (No Load)	11000 RPM
Bore Diameter	16 mm
Diameter of Wheel	100 mm
Spindle Thread	M10
Weight	1.9 kg

**Professional**



**Angle Grinder 125mm**      **CPAG 5-1200W RS**

Power Input	1200 Watts
Speed (No Load)	11000 RPM
Bore Diameter	22.23 mm
Diameter of Wheel	125 mm
Spindle Thread	M14
Weight	2.2 kg

**Professional**



**Angle Grinder 180mm**      **CPAG 7-2200W**

Power Input	2200 Watts
Speed (No Load)	8500 RPM
Bore Diameter	22.23 mm
Diameter of Wheel	180 mm
Spindle Thread	M14
Weight	5 kg

**Professional**



**Angle Grinder 180mm**      **CAG 180 Elite**

Power Input	2400 Watts
Speed (No Load)	8500 RPM
Bore Diameter	22.23 mm
Diameter of Wheel	180 mm
Spindle Thread	M14
Weight	5.2 kg

**Professional**



**Angle Grinder 230mm**      **CAG 230 Elite**

Power Input	2400 Watts
Speed (No Load)	6500 RPM
Bore Diameter	22.23 mm
Diameter of Wheel	230 mm
Spindle Thread	M14
Weight	5.4 kg

# CUMI PROFESSIONAL ANGLE GRINDER

## CPAG 4-720W RS

**Grinding  
Cutting  
Made  
Easy**



**Professional Tool**

### Angle Grinder 100mm

### CPAG 4-720W RS

Power Input	720 Watts
Speed (No Load)	12000 RPM
Bore Diameter	16 mm
Diameter of Wheel	100 mm
Spindle Thread	M 10
Weight	1.7 kg

### Features , Benefits , Advantages



Robust and powerful motor to cut and grind on metal , stone, wood polishing. Saves on labor time and earns more.



Slim body for ease of handling Less operator fatigue and finishes work fast.



Efficient motor with 25% increased torque for tough grinding and cutting without increase in heating.



Allows usage in the tight and narrow areas Brings in flexibility.



Made of 220deg pure copper. Good conductivity and less cost of service.




Smooth transfer of power and 2X less service required. Saves time and money on maintenance.



Innovative vent design ensures good internal air flow , prevents entry of dust and debris and Protects parts from dust, and damage Prolongs life of parts and saves money.



Perfect match of gears, Low noise and prolonged machine life Reduced cost of maintenance and service.



# CUMI PROFESSIONAL ANGLE GRINDER

## CPAG 4-850W RS

**Grinding  
Cutting  
Made  
Easy**



**Professional Tool**

### Angle Grinder 100mm


### CPAG 4-850W RS

Power Input	850 Watts
Speed (No Load)	11000 RPM
Bore Diameter	16 mm
Diameter of Wheel	100 mm
Spindle Thread	M 10
Weight	1.9 kg

### Features , Benefits , Advantages



Cuts and grinds hard steels and walls.  
Saves on labor and earn more.



Allows usage in the tight and narrow areas,  
brings in flexibility to grind.



Compact tool and less operator fatigue.



2X less service required - saves time and  
money on maintenance.




Good internal air flow and protects parts  
from dust, wear and damage, prolongs life  
of parts and saves money.




Perfect gear match - low noise & prolonged  
machine life. Money is saved.



Small circumference barrel grip for easy  
handling – Earn more and finishes work fast.



Shock proof - we value your life.



METAL GRINDING



METAL CUTTING



BRICK WALL



CONCRETE WALL

**Best value in class**

# CUMI PROFESSIONAL ANGLE GRINDER

## CPAG 4- 1200RS

**Grinding  
Cutting  
Made  
Easy**



**Professional Tool**

### Angle Grinder 100mm


### CAPG 4 - 1200W RS

Power Input	1200 Watts
Speed (No Load)	11000 RPM
Bore Diameter	16 mm
Diameter of Wheel	100 mm
Spindle Thread	M 10
Weight	1.9 kg

### Features , Benefits , Advantages



Cuts and grinds hard steels and walls.  
Saves on labor and earn more.



Allows usage in the tight and narrow areas,  
brings in flexibility to grind.



Compact tool and less operator fatigue.



2X less service required - saves time and  
money on maintenance.




Good internal air flow and protects parts  
from dust, wear and damage, prolongs life  
of parts and saves money.




Perfect gear match - low noise & prolonged  
machine life. Money is saved.



Small circumference barrel grip for easy  
handling – Earn more and finishes work fast.



Shock proof - we value your life.



METAL GRINDING



METAL CUTTING



BRICK WALL



CONCRETE WALL

**Best value in class**

# CUMI PROFESSIONAL ANGLE GRINDER

## CPAG 5-1200W RS

**Grinding  
Cutting  
Made  
Easy**



**Professional Tool**

### Angle Grinder 125mm

### CPAG 5-1200W RS

Power Input	1200 Watts
Speed (No Load)	11000 RPM
Bore Diameter	22.23 mm
Diameter of Wheel	125 mm
Spindle Thread	M14
Weight	2.2 kg

### Features , Benefits , Advantages



Cuts and grinds hard steels and walls.  
Saves on labor and earn more.



Compact tool and less operator fatigue.



Good internal air flow and protects parts from dust, wear and damage, prolongs life of parts and saves money.



Small circumference barrel grip for easy handling – Earn more and finishes work fast.




Allows usage in the tight and narrow areas, brings in flexibility to grind.




2X less service required - saves time and money on maintenance.



Perfect gear match - low noise & prolonged machine life. Money is saved.



Shock proof - we value your life.



METAL GRINDING



METAL CUTTING



BRICK WALL



CONCRETE WALL

**Best value in class**

# CUMI PROFESSIONAL ANGLE GRINDER

## CPAG 7-2200W

**Grinding  
Cutting  
Made  
Easy**




**Professional Tool**

**Angle Grinder 180mm**


**CPAG 7-2200W**

<b>Power Input</b>	<b>2200 Watts</b>
<b>Speed (No Load)</b>	<b>8500 RPM</b>
<b>Bore Diameter</b>	<b>22.23 mm</b>
<b>Diameter of Wheel</b>	<b>180 mm</b>
<b>Spindle Thread</b>	<b>M14</b>
<b>Weight</b>	<b>5 kg</b>

### **Features , Benefits , Advantages**



**Versatile tool**  
Powerful grinder engineered for applications in medium and heavy engineering, stone and construction. Multi purpose tool and best in class.



Air inlet design ensures good internal air flow, prevents entry of dust and debris and Protects parts from dust, and damage. Prolongs life of parts and saves money.



**Xtra Powerful Motor**  
Robust and powerful motor, cuts and grinds on metal, stone. Productive and saves on labor time, earns more.



Perfect gear match for smoother rotation and high efficient transfer of energy. Reduced cost of maintenance and service.



**Compact Tool Design**  
Ergonomically designed and lighter in weight. Ease of handling and less operator fatigue.



The ergonomic rubber coated handle along with triple control switch provides ease of operation. Ease of holding and less operator fatigue.



Positioned to suit most cutting and grinding operations (90 degree left / right ). Flexible to operate and finishes work faster.



Double sealed bearings, Smooth transfer of power and 2X less service required. Reduced cost of maintenance and service.



METAL GRINDING



METAL CUTTING



STONE CUTTING

**Best value in class**

# CUMI PROFESSIONAL ANGLE GRINDER

## CAG 180 ELITE

**Grinding  
Cutting  
Made  
Easy**



**Professional Tool**

**Angle Grinder 180mm**


**CAG 180 ELITE**

<b>Power Input</b>	2400 Watts
<b>Speed (No Load)</b>	8500 RPM
<b>Bore Diameter</b>	22.23 mm
<b>Diameter of Wheel</b>	180 mm
<b>Spindle Thread</b>	M14
<b>Weight</b>	5.2 kg

### **Features , Benefits , Advantages**



**Versatile tool**  
Powerful grinder engineered for applications in medium and heavy engineering, stone and construction. Multi purpose tool and best in class.



Air inlet design ensures good internal air flow, prevents entry of dust and debris and Protects parts from dust, and damage. Prolongs life of parts and saves money.



**Heavy Duty**  
Robust and powerful motor to cut and grind on metal , stone, wood polishing. Saves on labor time and earns more.



Perfect gear match for smoother rotation and high efficient transfer of energy. Reduced cost of maintenance and service.




**Compact Tool Design**  
Ergonomically designed and lighter in weight. Ease of handling and less operator fatigue.



Provides ease of operation and safety less operator fatigue and prevent from accidents



**Low Vibration**  
Less operator fatigue and makes it possible to achieve higher material removal rate or better surface finish in the machined piece Productive and saves on labor time and energy, earns more.



Protects user from shock value user's life



METAL GRINDING



METAL CUTTING



STONE CUTTING

**Best value in class**

# CUMI PROFESSIONAL ANGLE GRINDER

## CAG 230 ELITE

**Grinding  
Cutting  
Made  
Easy**



**Professional Tool**

**Angle Grinder 180mm**

**CAG 230 ELITE**

<b>Power Input</b>	<b>2400 Watts</b>
<b>Speed (No Load)</b>	<b>6500 RPM</b>
<b>Bore Diameter</b>	<b>22.23 mm</b>
<b>Diameter of Wheel</b>	<b>230 mm</b>
<b>Spindle Thread</b>	<b>M14</b>
<b>Weight</b>	<b>5.4 kg</b>

### **Features , Benefits , Advantages**



**Versatile tool**  
Powerful grinder engineered for applications in medium and heavy engineering, stone and construction. Multi purpose tool and best in class.



Air inlet design ensures good internal air flow, prevents entry of dust and debris and Protects parts from dust, and damage. Prolongs life of parts and saves money.



**HEAVY DUTY**  
Robust and powerful motor to cut and grind on metal , stone, wood polishing. Saves on labor time and earns more.



Perfect gear match for smoother rotation and high efficient transfer of energy. Reduced cost of maintenance and service.




**Compact Tool Design**  
Ergonomically designed and lighter in weight. Ease of handling and less operator fatigue.



Provides ease of operation and safety less operator fatigue and prevent from accidents



**Low Vibration**  
Less operator fatigue and makes it possible to achieve higher material removal rate or better surface finish in the machined piece Productive and saves on labor time and energy, earns more.



Protects user from shock value user's life



**METAL GRINDING**



**METAL CUTTING**



**STONE CUTTING**

**Best value in class**

# CHOPSAW, IMPACT DRILL & DIE GRINDER

**Professional**



**Professional**



**Chop Saw**

**CCM 355 E**

Power Input	2300 Watts
Speed (No Load)	3800 RPM
Diameter of wheel	355 mm
Bore Diameter	25.4
Max. Cutting Size	
-Bar Steel	25 mm
-Pipe	100 mm
-Shaped Steel	95 X 110 mm
Size of Base Plate	470 X 280 mm
Weight	16.5 Kg

**Impact Drill 13 mm**

**CPID 013 - 710W FRVS**

Power Input	710 Watts
Speed (No Load)	0 - 2800 RPM
Max. Drill Diameter	
- Masonry	13 mm
- Steel	13 mm
- Wood	25 mm
Max. Impact Rate	44,000 bpm
Spindle Thread	1.2" - 20 UNF
Weight	1.9 kg



**Die Grinder 6 mm**

**CPDG 6-550 W**

Power Input	550 Watts
Speed (No Load)	27000 RPM
Diameter of Wheel	25 mm max
Collet Diameter	6 mm
Weight	1.7 kg



# CUMI PROFESSIONAL IMPACT DRILL

## CPID 013-710W FRVS

**DRILLING  
MADE  
EASY**



**Professional Tool**



### Impact Drill 13 mm

### CPID 013 - 710W FRVS

Power Input	710 Watts
Speed (No Load)	0 - 2800 RPM
Max. Drill Diameter	
- Masonry	13 mm
- Steel	13 mm
- Wood	25 mm
Max. Impact Rate	44,000 bpm
Spindle Thread	1.2" - 20 UNF
Weight	1.9 kg

### Features , Benefits , Advantages



Robust and powerful motor to pierce on metal, stone, wood and plastics. Saves on labor time and earns more.



Clock wise and anti clock wise rotation for inserting and removing screws. Saves money and time as a multi purpose tool.



Convenient for single hand operation and usage. Light in weight and easy to handle.



Provides anti slip and comfortable grip for users. Ease of handling and finishes work faster.



Precise speed adjustment with trigger type switch control. Prevents any damage of surfaces during operation.



Withstands shock and impact during operation. Reduced cost of maintenance and service.



Pre set speed selection and adjustment to suit different work materials and optimised speed for drilling.



Smooth transfer of power and 2X less service required reduced cost of maintenance and service



STEEL DRILLING



WALL DRILLING



WOOD DRILLING

**Best value in class**

# CUMI PROFESSIONAL CHOPSAW MACHINE

**CCM 355E**

**Cutting  
Made  
Easy**



**Professional Tool**

Chop Saw	CCM 355 E
Power Input	2300 Watts
Speed (No Load)	3800 RPM
Diameter of wheel	355 mm
Bore Diameter	25.4
Max. Cutting Size	
-Bar Steel	25 mm
-Pipe	100 mm
-Shaped Steel	95 X 110 mm
Size of Base Plate	470 X 280 mm
Weight	16.5 Kg

## Features , Benefits , Advantages

**HEAVY DUTY**

Powerful Motor, Robust and powerful 2300W motor for greater durability. Saves on labor time and earns more.



Industrial quality bearings, Smooth transfer of power and 2X less service required. Reduced cost of maintenance and service.



Integrated Top Handle, Ergonomically designed. Ease of handling and less operator fatigue.



Xtra Toughned Helical Gear, Low noise & higher machine life. Reduced cost of maintenance and service.




Good heat dissipation, Sufficient internal circulation of air and aluminium body housing, Enhanced life of armature and stator



Heavy Duty Guard, Maximum User Protection. Value user's life.



Small circumference in grip, Compactness and ease of handling, Finishes work fast.



Spindle Lock, Quick & easy change of wheel, Saves on labor time and finishes work faster.



## **CARBORUNDUM UNIVERSAL LIMITED**

**CUMI**

3rd Floor, 'Parry House', 43 Moore Street, Chennai 600 001, India. Fax: +91-44-3000 6191

[www.cumiabrasives.com](http://www.cumiabrasives.com)

### **BRANCHES OFFICES :**

#### **AHMEDABAD**

PH : 8690485284 / 8905873845

#### **DELHI**

PH : 011 - 30901910 / 30901921

#### **MUMBAI**

PH : 022 - 31920223 / 225

#### **BANGALORE**

PH : 080 - 30770660 / 30770601

#### **HYDERABAD**

PH : 040 - 27899961 / 30523234

#### **PUNE**

PH : 9579637887

#### **CHENNAI**

PH : 8939542489 / 8939542490

#### **KOLKATTA**

PH : 033 - 30238063 / 64

#### **COCHIN**

PH : 0484 - 3023501 / 502

#### **LUDHIANA**

PH : 0161 - 3028415