week02-day-2-assignments-answers

1. DOM to Playwrite Code

GenAI-March-Home Work > **S01 - DOM to Selenium Code-HW Copy**

Save | Share

POST https://api.groq.com/openai/v1/chat/completions

Send

Docs | Params | Authorization | Headers 10 | Body | Scripts | Tests | Settings | Cookies

none | form-data | x-www-form-urlencoded | raw | binary | GraphQL | JSON | Schema | Beautify

```
{
  "messages": [
    {
      "role": "user",
      "content": "Extract the below given DOM : <input type=\"text\" id=\"twotabsearchtextbox\" value=\"\" name=\"field-keywords\" autocomplete=\"off\" placeholder=\"Search Amazon\"
        class=\"nav-input nav-progressive-attribute\" dir=\"auto\" tabindex=\"0\" aria-label=\"Search Amazon\" role=\"searchbox\" aria-autocomplete=\"list\"
        aria-controls=\"sac-autocomplete-results-container\" aria-expanded=\"true\" aria-haspopup=\"grid\" spellcheck=\"false\"> and provide me the Palywrite java code. Instructions:
        Use Resuable methods. Provide only java code with explanations"
    }
  ],
  "model": "llama-3.1-8b-instant",
  "temperature": 0.1

}
```

Body | Cookies 1 | Headers 20 | Test Results | 200 OK | 1.25 s | 2.41 KB | Save Response

{} JSON | Preview | Visualize

```
"content": "**DOM Extraction and Java Code**\n\nThe given DOM is an HTML input element with various attributes. Here's the extracted DOM:\n\n```html\n<input
    type=\"text\" id=\"twotabsearchtextbox\" value=\"\" name=\"field-keywords\" autocomplete=\"off\" placeholder=\"Search Amazon\" class=\"nav-input
    nav-progressive-attribute\" dir=\"auto\" tabindex=\"0\" aria-label=\"Search Amazon\" role=\"searchbox\" aria-autocomplete=\"list\"
    aria-controls=\"sac-autocomplete-results-container\" aria-expanded=\"true\" aria-haspopup=\"grid\" spellcheck=\"false\">\n```\n\n**Java Code**\n\nHere's the Java
    code that represents the given DOM using reusable methods:\n\n```java\npublic class AmazonSearchBox {\n    private String id;\n    private String value;\n    private
    String name;\n    private String placeholder;\n    private String className;\n    private String dir;\n    private int tabIndex;\n    private String ariaLabel;\n
    private String role;\n    private String ariaAutocomplete;\n    private String ariaControls;\n    private boolean ariaExpanded;\n    private String ariaHaspopup;
    \n    private boolean spellcheck;\n\n    public AmazonSearchBox() {}\n\n    public AmazonSearchBox(String id, String value, String name, String placeholder, String
    className, String dir, int tabIndex, String ariaLabel, String role, String ariaAutocomplete, String ariaControls, boolean ariaExpanded, String ariaHaspopup, boolean
    spellcheck) {\n        this.id = id;\n        this.value = value;\n        this.name = name;\n        this.placeholder = placeholder;\n        this.className =
    className;\n        this.dir = dir;\n        this.tabIndex = tabIndex;\n        this.ariaLabel = ariaLabel;\n        this.role = role;\n        this.ariaAutocomplete
    = ariaAutocomplete;\n        this.ariaControls = ariaControls;\n        this.ariaExpanded = ariaExpanded;\n        this.ariaHaspopup = ariaHaspopup;\n        this.
    spellcheck = spellcheck;\n    }\n\n    // Getters and Setters\n    public String getId() {\n        return id;\n    }\n\n    public void setId(String id) {\n
    this.id = id;\n    }\n\n    public String getValue() {\n        return value;\n    }\n\n    public void setValue(String value) {\n        this.value = value;\n    }
    \n\n    public String getName() {\n        return name;\n    }\n\n    public void setName(String name) {\n        this.name = name;\n    }\n\n    public String
    getPlaceholder() {\n        return placeholder;\n    }\n\n    public void setPlaceholder(String placeholder) {\n        this.placeholder = placeholder;\n    }\n\n
    public String getClassName() {\n        return className;\n    }\n\n    public void setClassName(String className) {\n        this.className = className;\n    }
    \n\n    public String getDir() {\n        return dir;\n    }\n\n    public void setDir(String dir) {\n        this.dir = dir;\n    }\n\n    public int getTabIndex()
    {\n        return tabIndex;\n    }\n\n    public void setTabIndex(int tabIndex) {\n        this.tabIndex = tabIndex;\n    }\n\n    public String getAriaLabel()
    {\n        return ariaLabel;\n    }\n\n    public void setAriaLabel(String ariaLabel) {\n        this.ariaLabel = ariaLabel;\n    }\n\n    public String getRole()
    {\n        return role;\n    }\n\n    public void setRole(String role) {\n        this.role = role;\n    }\n\n    public String getAriaAutocomplete() {\n
    return ariaAutocomplete;\n    }\n\n    public void setAriaAutocomplete(String ariaAutocomplete) {\n        this.ariaAutocomplete = ariaAutocomplete;\n    }\n\n
    public String getAriaControls() {\n        return ariaControls;\n    }\n\n    public void setAri ariaControls) {\n        this.ariaControls =
```

Add request

Google Chrome

2. Text from Image

GenAI-March-Home Work > **S02 - TextFromImage-Url-HW**

Save | Share

POST https://api.groq.com/openai/v1/chat/completions — Send

Docs | Params | Authorization | Headers 10 | Body | Scripts | Tests | Settings

none | form-data | x-www-form-urlencoded | raw | binary | GraphQL | JSON — Schema | Beautify

```
{
  "model": "meta-llama/llama-4-scout-17b-16e-instruct",
  "messages": [
    {
      "role": "user",
      "content": [
        {
          "type": "text",
          "text": "This is a image. Extract and return only the text exactly as shown, preserving case."
        },
        {
          "type": "image_url",
          "image_url": {
            "url": "https://m.media-amazon.com/images/I/81cA+dcLuyL._AC_SY200_.jpg"
          }
        }
      ]
    }
  ]
}
```

Body | Cookies 1 | Headers 19 | Test Results — 200 OK · 928 ms · 1.02 KB | Save Response

{} JSON | Preview | Visualize

```
{
    "id": "chatcmpl-0c4ec254-f776-4b64-b7e8-cecc1b18bdd5",
    "object": "chat.completion",
    "created": 1775673201,
    "model": "meta-llama/llama-4-scout-17b-16e-instruct",
    "choices": [
        {
            "index": 0,
            "message": {
                "role": "assistant",
                "content": "JOYFUL ANYWAY\nKATE BOWLER"
            },
            "logprobs": null,
            "finish_reason": "stop"
        }
```

3. Web Search

GenAI-March-Home Work > **S03-WebSearch-HW**

Save | Share

POST https://api.groq.com/openai/v1/chat/completions — Send

Docs | Params | Authorization | Headers 10 | Body | Scripts | Tests | Settings

none | form-data | x-www-form-urlencoded | raw | binary | GraphQL | JSON — Schema | Beautify

```
{
  "model": "groq/compound-mini",
  "messages": [
    {
      "role": "user",
      "content": "As a trip planer Agent, i need a detailed itenery from Lake Stevens to Sequim for 2 days trip on Thursday(04/09) and Friday(04/10). Traveling with kids- 2 adults and 2 kids( 7and 3) Mandatory- Starting route from Lake Stevens to Sequim via Ferry.  Return route might be Road and Ferry optional  Include the visiting places like nature, beaches, light house, farms and may be small hike which would be interesting for kids and as well as adults Not sure if we have strawberry farms and lavenders farms are open during my travel season and if it is open include it."
    }
  ]
}
```

Body | Cookies 1 | Headers 19 | Test Results — 200 OK · 11.85 s · 8.04 KB | Save Response

{} JSON | Preview | Visualize

```
{
    "id": "stub",
    "object": "chat.completion",
    "created": 1775674265,
    "model": "groq/compound-mini",
    "choices": [
        {
            "index": 0,
            "message": {
                "role": "assistant",
                "content": "**2-Day Family Itinerary – Lake Stevens → Sequim (Kids 7 & 3)  \nThursday 04 / 09 / 2026 → Friday 04 / 10 / 2026**  \n\n---\n\n## QUICK OVERVIEW  \n\n| Day |
    Main Travel | Key Stops (Nature / Beach / Lighthouse / Farm / Kid-Fun) | Approx. Driving Time | Overnight |\n|-----|-------------|
    ---------------------------------------------------------------|----------------------|-----------|\n| **Thu** | Lake Stevens → Seattle → **Bainbridge Island Ferry** →
    drive to Sequim | 1 Graymarsh Farm (U-pick – *season-check*)  <br>2 Dungeness National Wildlife Refuge & **Dungeness Spit Lighthouse**  <br>3 Sequim Bay State
    Park (beach & playground)  <br>4 **Olympic Game Farm** (petting zoo)  <br>5 Dinner in downtown Sequim (e.g., The House of Seven Brothers) | 30 min (Lake Stevens
    → Seattle Ferry)  <br>35 min (ferry)  <br>≈ 1 h 30 min (Bainbridge → Sequim) | Stay in Sequim – family-friendly hotel or Airbnb (see suggestions) |\n| **Fri** |
    Sequim → **Whidbey Island Ferry (Coupeville-Port Townsend)** → drive back to Lake Stevens (optional ferry) | 1 **Port Townsend** historic waterfront & **Fort
    Worden State Park** (short beach walk)  <br>2 **Lavender-style farm** (e.g., **Jardin du Soleil** – open for garden walk, gift shop)  <br>3 **Dungeness Crab
    Museum** (quick kid-friendly stop)  <br>4 Return via **Seattle-Bainbridge Ferry** (or drive all the way) | 1 h 15 min (Sequim → Port Townsend)  <br>≈ 30 min (Port
    Townsend → Coupeville ferry)  <br>≈ 1 h 30 min (Coupeville → Lake Stevens) | – |\n\n> **Why this works for kids** – All activities are short (≤ 2 h), have restrooms,
    picnic areas, and plenty of open space for a 7-yr-old to run and a 3-yr-old to explore safely. The itinerary avoids long, back-to-back drives and builds in
    lunch-breaks and snack stops.\n\n---\n\n## DAY-BY-DAY DETAILED PLAN  \n\n### **Thursday – 04 / 09 / 2026**\n\n| Time | Activity | Details / Address | Travel / Notes |
    \n|------|----------|-------------------|----------------|\n| **07:30** | Depart Lake Stevens | Pack the car the night before (snacks, water, stroller, rain
    jackets). | 30 min drive to Seattle Ferry Terminal (Colman Dock). |\n| **08:00 – 08:35** | **Seattle-Bainbridge Ferry** | *Seattle Ferry Terminal, 801 Alaskan Way,
```

4. Multilingual

GenAI-March-Home Work > **S05- MultiLingual-HW**

Save | Share

POST https://api.groq.com/openai/v1/chat/completions Send

Docs Params Authorization Headers 10 Body Scripts Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify

```
{
  "model": "llama-3.3-70b-versatile",
  "messages": [
    {"role": "system", "content": "You are an AI Engineer Specialist. Always respond in the same language as the user."},
    {"role": "user", "content": "மிகவும் நன்றி! இந்த AI-ஐ எப்படி பயன்படுத்துவது என்று சொல்லுங்கள்."}
  ]
}
```

Body Cookies 1 Headers 20 Test Results 200 OK 3.11 s 1.48 KB Save Response

{} JSON Preview Visualize


```
{
    "id": "chatcmpl-f7f0f53e-17d6-4708-82b7-f4625db4363a",
    "object": "chat.completion",
    "created": 1775674566,
    "model": "llama-3.3-70b-versatile",
    "choices": [
        {
            "index": 0,
            "message": {
                "role": "assistant",
                "content": "நன்றி! இந்த AI ஐ பயன்படுத்துவது மிகவும் எளிமையானது. உங்களுக்கு என்ன தேவை என்பதை எழுதுங்கள், மேலும் நான் உங்களுக்கு உதவுவேன். உதாரணமாக, நீங்கள் தமிழில் ஒரு
                    கேள்வியைக் கேட்கலாம், ஒரு கருத்தைப் பகிர்ந்து கொள்ளலாம், அல்லது ஒரு செயலியைச் செய்ய உதவி கேட்கலாம்.\n\nஇந்த AI ஐ பயன்படுத்துவதற்கு பின்வரும் வழிமுறைகளைப்
                    பின்பற்றவும்:\n\n1. உங்கள் கேள்வியை அல்லது கருத்தை இங்கு எழுதுங்கள்.\n2. நான் உங்களுக்கு பதில் அளிக்கிறேன்.\n3. நீங்கள் எங்களுடன் உரையாடலைத் தொடர முடியும், மேலும்
                    நான் உங்களுக்கு உதவுவேன்.\n\nதுவங்க தயாராக உள்ளீர்களா?"
            },
            "logprobs": null,
            "finish_reason": "stop"
        }
    ],
    "usage": {
        "queue_time": 0.077152821,
        "prompt_tokens": 134,
        "prompt_time": 0.031286714,
        "completion_tokens": 691,
```