

Clipboard Inspector

A tool to help you explore the kinds of data available when you paste something on a web page, or [drop](#) something onto it.

[← Go back](#)

[event.clipboardData](#) contains:

[.types](#) 4 type(s) available

type

[getData\(type\)](#)

text/plain

[Copy as plain text](#)

```
<header class="nv-wrap" id="nv-navbar" data-nav-el="root">
```

```
</header>
<div class="nv-scrim" data-nav-el="scrim" hidden></div>
```

text/html

[Copy as plain text](#)

```
<meta charset='utf-8'><div style="color: #839496;background-color: #002b36;font-family: Menlo, Monaco, 'Courier New', monospace;font-weight: normal;font-size: 12px;line-height: 18px;white-space: pre;"><br><div><span style="color: #586e75;">&lt;</span><span style="color: #268bd2;">header</span><span style="color: #839496;"></span><span style="color: #93a1a1;">class</span><span style="color: #839496;">=</span><span style="color: #2aa198;">"nv-wrap"</span><span style="color: #839496;">
```

type**getData(type)**

```
</span><span style="color: #93a1a1;">id</span><span style="color: #839496;">=</span><span style="color: #2aa198;">"nv-navbar"</span><span style="color: #839496;"> </span><span style="color: #93a1a1;">data-nav-el</span><span style="color: #839496;">=</span><span style="color: #2aa198;">"root"</span><span style="color: #586e75;">&gt;</span></div><div><span style="color: #839496;"> </span></div><div><span style="color: #586e75;">&lt;</span><span style="color: #268bd2;">header</span><span style="color: #586e75;">&gt;</span></div><div><span style="color: #586e75;">&lt;</span><span style="color: #268bd2;">div</span><span style="color: #839496;"> </span><span style="color: #93a1a1;">class</span><span style="color: #839496;">=</span><span style="color: #2aa198;">"nv-scrim"</span><span style="color: #839496;"></span><span style="color: #93a1a1;">data-nav-el</span><span style="color: #839496;">=</span><span style="color: #2aa198;">"scrim"</span><span style="color: #839496;"> </span><span style="color: #93a1a1;">hidden</span><span style="color: #586e75;">&gt;&lt;</span><span style="color: #268bd2;">div</span><span style="color: #586e75;">&gt;</span></div><br></div>
```

application/vnd.code.copymetadata

```
{"id": "a5f5a43e-fd55-43c2-8372-a0a1dab64618", "providerCopyMimeTypes": ["application/vnd.code.additional-editor-data", "application/vnd.code.additional-editor-dat
```

type[getData\(type\)](#)

	<pre>a"},"defaultPastePayload":{"multi cursorText":null,"pasteOnNewLin e":false,"mode":null}}</pre>
vscode-editor-data	<pre>{"version":1,"isFromEmptySelectio n":false,"multicursorText":nul l,"mode":"html"}</pre>

[.items](#) 4 item(s) available**kind type**[getAsString\(\)](#) / [getAsFile\(\)](#)

stringtext/plain	<pre><header class="nv-wrap" id ="nv-navbar" data-nav-el="r oot"> </header> <div class="nv-scrim" data- nav-el="scrim" hidden></div ></pre>
stringtext/html	<pre><meta charset='utf-8'><div style="color: #839496;backg round-color: #002b36;font-f amily: Menlo, Monaco, 'Cour ier New', monospace;font-we ight: normal;font-size: 12p x;line-height: 18px;white-s pace: pre;">
<div>&l t;header< span style="color: #83949 6;"> class ="nv-wrap"</s pan> <span style</pre>

kind **type**[getAsString\(\)](#) / [getAsFile\(\)](#)

```
= "color: #93a1a1;">id</span>
<span style="color: #839496;">=</span><span style="color: #2aa198;">"nv-navbar"
</span><span style="color: #839496;"> </span><span style="color: #93a1a1;">data-nav-el</span><span style="color: #839496;">=</span><span style="color: #2aa198;">"root"</span><span style="color: #586e75;">&gt;</span></div><div><span style="color: #839496;"> </span></div><div><span style="color: #586e75;">&lt;</span><span style="color: #268bd2;">header</span><span style="color: #586e75;">&gt;</span></div><div><span style="color: #586e75;">&lt;</span><span style="color: #268bd2;">div</span><span style="color: #839496;"> </span><span style="color: #93a1a1;">class</span><span style="color: #839496;">=</span><span style="color: #2aa198;">"nv-scrim"</span><span style="color: #839496;"> </span><span style="color: #93a1a1;">data-nav-el</span><span style="color: #839496;">=</span><span style="color: #2aa198;">"scrim"</span><span style="color: #839496;"> </span><span style="color: #93a1a1;">hidden</span><span style="color: #586e75;">&gt;&lt;</span><span style="color: #268bd2;">div
```

kind	type	getAsString() / getAsFile()
		<code>&gt;</div>
</div></code>
stringapplication/vnd.code.copymetadata		<code>{"id":"a5f5a43e-fd55-43c2-8372-a0a1dab64618","providerCopyMimeTypes":["application/vnd.code.additional-editor-data","application/vnd.code.additional-editor-data"],"defaultPastePayload":{"multicursorText":null,"pasteOnNewLine":false,"mode":null}}</code>
stringvscode-editor-data		<code>{"version":1,"isFromEmptySelection":false,"multicursorText":null,"mode":"html"}</code>

[.files](#) 0 file(s) available

A [Moqups Labs](#) thing. [Source code](#) available on GitHub.