Rajalakshmi Engineering College

Name: Krishna Kumar

Email: 240701622@rajalakshmi.edu.in

Roll no: Phone: null Branch: REC

Department: I CSE FF

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 7_MCQ

Attempt : 1 Total Mark : 20

Marks Obtained: 17

Section 1: MCQ

1. Which function is used to create a Pandas DataFrame?

Answer

pd.DataFrame()

Status: Correct Marks: 1/1

2. In NumPy, how do you access the first element of a one-dimensional array arr?

Answer

arr(0)

Status: Wrong Marks: 0/1

3. What is the output of the following NumPy code?

```
import numpy as np
arr = np.array([1, 2, 3, 4, 5])
r = arr[2:4]
print(r)
```

Answer

[3 4]

Status: Correct Marks: 1/1

4. What is the primary data structure used in NumPy for numerical computations?

Answer

Array

Status: Correct Marks: 1/1

5. What is the purpose of the following NumPy code snippet?

```
import numpy as np
arr = np.zeros((3, 4))
print(arr)
```

Answer

Displays a 3x4 matrix filled with zeros

Status: Correct Marks: 1/1

6. What is the output of the following NumPy code snippet?

```
import numpy as np
arr = np.array([1, 2, 3, 4, 5])
r = arr[arr > 2]
print(r)
```

Answer

Status: Correct Marks: 1/1

7. What will be the output of the following code snippet?

import numpy as np
arr = np.array([1, 2, 3])
result = np.concatenate((arr, arr))
print(result)

Answer

[1 2 3 1 2 3]

Status: Correct Marks: 1/1

8. What is the primary purpose of Pandas DataFrame?

Answer

To store data in tabular form for analysis and manipulation

Status: Correct Marks: 1/1

9. What will be the output of the following code?

import pandas as pnd
pnd.Series([1,2], index= ['a','b','c'])

Answer

Value Error

Status: Correct Marks: 1/1

10. Which NumPy function is used to calculate the standard deviation of an array?

Answer

numpy.std()

Status: Correct Marks: 1/1

11. Which of the following is a valid way to import NumPy in Python?

Answer

import numpy as np

Status: Correct Marks: 1/1

12. What is the result of the following NumPy operation?

```
import numpy as np
arr = np.array([1, 2, 3])
r = arr + 5
print(r)

Answer
[6 7 8]
```

Status: Correct Marks: 1/1

13. In the DataFrame created in the code, what is the index for the row containing the data for 'Jack'?

import pandas as pd

| Status: Correct | Marks : 1/1 |
|---|-------------|
| 14. What does the np.arange(10) function in NumPy do? | |
| Answer | |
| Creates an array with 10 elements, all initialized to 0 | |
| Status: Wrong | Marks : 0/1 |
| 15. What does NumPy stand for? | |
| Answer | |
| Numerical Python | |
| Status: Correct | Marks : 1/1 |
| 16. Which NumPy function is used to find the indices of the max and minimum values in an array? | kimum |
| Answer | |
| argmax() and argmin() | |
| Status: Correct | Marks : 1/1 |
| 17. The important data structure of pandas is/are | |
| Answer | |
| Both Series and Data Frame | |
| Status: Correct | Marks : 1/1 |
| 18. Which NumPy function is used to create an identity matrix? | |
| Answer | |
| numpy.eye() | |

Status: Wrong Marks: 0/1

19. Minimum number of argument we require to pass in pandas series?

Answer

1

Status: Correct Marks: 1/1

20. What is the output of the following code?

import numpy as np a = np.arange(10) print(a[2:5])

Answer

[2, 3, 4]

Status: Correct Marks: 1/1