

# Rajalakshmi Engineering College

Name: Krishna Kumar  
Email: 240701622@rajalakshmi.edu.in  
Roll no:  
Phone: null  
Branch: REC  
Department: CSE - Section 10  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 10\_Q4

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### Section 1 : COD

##### 1. Problem Statement

In a ticket reservation system, you store the available seat numbers in a TreeSet. Users input their desired seat number, and the program checks whether the chosen seat is available.

Using a TreeSet ensures quick and efficient verification of seat availability, ensuring a smooth and organized ticket booking process.

##### ***Input Format***

The first line of input contains a single integer  $n$ , representing the number of available seats.

The second line contains  $n$  space-separated integers, representing the available seat numbers.

The third line contains an integer  $m$ , representing the seat number that needs to be searched.

### ***Output Format***

The output displays "[ $m$ ] is present!" if the given seat is available. Otherwise, it displays "[ $m$ ] is not present!"

Refer to the sample output for the formatting specifications.

### ***Sample Test Case***

Input: 4

2 4 5 6

5

Output: 5 is present!

### ***Answer***

// You are using Java

import java.util.\*;

```
public class Main {  
    public static void main(String[] args) {  
  
        Scanner sc = new Scanner(System.in);  
  
        int n = sc.nextInt();  
  
        Set<Integer> seats = new TreeSet<>();  
  
        for (int i = 0; i < n; i++) {  
            seats.add(sc.nextInt());  
        }  
  
        int m = sc.nextInt();  
  
        if (seats.contains(m)) {  
            System.out.println(m + " is present!");  
        } else {  
            System.out.println(m + " is not present!");  
        }  
    }  
}
```

```
}  
}
```

**Status :** Correct

**Marks :** 10/10