

# Rajalakshmi Engineering College

Name: Krishna Kumar  
Email: 240701622@rajalakshmi.edu.in  
Roll no:  
Phone: null  
Branch: REC  
Department: CSE - Section 10  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 10\_Q3

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### Section 1 : COD

##### 1. Problem Statement

Priya is analyzing encrypted messages in a research project. She wants to analyze the frequency of each character in a given paragraph. The characters should be stored in a TreeMap so that the output is sorted in ascending order of characters automatically.

You are required to build a Java program that:

Uses a `TreeMap<Character, Integer>` to count how many times each character appears in the message. Ignores spaces and considers only alphabets (case-sensitive). Outputs the frequencies of characters in sorted order.

You must use a TreeMap in the class named MessageAnalyzer.

***Input Format***

The first line of input contains an integer n, the number of lines in the message.

The next n lines each contain a string (the encrypted message line).

### ***Output Format***

The first line of output prints: "Character Frequency:"

Then print each character and its frequency in the format: "<character>: <count>"

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: 2

Hello World

Java

Output: Character Frequency:

H: 1

J: 1

W: 1

a: 2

d: 1

e: 1

l: 3

o: 2

r: 1

v: 1

### ***Answer***

// You are using Java

import java.util.\*;

```
class MessageAnalyzer {
    TreeMap<Character, Integer> map = new TreeMap<>();

    public void addLine(String line) {
        for (char c : line.toCharArray()) {
            if (Character.isLetter(c)) {
                map.put(c, map.getDefault(c, 0) + 1);
            }
        }
    }
}
```

```

    }
}

public void printFrequency() {
    System.out.println("Character Frequency:");
    for (Map.Entry<Character, Integer> entry : map.entrySet()) {
        System.out.println(entry.getKey() + ": " + entry.getValue());
    }
}
}

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        int n = Integer.parseInt(sc.nextLine());
        MessageAnalyzer analyzer = new MessageAnalyzer();

        for (int i = 0; i < n; i++) {
            analyzer.addLine(sc.nextLine());
        }

        analyzer.printFrequency();
    }
}

```

**Status :** Correct

**Marks :** 10/10