

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Practical 3 by Krishna</title>
</head>
<body style="background-color: #7F867B;">
  <h1 style="text-align:center ; font-family: 'Times New Roman', Times, serif;">
    "Let's learn HTML lists"
  </h1>
  <hr>
  <h2>
    Ordered Lists: -
  </h2>
  <ol>
    <li> Plankankul</li>
    <li> BCPL </li>
    <li> C </li>
    <li> HTML </li>
  </ol>

  <ol type="A">
    <li> Plankankul</li>
    <li> BCPL </li>
    <li> C </li>
    <li> HTML </li>
  </ol>

  <ol type="a">
    <li> Plankankul</li>
    <li> BCPL </li>
    <li> C </li>
    <li> HTML </li>
  </ol>

  <ol type="I">
    <li> Plankankul</li>
    <li> BCPL </li>
    <li> C </li>
    <li> HTML </li>
  </ol>

  <ol type="i">
    <li> Plankankul</li>
    <li> BCPL </li>
    <li> C </li>
    <li> HTML </li>
  </ol>
  <hr>

  <h2>
    Unordered Lists: -
  </h2>
```

```
<ul>
  <li> Plankankul</li>
  <li> BCPL </li>
  <li> C </li>
  <li> HTML </li>
</ul>
```

```
<ul type="circle">
  <li> Plankankul</li>
  <li> BCPL </li>
  <li> C </li>
  <li> HTML </li>
</ul>
```

```
<ul type="square">
  <li> Plankankul</li>
  <li> BCPL </li>
  <li> C </li>
  <li> HTML </li>
</ul>
```

```
<ul type="none">
  <li> Plankankul</li>
  <li> BCPL </li>
  <li> C </li>
  <li> HTML </li>
</ul>
<hr>
```

```
<h2>
  Description List: -
</h2>
```

```
<dl>
  <dt>Plankankul</dt>
    <dd>First ever programming language by Konrad Zuse</dd>
  <dt>BCPL</dt>
    <dd>Predescessor of C Language</dd>
  <dt> C </dt>
    <dd> Programming language invented by Dennis Ritchie </dd>
  <dt> HTML </dt>
    <dd> Markup language by Tim Berners Lee</dd>
</dl>
```

```
</body>
</html>
```