

IH-VIEW PRO

Mainview

Operation


Mainview


Playback


AI Search


AI Scene


Emap Monitoring


Cloud Alarm

Config


Device Management


Alarm Config


Cruise Setting


Account Management


Local Record


Emap Config


Vehicle Management


Access Control


Attendance Management


AI Config


Topology Management

Overview2026-03-29 01:07:07

Login

Device

Total

5

Online

4

Offline

1

Channel

Total

113

Online

79

Offline

34

Manage

Log Search

>

System Config

>

Player

>

Help

>

Cpu: 8%

Net: 0%

Mem: 51%

IH-VIEW PRO

Device Management

Cloud Group

Custom Group

Share Devices

Accept Sharing

protocol type: Private

Batch Activate

No.	Device Type	IPv4 Address	IPv6 Address	Port	Media Port	Channel	Mac address	Version	Manufacturer	Active state	Cloud Status	ID	Operation
1	I-HIPBSPI-MV	192.168.1.2	fe80::0026:c8ff:fe0a:e189	443	0	1	00-26-C8-0A-E1-89	VC50.45.1.2.1.1-250825	IMPACT by Honeywell	Activated			

total number: 1 select number: 0

Search complete!

IH-VIEW PRO

Device Management

Cloud Group

Custom Group

Share Devices

Accept Sharing

Cpu: 15% Net: 0% Mem: 53%

protocol type: Private

Batch Activate

No.	Device Type	IPv4 Address	IPv6 Address	Port	Media Port	Channel	Mac address	Version	Manufacturer	Active state	Cloud Status	ID	Operation
1	I-HIPBSPI-MV	192.168.1.2	fe80::0026:c8ff:fe0a:e189	443	0	1	00-26-C8-0A-E1-89	VC50.45.1.2.1.1-250825	IMPACT by Honeywell	Activated			

Edit device info

User

admin

Password

DHCP

IP

192.168.1.2

Mask

255.255.255.0

GateWay

192.168.1.1

Save

total number: 1 select number: 0

Search complete!

IH-VIEW PRO

Device Management

All EquipmentAuto SearchCloud GroupCustom GroupShare DevicesAccept Sharing

protocol type: PrivateBatch Activate

No.	Device Type	IPv4 Address	IPv6 Address	Port	Media Port	Channel	Mac address	Version	Manufacturer	Active state	Cloud Status	ID	Operation
1	I-HIPB5PI-MV	192.168.1.2	fe80::0026:c8ff:fe0a:e189	443	0	1	00-26-C8-0A-E1-89	VC50.45.1.2.1.1-250825	IMPACT by Honeywell	Activated			

Edit device info

Useradmin

Passwordadmin

DHCP

IP192.168.22.225

Mask255.255.255.0

GateWay192.168.22.1

Save

total number: 1select number: 0Search complete!

Cpu: 13%Net: 0%Mem: 53%

IH-VIEW PRO

Device Management

All EquipmentAuto SearchCloud GroupCustom GroupShare DevicesAccept Sharing

protocol type: PrivateBatch Activate

No.	Device Type	IPv4 Address	IPv6 Address	Port	Media Port	Channel	Mac address	Version	Manufacturer	Active state	Cloud Status	ID	Operation
1	I-HIPB5PI-MV	192.168.22.225	fe80::0026:c8ff:fe0a:e189	443	0	1	00-26-C8-0A-E1-89	VC50.45.1.2.1.1-250825	IMPACT by Honeywell	Activated			

total number: 1select number: 0Search complete!

Cpu: 15%Net: 0%Mem: 53%

192.168.22.1004G LTE CPEI-HIPB5PI-MV VC50.45.1.2.1.1New tabAsk Gemini

https://192.168.22.225:443/

I-HIPB5PI-MV VC50.45.1.2.1.1-250825 - https://192.168.22.225Switch to this tab

https://192.168.22.225:443 - Google Search

Google

Search Google or type a URL

- G-Cam

Map View

G-Cam "RealTec...

Sign In

4G LTE CPE

AWS CRUD Das...

I-HIPB5PI-MV V...

Account home

Inbox (13)

Add shortcut

ENGLISH

IMPACT

by Honeywell

Login

[Recover Password](#)

IMPACT

by Honeywell

I-HIPBSPI-MV Live Playback [Remote Setting](#) ⓘ ⏻

Channel

[Live](#) | [Image Control](#) | [Video Cover](#) | [Video Parameters](#) | [Capture](#)

Storage

[Schedule](#) | [Disk](#) | [FTP](#)

Alarm

[IO](#) | [Disarming](#)

Event

[Event Settings](#) | [List Management](#) | [Statistics Analysis](#)

Network

[General](#) | [Email](#) | [RTSP](#) | [DDNS](#) | [HTTPS](#) | [IP Filter](#) | [Platform Access](#)

System

[General](#) | [Multi-User](#) | [Maintenance](#) | [Information](#)

Live

Channel Name

Date Format

Time Format

Refresh Rate

Show Name ☐

Show Time ☐

Privacy Mode ☐

Watermark ☐

[Save](#) [Refresh](#)



IMPACT

by Hanyang

Channel

Live | Image Control | Video Cover | Video Parameters | Capture

Storage

Schedule | Disk | FTP

Alarm

VO | Disarming

Event

Event Settings | List Management | Statistics Analysis

Network

General | Email | RTSP | DDNS | HTTPS | IP Filter | Platform Access

System

General | Multi-User | Maintenance | Information

Image Control

Image

IR-CUT Mode

Image Mode

IR-CUT Sensitivity

1

IR LED Control

Manual

Low Beam Light

High Beam Light

Anti-Overexposure

More Settings

Save

Default

Refresh

Save is successful

RTCCAM12

06/04/2026 07:12:22 AM

IMPACT

by Hanyang

Channel

Live | Image Control | Video Cover | Video Parameters | Capture

Storage

Schedule | Disk | FTP

Alarm

VO | Disarming

Event

Event Settings | List Management | Statistics Analysis

Network

General | Email | RTSP | DDNS | HTTPS | IP Filter | Platform Access

System

General | Multi-User | Maintenance | Information

Record

Mainstream

Substream

Thirdstream

Audio

Resolution

1920 x 1080

Frame Rate

15

Encoding Format

H.264

Video Code Level

Main Profile

Encoding Mode

CBR

Config Mode

Preddefined

Bitrate

1280

Kbps

I Frame Interval

30

(1 ~ 60)

Audio

Save

Default

Refresh

Save is successful

Channel

Live | Image Control | Video Cover | Video Parameters | Capture

Storage

Schedule | Disk | FTP

Alarm

IO | Disarming

Event

Event Settings | List Management | Statistics Analysis

Network

General | Email | RTSP | DDNS | HTTPS | IP Filter | Platform Access

System

General | Multi-User | Maintenance | Information

RecordMainstreamSubstreamThirdstreamAudio

Resolution1280 x 720

Frame Rate15

Encoding FormatH.264

Video Code LevelMain Profile

Encoding ModeCBR

Config ModePredefined

Bitrate1024Kbps

I Frame Interval301 - 60

Audio

Save

Default

Refresh

Save is successful

Channel

Live | Image Control | Video Cover | Video Parameters | Capture

Storage

Schedule | Disk | FTP

Alarm

IO | Disarming

Event

Event Settings | List Management | Statistics Analysis

Network

General | Email | RTSP | DDNS | HTTPS | IP Filter | Platform Access

System

General | Multi-User | Maintenance | Information

RecordMainstreamSubstreamThirdstreamAudio

Enable

Resolution640 x 480

Frame Rate15

Encoding FormatH.264

Video Code LevelMain Profile

Encoding ModeCBR

Config ModePredefined

Bitrate512Kbps

I Frame Interval301 - 60

Audio

Save

Default

Refresh

Save is successful

Channel

Live | Image Control | Video Cover | Video Parameters | Capture

Storage

Schedule | Disk | FTP

Alarm

IO | Disarming

Event

Event Settings | List Management | Statistics Analysis

Network

Disk

	NO.	Serial No.	Modity	Type	Status	Free / Total	Free Time
☐	1	SD Card	2L	Read & Write	Unformatted	0M/29G	0u54hour

Overwrite




Auto




Save

Format Hard Disk

Add New HDD

Refresh





Channel

Live | Image Control | Video Cover | Video Parameters | Capture

Storage

Schedule | Disk | FTP

Alarm

VO | Disarming

Event

Event Settings | List Management | Statistics Analysis

Network

General | Email | RTSP | DDNS | HTTPS | IP Filter | Platform Access

System

General | Multi-User | Maintenance | Information

CH1(RTGCAM12)

Target Detection

Face Detection

Pedestrian and Vehicle

Vehicle Intelligence

License Plate

Behavior Analysis

Line Crossing

Intrusion

Enter Region

Exit Region

Object Detection

Statistics Analysis

Cross Counting

Heat Map

Queue Length

Crowd Density

Rare Sound

Normal Event

Motion Detection

Video Tampering

Settings

Schedule

Alarm Linkage

RTGCAM12

08/04/2025 9:18:19 AM

Min Pixels

64

64

1080

Max Pixels

320

640

1080

License Plate Detect Rule

Normal Detect

Counting Detect

Detection Target

European license plate

Detection Mode

Moving Only

Detection Area

Full Screen

LPD Enhance

Save

Default

Refresh

Channel

Live | Image Control | Video Cover | Video Parameters | Capture

Storage

Schedule | Disk | FTP

Alarm

VO | Disarming

Event

Event Settings | List Management | Statistics Analysis

Network

General | Email | RTSP | DDNS | HTTPS | IP Filter | Platform Access

System

General | Multi-User | Maintenance | Information

CH1(RTGCAM12)

Target Detection

Face Detection

Pedestrian and Vehicle

Vehicle Intelligence

License Plate

Behavior Analysis

Line Crossing

Intrusion

Enter Region

Exit Region

Object Detection

Statistics Analysis

Cross Counting

Heat Map

Queue Length

Crowd Density

Rare Sound

Normal Event

Motion Detection

Video Tampering

Settings

Schedule

Alarm Linkage

Common Linkage

Email

Picture Upload

FTP

Alarm Output

VO Output

Video Linkage

Recording Channel

Recording Delay

5 S

Save

Default

Refresh

Save is successful

Channel

Live | Image Control | Video Cover | Video Parameters | Capture

Storage

Schedule | Disk | FTP

Alarm

VO | Disarming

Event

Event Settings | List Management | Statistics Analysis

Network

General | Email | RTSP | DDNS | HTTPS | IP Filter | Platform Access

Face Database Management

License Plate Management

	Group Name	Delete	Edit	Enable	Alarm	Policy	Fault Tolerant	Alarm Linkage	Alarm Schedule
■	Allow List	⊞	↻	●	●	Allow	≤ 1 character(s)	⊞	⊞
■	Block List	⊞	↻	●	●	Deny	≤ 1 character(s)	⊞	⊞
□	Unknown	⊞	↻	●	●	Unknown	> 1 character(s)	⊞	⊞

Add Group

Save

Refresh

Channel

Live | Image Control | Video Cover | Video Parameters | Capture

Storage

Schedule | Disk | FTP

Alarm

VO | Disarming

Event

Event Settings | List Management | Statistics Analysis

Network

General | Email | RTSP | DDNS | HTTPS | IP Filter | Platform Access

Face Database Management

License Plate Management

	Group Name	Delete	Edit	Enable	Alarm	Policy	Fault Tolerant	Alarm Linkage	Alarm Schedule
■	Allow List	⊞	↻	●	●	Allow	≤ 1 character(s)	⊞	⊞
■	Block List	⊞	↻	●	●	Deny	≤ 1 character(s)	⊞	⊞
□	RTGCAM12	⊞	↻	●	●	Unknown	> 1 character(s)	⊞	⊞

Add Group

Save

Refresh

IMPACT

By Hikvision

I.HIPBSPL.MVLivePlaybackRemote Setting

Channel

Live | Image Control | Video Cover | Video Parameters | Capture

Storage

Schedule | Disk | FTP

Alarm

VO | Disarming

Event

Event Settings | List Management | Statistics Analysis

Network

General | Email | RTSP | DDNS | HTTPS | IP Filter | Platform Access

System

General | Maintenance | Information

General

PPPoE

SNMP

Port Configuration

Server	Internal Port	External Port	Protocol	UPNP Status	Mapping Strategy	UPNP
HTTPS Port	443	443	TCP	Inactive	Auto	☐
RTSP	554	554	TCP	Inactive	Auto	☐

Multicast Port10000(1024-65535)

SaveDefaultRefresh

Save is successful

IMPACT

By Hikvision

I.HIPBSPL.MVLivePlaybackRemote Setting

Channel

Live | Image Control | Video Cover | Video Parameters | Capture

Storage

Schedule | Disk | FTP

Alarm

VO | Disarming

Event

Event Settings | List Management | Statistics Analysis

Network

General | Email | RTSP | DDNS | HTTPS | IP Filter | Platform Access

System

General | Maintenance | Information

RTSP

RTSP Enable☒

Anonymous Login☒ (No username or password required)

Metadata PlatformNone

Instruction
rtsp://IP:Port/rtsp/Streaming/channel=01&subtype=A
A: 0(main stream), 1(sub stream), 2(mobile stream)

SaveRefresh

Save is successful

IMPACT

By Hikvision

I.HIPBSPL.MVLivePlaybackRemote Setting

Channel

Live | Image Control | Video Cover | Video Parameters | Capture

Storage

Schedule | Disk | FTP

Alarm

VO | Disarming

Event

Event Settings | List Management | Statistics Analysis

Network

General | Email | RTSP | DDNS | HTTPS | IP Filter | Platform Access

System

General | Multi-User | Maintenance | Information

Date and TimeDaylight Saving Time

Time setting mode☐ Static☒ NTP server synchronization

Date FormatDDMM/YYYY

Time ZoneGMT+5:30

Time Format12-hour

System time09/04/202512:51:33 PM

Server Addresstime.windows.com

Sync Period30 Min

SaveSynchronize computer timeRefresh

Save is successful