

WIPRO SDET CAPSTONE

Test Case Specification

Application Under Test	IKEA India ikea.com/in/en/
Framework	Playwright + JavaScript Page Object Model
Total Modules	9 Modules
Total Test Cases	133 Test Cases
Tech Stack	Playwright JS Allure Reports Git
Prepared For	Wipro SDET Training — Playwright Capstone
Date	19 May 2026

WEBSITE SELECTION & PROJECT RATIONALE

Application Under Test: IKEA India (ikea.com/in/en/)

While the majority of participants use generic demo sites (SauceDemo, DemoQA, Practice Automation Testing), IKEA India was selected deliberately to stand apart. The trainer has emphasised that the *website itself does not matter* — what matters is the quality of functions, workflows, and validations automated.

Key reasons for choosing IKEA India:

- 1. Enterprise-grade UI: Realistic layout, Indian locale (INR currency, PIN codes, Indian phone validation)
- 2. Real functional workflows: login, cart, checkout address form, order summary, wishlist
- 3. Network-level API module: Playwright's route() interception is used to validate actual HTTP calls made by the site — a more advanced SDET skill than calling a pre-built demo API
- 4. Immediate visual differentiation: every reviewer will recognise IKEA vs a demo site
- 5. Stable enough for automation: modern React/Next.js frontend, consistent selectors

Login strategy: One pre-created test account is stored in a .env / config fixture. Registration tests use testuser_\${Date.now()}@mail.com to ensure uniqueness per run. Login tests ACTUALLY submit the form to IKEA's auth system (no mocking).

Checkout strategy: Full flow automated through to the payment page with dummy card data. The final Pay/Confirm button is NOT clicked to avoid real transactions. The test validates everything up to and including the payment form.

MODULES	TEST CASES	PRIORITY SPLIT	TYPES COVERED
9	133	Critical: 31 High: 67 Medium: 26 Low: 9	Functional API Session Responsive Cross-Browser Validation Security Performance

TABLE OF CONTENTS

Module	Name	Description	Tests
M1 — HN	Homepage & Navigation	Validates page load performance, navigation correctness, footer links, subscription form behaviour, and visual...	13
M2 — AU	Authentication & User Account	Covers full auth lifecycle with actual form submissions: registration with dynamic timestamp emails, real logi...	20
M3 — SR	Search Functionality	Tests search relevance, edge-case inputs, result count consistency, state persistence, and cart integration fr...	13
M4 — PL	Product Listing & Filters	Validates category routing, filter application, dynamic product count updates, sort accuracy, and multi-filter...	14
M5 — PD	Product Details	Validates product data integrity, quantity controls, cart interaction from detail page, review submission, and...	13
M6 — CM	Cart Management	Tests cart CRUD operations, quantity update math, subtotal calculations, session persistence, and edge cases (...)	17
M7 — CF	Checkout Flow	End-to-end checkout: pre-fill validation, address form checks, order summary accuracy, dummy payment entry, co...	18
M8 — AP	API & Network Validation	Uses Playwright's route() interception and APIRequestContext to validate real HTTP calls made by the IKEA site...	15
M9 — RU	Responsive & Cross-Browser UI	Validates layout integrity across mobile, tablet, and desktop viewports and consistent functionality across Ch...	10
		TOTAL	133

MODULE 1 | HOMEPAGE & NAVIGATION [13 Test Cases]

Validates page load performance, navigation correctness, footer links, subscription form behaviour, and visual landmark rendering.

TC ID	Title	Steps / Input	Expected Result	Priority	Type
TC_HN_001	Page load completes within 3 seconds on fresh visit	Navigate to ikea.com/in/en/ and measure DOMContentLoaded + load events	Full page loads in under 3 s; zero console errors	High	Performance
TC_HN_002	All primary navigation tabs redirect to correct pages	Click each top-level nav item: Products, Rooms, Offers, IKEA for Business	Each tab lands on the correct destination; URL matches expected path	High	Navigation
TC_HN_003	IKEA logo click returns user to homepage from any inner page	Open a product detail page; click the IKEA logo in the header	Browser navigates back to ikea.com/in/en/; page title confirms homepage	Medium	Navigation
TC_HN_004	Country/store selector loads and displays Indian stores	Click the store/country selector in header	Dropdown/modal opens; India stores visible; closing returns to page	Medium	UI/Interaction
TC_HN_005	Footer navigation links resolve without 404 errors	Click Privacy Policy, Terms, FAQs, Contact links in footer	Each link navigates to a valid page; no broken links	Medium	Navigation
TC_HN_006	Homepage hero banner renders and CTA button is functional	Observe top hero section; click the primary CTA button	Hero image loads; CTA navigates to expected category or offer page	High	UI
TC_HN_007	Newsletter subscription accepts valid email and confirms	Enter a valid email in the footer subscription field; submit	Success confirmation message appears; no page reload errors	High	Form
TC_HN_008	Newsletter subscription rejects invalid email format	Enter 'notvalid@@ikea' in subscription field; submit	Browser or inline validation fires; form does not submit	High	Form/Validation
TC_HN_009	Category shortcut tiles on homepage navigate to correct listings	Click 3 category tiles (e.g. Sofas, Beds, Storage)	Each tile routes to its matching category product listing page	High	Navigation
TC_HN_010	Page title and hreflang meta tags are set correctly for India locale	Inspect document.title and link[rel=hreflang] in page head	Title contains 'IKEA'; hreflang includes 'en-in'	Low	SEO/Meta
TC_HN_011	Breadcrumb navigation renders on inner pages and is clickable	Navigate into Sofas category; inspect breadcrumb	Breadcrumb shows: Home > Products > Sofas; clicking each segment works	Medium	Navigation
TC_HN_012	Search icon in header opens search bar on click	Click the magnifier/search icon in the header	Search bar expands or modal opens; input field is focused	Medium	UI/Interaction
TC_HN_013	Accessibility: skip-to-content link is present for keyboard users	Tab once from page load; check for skip-to-content link	Skip-to-content anchor is present and navigates to main content	Low	Accessibility

MODULE 2 | AUTHENTICATION & USER ACCOUNT [20 Test Cases]

Covers full auth lifecycle with actual form submissions: registration with dynamic timestamp emails, real login that POSTs to IKEA auth, session persistence, account management, and logout.

TC ID	Title	Steps / Input	Expected Result	Priority	Type
TC_AU_001	New user registration form submits with timestamp-based unique email	Navigate to /in/en/profile/login/; click Join IKEA; fill form with test user_`\${Date.now()}@mail.com`; submit	Registration completes; user redirected to account dashboard or confirmation screen	Critical	Registration
TC_AU_002	Registration shows error for already-registered email	Attempt registration with a known pre-existing email address	Inline error: account already exists; form does not proceed	Critical	Registration/Validation
TC_AU_003	Registration validates all mandatory fields before submission	Submit registration form leaving First Name, Last Name, and Password blank	Each blank required field shows a validation message; form blocked	High	Registration/Validation
TC_AU_004	Password and Confirm Password mismatch blocks registration	Enter different values in Password and Confirm Password; submit	Error indicating passwords do not match; no account created	High	Registration/Validation
TC_AU_005	Login form ACTUALLY submits credentials to IKEA auth system	Navigate to /profile/login/; enter pre-created valid email + password; click Sign In	Form POSTs to auth endpoint; page redirects; header shows user name or 'My Account' as active	Critical	Login
TC_AU_006	Login fails with correct email but wrong password	Enter registered email + incorrect password; click Sign In	Error message displayed: 'Invalid email or password'; user stays on login page	Critical	Login/Validation
TC_AU_007	Login fails with unregistered email address	Enter non-existent email + any password; submit	Error displayed; no session created	High	Login/Validation
TC_AU_008	Login form blocks submission when fields are empty	Click Sign In with both email and password fields empty	Required field validation fires; form does not submit	High	Login/Validation
TC_AU_009	Password field masks characters during typing	Type characters in the password input on login page	Characters shown as dots/asterisks; type attribute is 'password'	Medium	Security/UI
TC_AU_010	User session persists after full browser page refresh	Log in; press Ctrl+R to hard refresh the page	User remains logged in; header still shows account name	Critical	Session
TC_AU_011	User session persists when navigating across multiple pages	Log in; visit Products, then Rooms, then Offers pages	Account indicator stays active on all pages; no re-login prompt	High	Session
TC_AU_012	Logout clears session and returns user to homepage or login page	Click Sign Out from account menu while logged in	Session cookie cleared; user redirected; header shows Login (not account name)	High	Session
TC_AU_013	Accessing My Account page without login redirects to login	Navigate directly to /in/en/profile/ without being logged in	Redirect to login page; destination URL may be preserved as redirect param	High	Auth Guard
TC_AU_014	Wishlist page requires authentication to view	Navigate to favourites/wishlist URL without login	Login page shown; wishlist content not accessible	High	Auth Guard
TC_AU_015	Account profile page displays correct user name and email	Log in; navigate to My Account > Profile	Displayed name and email match registered credentials	Medium	Account

TC ID	Title	Steps / Input	Expected Result	Priority	Type
TC_AU_016	User can update their display name in account settings	Log in; go to Profile; change First Name; save	Saved successfully; updated name reflected in account header	Medium	Account
TC_AU_017	Order history page is accessible after login	Log in; navigate to My Account > Orders	Orders page loads; past orders listed (or empty state message shown)	Medium	Account
TC_AU_018	Saved addresses page loads and allows adding a new address	Log in; go to My Account > Addresses; click Add New Address	Address form opens; fields accept valid input; save confirms addition	Medium	Account
TC_AU_019	Concurrent session detection: re-login in new tab reflects in first tab	Log in on Tab A; log out and log in as different user on Tab B; refresh Tab A	Tab A reflects the current session state (shows new user or prompts re-login)	Low	Session
TC_AU_020	Remember Me keeps user logged in after browser restart (if supported)	Log in with Remember Me checked; close and reopen browser; visit site	User is still logged in without re-entering credentials	Low	Session

MODULE 3 | SEARCH FUNCTIONALITY [13 Test Cases]

Tests search relevance, edge-case inputs, result count consistency, state persistence, and cart integration from search results.

TC ID	Title	Steps / Input	Expected Result	Priority	Type
TC_SR_001	Search for valid product keyword returns relevant results	Type 'sofa' in the search bar; submit	Results page loads; all visible products are sofa-related	High	Search
TC_SR_002	Search result count displayed matches number of rendered cards	Search 'chair'; count result cards; compare with stated results number	Card count equals the number shown in the results summary	High	Search/V alidation
TC_SR_003	Case-insensitive search returns consistent product counts	Search 'SOFA', then 'sofa', then 'Sofa' separately	All three searches return the same number of results	High	Search
TC_SR_004	Partial keyword returns products containing that substring	Search 'boo' (partial of 'bookcase')	Results include products with 'boo' in name; count > 0	Medium	Search
TC_SR_005	Search for non-existent term shows no-results message	Search 'xzqwerty123nonexistent'	No results found message displayed; zero product cards rendered	High	Search
TC_SR_006	Search with special characters handles gracefully without crash	Search '@#\$%&*()'	Page does not crash or throw JS error; shows no results or error message	Medium	Search/E dge Case
TC_SR_007	Search results page shows product name, image, and price per card	Search 'table'; inspect each result card	Every card displays: product image, product name, and price (in INR)	High	Search/U I
TC_SR_008	Search results persist after browser page refresh	Search 'bed'; note results; press F5	Same results shown after refresh; search term still in input field	High	Search/S ession
TC_SR_009	Clicking a search result navigates to correct product detail page	Search 'KALLAX'; click first result	Product detail page for KALLAX loads; URL and title match the product	High	Search/N avigation
TC_SR_010	Adding a product directly from search results updates cart count	Search 'lamp'; click Add to Bag on a result; check cart icon	Cart badge increments by 1; correct product appears in cart	Critical	Search/C art
TC_SR_011	Search input field clears previous query on new search	Search 'sofa'; clear field; type 'bed'; submit	Results update to show only bed-related products; sofa results gone	Medium	Search/U X
TC_SR_012	Search query appears in page heading or breadcrumb	Search 'wardrobe'; inspect page heading	Heading or breadcrumb contains the search term 'wardrobe'	Low	Search/U I
TC_SR_013	Sorting search results by price (low to high) reorders cards correctly	Search 'chair'; select Sort by: Price Low to High	First card price <= second card price; ordering is ascending throughout	High	Search/S ort

MODULE 4 | PRODUCT LISTING & FILTERS [14 Test Cases]

Validates category routing, filter application, dynamic product count updates, sort accuracy, and multi-filter combinations.

TC ID	Title	Steps / Input	Expected Result	Priority	Type
TC_PL_001	Clicking a top-level category displays only products in that category	Navigate via menu to Sofas & Armchairs category	All displayed products belong to Sofas/Armchairs; unrelated products absent	High	Category
TC_PL_002	Product count stated on category page matches rendered card count	Open any category; note stated count; count rendered product cards	Both numbers are equal	High	Category/Validation
TC_PL_003	Applying a colour filter updates product listing dynamically	Open Sofas; apply filter Color = Beige	Only beige products shown; product count decreases or stays; no unfiltered items	High	Filter
TC_PL_004	Filter count badge updates to reflect number of active filters	Apply 2 filters simultaneously; inspect filter button or breadcrumb	Badge or label shows '2 filters active'	Medium	Filter/UI
TC_PL_005	Applying price range filter excludes products outside the range	Set price filter to INR 0 - 5,000 on a listing	All displayed products have prices within the set range; no exceptions	High	Filter/Validation
TC_PL_006	Clearing all filters restores full unfiltered product listing	Apply 2 filters; click Clear All / Remove All	Product count returns to pre-filter total; all products visible	High	Filter
TC_PL_007	Applying multiple filters simultaneously narrows results correctly	Apply Color = White AND Price = 0-10000 together	Results satisfy BOTH conditions; no white product above 10,000 shown	High	Filter/Multi
TC_PL_008	Sort by Price: Low to High orders products ascending	On any listing, select Sort: Price Low to High	First product price <= last product price on page; visually verified	High	Sort
TC_PL_009	Sort by Price: High to Low orders products descending	Select Sort: Price High to Low on the same listing	First product price >= last product price on page	High	Sort
TC_PL_010	Sort dropdown selection persists after navigating to next page	Apply Price Low to High sort; navigate to page 2 of results	Sort order maintained; page 2 prices do not reset or revert	Medium	Sort/Pagination
TC_PL_011	Pagination loads correct products for each page number	Go to page 1; note last product; go to page 2	Page 2 shows different products; no duplicates from page 1	High	Pagination
TC_PL_012	Subcategory breadcrumb correctly reflects nested navigation path	Navigate: Furniture > Storage & organisation > Wardrobes	Breadcrumb shows full path; clicking middle segment goes to Storage	Medium	Navigation/UI
TC_PL_013	Product cards display name, price in INR, and image without breaking	Inspect 6 product cards on any category page	Each card: image renders, name visible, price shows INR symbol + amount	High	UI
TC_PL_014	Filter panel remains accessible and functional on filtered listing	Apply a filter; check filter panel still accessible for further filtering	Filter panel visible; additional filters can be applied without error	Medium	Filter/UX

MODULE 5 | PRODUCT DETAILS [13 Test Cases]

Validates product data integrity, quantity controls, cart interaction from detail page, review submission, and cross-linked navigation.

TC ID	Title	Steps / Input	Expected Result	Priority	Type
TC_PD_001	Product detail page displays correct name, article number, price, and description	Open any product detail page; inspect key data fields	Product name, article number, INR price, and description all visible and non-empty	High	Product Detail
TC_PD_002	Product price on detail page matches price shown in cart after adding	Note price on detail page; add to bag; open cart	Cart line item price equals detail page price exactly	Critical	Data Consistency
TC_PD_003	Quantity selector accepts positive integers and rejects zero/negative values	Try entering -1, then 0, then 3 in the quantity input	Negative and zero values rejected or corrected; 3 accepted	High	Validation
TC_PD_004	Add to Bag button increments cart icon count by the selected quantity	Set quantity to 2; click Add to Bag	Cart badge increases by exactly 2	Critical	Cart Integration
TC_PD_005	Attempting to add out-of-stock product shows appropriate message	Find an out-of-stock product; attempt to add to bag	'Out of stock' or similar message shown; add button disabled or blocked	High	Inventory /UI
TC_PD_006	Product image gallery navigation (thumbnails/arrows) works correctly	Click thumbnail images and arrow controls on product gallery	Main image changes to match clicked thumbnail; no broken images	Medium	UI/Gallery
TC_PD_007	Product dimensions or assembly information section is present	Scroll to specifications on a furniture product detail page	Dimensions, materials, or care instructions section is visible	Medium	UI/Content
TC_PD_008	'Complete the look' or related products section displays linked products	Scroll to related/complete the look section on product detail	At least 2 related products shown; each links to a valid product page	Low	UI/Navigation
TC_PD_009	Store availability section shows correct stock information	On product detail page check 'Check store availability' section	Section loads; shows stock status for at least one store	Medium	Inventory
TC_PD_010	Category/breadcrumb link on product page navigates back correctly	Click the breadcrumb category link on a product detail page	Returns to the category listing; products match the breadcrumb category	Medium	Navigation
TC_PD_011	Continue Shopping from add-to-bag confirmation keeps user on listing	Add product; in confirmation panel click Continue Shopping	Panel/drawer closes; user remains on or returns to product listing	Medium	Workflow /UX
TC_PD_012	View Bag from add-to-bag confirmation navigates to cart	Add product; in confirmation panel click View Bag / Go to Bag	Cart page opens; newly added product is present	Critical	Workflow /Cart
TC_PD_013	Product favourite/wishlist toggle adds item to saved list when logged in	Log in; open product detail; click heart/favourite icon	Icon turns active/filled; item appears in My Favourites list	High	Wishlist

MODULE 6 | CART MANAGEMENT [17 Test Cases]

Tests cart CRUD operations, quantity update math, subtotal calculations, session persistence, and edge cases (empty cart, duplicate adds, quantity bounds).

TC ID	Title	Steps / Input	Expected Result	Priority	Type
TC_CM_001	Adding one product increments cart badge by exactly 1	Add a single product from any page; observe cart icon	Badge shows previous count + 1	Critical	Cart
TC_CM_002	Adding same product twice merges into one row with quantity 2	Add the same product from detail page twice	Cart shows 1 row for the product; quantity column shows 2	High	Cart/Merge
TC_CM_003	Cart displays correct product name, unit price, quantity, and line total	Add 2 different products to cart; open cart	Each row: name matches, unit price matches detail page, line total = qty x unit price	Critical	Cart/Data
TC_CM_004	Updating quantity in cart recalculates line total correctly	In cart, change a product quantity from 1 to 4; confirm/apply	Line total = unit price x 4 (arithmetic validated programmatically)	Critical	Cart/Calculation
TC_CM_005	Cart subtotal equals the sum of all individual line totals	Add 3 different products; sum all line totals; compare to cart subtotal	Cart subtotal matches computed sum to the rupee	Critical	Cart/Calculation
TC_CM_006	Removing a product from cart decrements badge count by its quantity	Add 2 products (qty 1 each); remove one; check badge	Badge count decreases by 1; removed product no longer in cart	High	Cart
TC_CM_007	Cart shows empty-state message when all items are removed	Remove all items from a populated cart	Empty cart message or illustration appears; no product rows shown	High	Cart/State
TC_CM_008	Cart contents persist after page refresh	Add 2 products; refresh the cart page with F5	Both products remain with correct quantities after refresh	Critical	Session
TC_CM_009	Cart contents persist after navigating away and returning	Add items; browse to Homepage and then back to Cart	All previously added items still present with original quantities	High	Session
TC_CM_010	Quantity field in cart cannot be set to zero	Try typing 0 in cart quantity field; confirm	Quantity reverts to 1 or validation prevents 0; product not auto-removed	High	Validation
TC_CM_011	Price column in cart is read-only and not editable by user	Try clicking or editing the unit price cell in the cart table	Price field is non-interactive; no input or edit possible	Medium	Security/UI
TC_CM_012	Clicking product name in cart navigates to correct product detail page	Click the product name hyperlink inside the cart	Correct product detail page loads; name and article number match	Medium	Navigation
TC_CM_013	Badge count is accurate after multiple add and remove operations	Add 3 products; remove 1; add 2 more; inspect badge	Badge shows 4; cart contents match (verified row by row)	High	Cart/Calculation
TC_CM_014	Items added to cart as guest are retained after logging in	Add 2 items without login; log in from cart page or header	Cart still shows the 2 items after login redirect	High	Session/Auth

TC ID	Title	Steps / Input	Expected Result	Priority	Type
TC_CM_015	Cart total updates immediately on quantity change without full page reload	Change quantity in cart; observe total update	Total recalculates in the same page view (no full navigation reload)	High	UX/Cart
TC_CM_016	Proceed to Checkout button is present and enabled in a non-empty cart	Open cart with at least 1 item; inspect Checkout button	Button is visible, labelled correctly, and clickable	Critical	Checkout Entry
TC_CM_017	Continue Shopping button from cart returns user to product listing	In cart click Continue Shopping	User navigated back to a product listing or category page	Medium	Navigation/UX

MODULE 7 | CHECKOUT FLOW [18 Test Cases]

End-to-end checkout: pre-fill validation, address form checks, order summary accuracy, dummy payment entry, confirmation page assertions, and post-order state verification.

TC ID	Title	Steps / Input	Expected Result	Priority	Type
TC_CF_001	Proceed to Checkout navigates logged-in user to checkout page	Log in; add product to cart; click Proceed to Checkout	Checkout page loads; delivery step shown with address form	Critical	Checkout
TC_CF_002	Guest clicking Proceed to Checkout is prompted to log in or register	Add item as guest; click Proceed to Checkout	Login/Register prompt or page shown before checkout proceeds	High	Checkout /Auth
TC_CF_003	Checkout page displays all cart items with correct quantities and prices	Add 2 items; proceed to checkout; inspect order summary panel	Both products listed; quantities and unit prices match cart values	Critical	Checkout /Data
TC_CF_004	Order total on checkout summary matches cart subtotal exactly	Note cart subtotal; proceed to checkout	Checkout summary shows identical total (before delivery charges added)	Critical	Checkout /Calculati on
TC_CF_005	Saved address auto-populates delivery form for logged-in user	Log in with account that has a saved address; proceed to checkout	Delivery address fields are pre-filled with saved address data	High	Address/ Pre-fill
TC_CF_006	Delivery address form validates all required fields on submission	Clear mandatory address fields (Name, Phone, Street, PIN, City); try to proceed	Each empty required field shows a validation error; user cannot proceed	Critical	Address/ Validatio n
TC_CF_007	PIN code field validates correct format (6 digits for India)	Enter '12' (too short) and 'ABCDEF' (non-numeric) in PIN field; try to proceed	Validation error for both invalid formats; 6-digit numeric input accepted	High	Address/ Validatio n
TC_CF_008	Phone number field validates Indian mobile number format	Enter '123' (too short) then a valid 10-digit number starting with 6-9	Short/invalid number rejected; valid number accepted	High	Address/ Validatio n
TC_CF_009	Adding a new address during checkout does not lose cart contents	On checkout address step, add a new address; select it; continue	Cart items still present in order summary after address step	High	Checkout /State
TC_CF_010	Delivery method selection step displays available shipping options	Proceed past address step to delivery method	At least one delivery option shown (e.g. Home Delivery) with estimated date or cost	High	Checkout /Delivery
TC_CF_011	Order summary reflects correct delivery charge addition if applicable	Select a paid delivery option; observe updated total	Total = subtotal + delivery charge; arithmetic validated	High	Checkout /Calculati on
TC_CF_012	Payment page displays accepted payment method options	Proceed to payment step in checkout	Payment options visible (UPI, Card, Net Banking, COD etc.); at least 1 shown	High	Payment/ UI
TC_CF_013	Credit/debit card form accepts dummy test card data in all fields	Select card payment; enter dummy: card number, expiry, CVV, name on card	All 4 fields accept input without premature validation blocking test data	Critical	Payment/ Form
TC_CF_014	Card number field accepts only numeric input	Type alphabetic characters in card number field	Non-numeric input blocked or stripped; only digits accepted	High	Payment/ Validatio n
TC_CF_015	Checkout flow does not attempt real payment processing in test run	Complete all checkout steps with dummy card data; stop before final submit	No actual payment gateway redirect or real charge; test ends at review/confirm page	Critical	Checkout /Safety

TC ID	Title	Steps / Input	Expected Result	Priority	Type
TC_CF_016	Order confirmation page displays order reference ID after placement	Complete full checkout flow with dummy data; reach confirmation page	Confirmation page shows: thank you message + order reference number	Critical	Confirmation
TC_CF_017	Cart badge resets to zero after successful order placement	Complete checkout; return to homepage; inspect cart badge	Cart icon shows 0 or is empty; no previous items remain	Critical	Post-Order/State
TC_CF_018	Order appears in My Account order history after placement	Complete checkout; navigate to My Account > Orders	Most recent order listed with date, order ID, and status	High	Order History

MODULE 8 | API & NETWORK VALIDATION [15 Test Cases]

Uses Playwright's route() interception and APIRequestContext to validate real HTTP calls made by the IKEA site: request payloads, response structure, status codes, auth headers, and performance thresholds.

TC ID	Title	Steps / Input	Expected Result	Priority	Type
TC_AP_001	Product listing API call returns HTTP 200 on category page load	Intercept network via page.route(); navigate to Sofas category; capture XHR/fetch calls	At least one product-data request returns status 200	Critical	API/Network
TC_AP_002	Product listing response payload contains required fields per item	Intercept product list response JSON; parse first product object	Each product object contains: id/articleNumber, name, price, currency, availability	Critical	API/Schema
TC_AP_003	Cart add-to-bag API request contains correct product ID and quantity	Intercept POST request when clicking Add to Bag on a product	Request body includes: productId matching the product, quantity = 1 (or selected qty)	Critical	API/Request
TC_AP_004	Cart add-to-bag API returns 200 or 201 success status	Capture response to the add-to-cart POST request	Response status is 200 or 201; no 4xx/5xx errors	Critical	API/Response
TC_AP_005	Login POST request sends email and password in request body	Intercept the POST to auth/login endpoint; inspect request payload	Payload contains email and password fields; no plaintext password in URL	Critical	API/Auth/Security
TC_AP_006	Login response sets authentication cookie or returns auth token	Capture response from successful login POST	Response sets Set-Cookie header or returns token in body; session established	Critical	API/Auth
TC_AP_007	Failed login returns HTTP 401 or 400 with error payload	Intercept login POST with wrong password; capture response	Response status 401 or 400; body contains error or message field	High	API/Error
TC_AP_008	Search API request includes correct query parameter	Intercept API call on search submit; inspect query string	Request URL or body contains the search term entered by the user	High	API/Request
TC_AP_009	Search API response returns results array matching UI card count	Intercept search response; count items in results array; count rendered cards	API results count equals number of product cards displayed on page	High	API/Consistency
TC_AP_010	Cart fetch on page load returns all items previously added	Add 2 products; navigate away; return to cart; intercept cart-fetch API	API response contains both products with correct quantities	High	API/Session
TC_AP_011	Remove-from-cart API request contains correct product identifier	Intercept DELETE/PATCH when removing an item from cart	Request references the correct product ID that was removed	High	API/Request
TC_AP_012	All API responses include correct Content-Type: application/json header	Inspect response headers of product list, cart, and search API calls	All three responses have Content-Type header containing 'application/json'	Medium	API/Headers
TC_AP_013	Product listing API response time is under 2 seconds	Measure elapsed time from request to response for product list API	Response received in under 2000 ms on 3 consecutive calls	High	API/Performance
TC_AP_014	Checkout order summary API contains item total matching cart subtotal	Intercept checkout page load; parse order summary API response	API total field equals cart subtotal (INR, same currency, same value)	Critical	API/Checkout

TC ID	Title	Steps / Input	Expected Result	Priority	Type
TC_AP_015	Unauthenticated request to checkout API returns 401 Unauthorized	Use Playwright APIRequestContext to call checkout endpoint without auth cookie	Response status 401 or 403; no order data returned	High	API/Auth Guard

MODULE 9 | RESPONSIVE & CROSS-BROWSER UI [10 Test Cases]

Validates layout integrity across mobile, tablet, and desktop viewports and consistent functionality across Chrome, Firefox, and Edge.

TC ID	Title	Steps / Input	Expected Result	Priority	Type
TC_RU_001	Homepage layout is fully usable at 375x667 mobile viewport	Set Playwright viewport to 375x667; navigate to homepage	No horizontal overflow; all content readable; images scale proportionally	High	Responsive
TC_RU_002	Navigation collapses to hamburger icon on mobile viewport	Set viewport to 375px wide; inspect header navigation	Hamburger/menu icon visible; clicking it opens the nav drawer	High	Responsive/Nav
TC_RU_003	Product listing reflows to single or two-column grid on mobile	Open Sofas category at 375px viewport	Product cards stack vertically or in 2-col; no card overflows the screen	High	Responsive/Layout
TC_RU_004	Cart page is fully usable and all actions accessible on tablet (768x1024)	Set viewport to 768x1024; open cart with 2 items	All cart columns visible; Proceed to Checkout button accessible; no layout break	High	Responsive/Cart
TC_RU_005	Checkout address form is fully functional on mobile viewport	Set viewport to 375px; navigate to checkout address step	All form fields visible; keyboard input works; no field hidden off-screen	High	Responsive/Form
TC_RU_006	No horizontal scrollbar appears on any main page at mobile viewport	Set viewport 375px; check homepage, category, cart, checkout pages	<code>document.documentElement.scrollWidth <= window.innerWidth</code> on all 4 pages	High	Responsive
TC_RU_007	Core checkout flow completes correctly in Firefox	Run cart-to-order-confirmation E2E test in Firefox browser	All steps complete without browser-specific rendering or JS errors	High	Cross-Browser
TC_RU_008	Core checkout flow completes correctly in Microsoft Edge	Run same E2E test in Edge (Chromium) browser	Checkout completes; confirmation page renders; no Edge-specific failures	High	Cross-Browser
TC_RU_009	Login and session tests pass in Firefox without cookie issues	Run Module 2 login and session tests in Firefox	Login submits; session persists; logout works — all in Firefox	High	Cross-Browser/Auth
TC_RU_010	Touch target minimum size (44x44 px) met for primary CTAs on mobile	At 375px viewport inspect Add to Bag, Proceed to Checkout, Login button sizes	Each button's bounding box is $\geq 44 \times 44$ px; no tiny tap targets	Medium	Accessibility/Mobile

APPENDIX | FRAMEWORK IMPLEMENTATION NOTES

Login Test Strategy

A single pre-created test account (credentials stored in .env) is used for all login-dependent tests. Registration tests use `testuser_${Date.now()}@mail.com` for uniqueness. TC_AU_005 actually submits the login form to IKEA's real auth endpoint — it is not mocked.

Checkout Safety

Checkout tests execute through to the payment form and validate all fields. The final Pay/Confirm button is NOT clicked. Tests assert the payment form is present and functional. This is the industry-standard approach for checkout automation without real transactions.

API Module Approach

Because IKEA is a real commercial site without a public REST API, Module 8 uses Playwright's `page.route()` and `page.on('response')` to intercept actual XHR/Fetch calls made by the browser. This is a more advanced SDET pattern than calling a pre-built demo API and demonstrates real network-layer validation skills.

Popup & Cookie Handling

A global `beforeEach` fixture handles the IKEA cookie consent banner and location popup automatically. These are never treated as test steps — they are infrastructure that keeps tests clean.

Test Independence

Every test case is independent and can run in isolation. State (login, cart) is set up via fixtures/`beforeEach` and torn down via `afterEach`. No test depends on another test's outcome.

Stable Locators

Playwright locators use: `getByRole()`, `getByLabel()`, `getByText()`, `data-testid` attributes. Fragile `nth-child` or positional selectors are avoided. This keeps tests resilient across minor IKEA UI updates.

Allure Reporting

Each test is tagged with `@module`, `@priority`, and `@type`. Screenshots are captured on failure. Traces are saved for all failed tests. Allure report is generated post-run with full history.