

Name: Krishna Raviraj Shimpi
PRN No: 202501040036

3.2.3. Numpy: Custom Sequence Generation

01:25

Write a Python program that takes the following inputs from the user:

- Start value: The starting point of the sequence.
- Stop value: The sequence should end before this value.
- Step value: The increment between each number in the sequence.

The program should then generate a sequence using numpy based on these inputs and print the generated sequence.

Input Format:

- The user will input three integer values: start, stop, and step, each on a new line.

Output Format:

- The program should print the generated sequence based on the input values.

```
import numpy as np
```

```
# Take user input for the start, stop, and step of the sequence
```

```
start = int(input())
```

```
stop = int(input())
```

```
step = int(input())
```

```
# Generate the sequence using np.arange()
```

```
sequence = np.arange(start, stop, step)
```

```
# Print the generated sequence
```

```
print(sequence)
```

The screenshot displays a code execution environment with the following components:

- Performance Metrics:**
 - Average time: **0.015 s** (14.50 ms)
 - Maximum time: **0.017 s** (17.00 ms)
- Test Results:**
 - 2 out of 2 shown test case(s) passed
 - 2 out of 2 hidden test case(s) passed
- Test Case 1 Details:**
 - Status: **Test case 1** (17 ms) with **Debug** and **Test** buttons.
 - Expected output:**
 - 3
 - 10
 - 2
 - [3 · 5 · 7 · 9]
 - Actual output:**
 - 3
 - 10
 - 2
 - [3 · 5 · 7 · 9]
- Test Case 2:** **Test case 2** (13 ms) is partially visible at the bottom.