Tel: +86-18157453060 | Email: info@volcanomotor.com

one-stop partner for motors & motor drives designing and manufacturing



Home About Us Products Solutions News FAQ Contact Us Feedback

Home > Products > Motor power-Brushless Motor > 5 HP Brushless DC Motor



5kw 72v Brushless Dc Motor With Hall Sensor

Model Number:	VOL-BL500C72
Type:	Brushless DC Motor
Output Power:	5Kw
DC Voltage:	72V
Speed Range:	3600 RPM
Poles:	4P

Detailed information

Brand Name:	Volcano Electric	Model Number:	VOL-BL500C72	Туре:	Brushless DC Motor	
Output Power:	5Kw	DC Voltage:	72V	Speed Range:	3600 RPM	
Controller:	Customized, Optional	Braker:	Optional	Insulation Class:	Class B/F/H	
Enclosure:	IP54	Poles:	4P	Wire:	100% copper	
Housing:	Aluminum	Efficiency:	up to 90%	Certification	CE, ROHS, UL	
Duty:	continuous	Place of Origin:	Zhejiang, China (Mainland)	Standard:	IEC standard or NEMA standard	
Application:	Industrial machinery, Boat, (Car, Traction Motor,	Pump, bus A/C systems, Other	er		

Motor Feature


Rated voltage: 72V DC
Rated power: 5KW
Rated speed: 3600RPM
IP Protection: IP54
Wire: Copper coil

Introduction

Volcano Electric's brushless dc motors offer high performance, long lifetime and low maintenance for applications, with frame length range from 155mm to 331mm. The motor designs are available to optimize your application's performance with best cost-effective solution, which are

transmission type, high torque type and high efficiency type. In addition to our standard models, we also accept customized. Like the flange, motor size. Can configure a comprehensive accessory line of encoders, brakes, planetary and worm gearbox to meet your specific application needs.

Configuration



*CAN MAKE ACCORDING TO YOUR REQUIRMENT

Brushless motor list

Motor type	Output	Voltage	Load	Speed	Rated Torque	Poles	Efficiency	Noise
	KW	V	A	RPM	N.m		%	dB
VOL-BL300C48	3.0	48	67.6	2650	10.81	4	92.5	61
VOL-BL300B72	3.0	72	46.8	3000	9.55	4	89	61
VOL-BL350C60	3.5	60	69.5	1680	19.9	4	84	61
VOL-BL370C60	3.7	60	73.41	3600	9.82	4	84	61
VOL-BL400C48	4.0	48	90.6	2580	14.81	4	92	62
VOL-BL450A72	4.5	72	67.93	1500	28.65	4	92	62
VOL-BL450B220	4.5	220	12.84	3000	14.33	4	92	62
VOL-BL500C72	5.0	72	75.48	3600	13.26	4	92	62
VOL-BL550C72	5.5	72	85.6	3680	14.27	4	89.2	63

Note: The typical specifications below are just for your reference. BLDC motors can be customized. Please feel free to contact us if you can't find the motor you required. We are always here being ready to help.

Advantages of Brushless DC motor:

- Lower Maintainance and longer lifetime no brush and commutator erosion
- Lower noise the elimination of brush contact

- Higher power to weight ratio
- Higher efficiency (in general higher than 90%)
- Flexible design. The range of voltage, speed range, torque, power, work time, etc can be customized.
- Light weight

For customized DC Motors, please contact our technician, Ordinary, we have to know the following information to get a professional proposal:

- Brushed or Brushless Customer preference
- Output power (W) Horsepower/watts/torque rated at full load speed
- Voltage (V) i.e 12v DC 220v AC
- Motor speed (RPM) Revolutions per minute of the shaft at full load Voltage
- Application e.g. traction, airconditioning, etc.
- Duty Most motors are rated continuous. Some applications however may use motors designed for intermittent duty
- Configuration/Frame Our products are according to IEC standard, we also can customize the flange and shaft according to the customer drawing
- **Controller function** e.g. forward/reverse, variable speed, acceleration profile, etc.

Previous 6hp 3000rpm Powerful Brushless Dc Motor

Next 3KW 3000RPM IEC 90 Brushless DC Motor

You may like:





Customized 4.5kw 72v 1500rpm Brushless Dc Motor



DC Motor Manufacturer & Supplier in China Email: info@volcanomotor.com | Tel: 86-18157453060

About Us Products Solutions Contact Us Feedback Search

Copyright © Ningbo volcanic electric co.,LTD