Tel: +86-18157453060 | Email: info@volcanomotor.com

one-stop partner for motors & motor drives designing and manufacturing



Home About Us Products Solutions News FAQ Contact Us Feedback

Home > Products > Motor power-Brushless Motor > 1 HP Brushless DC Motor



24V 2400RPM 1HP Brushless DC Motor

Model Number:	BLDC0.7-100
Type:	Brushless DC Motor
Output Power:	1HP
DC Voltage:	24V
Speed Range:	2400rpm
Poles:	4P, 6P, 8P


Detailed information


Brand Name:	Volcano Electric	Model Number:	BLDC0.7-100	Туре:	Brushless DC Motor
Output Power:	1 HP (700W)	DC Voltage:	24V	Speed Range:	2400 RPM
Controller:	Customized, Optional	Braker:	Optional	Insulation Class:	Class B/F/H
Enclosure:	IP44/IP54	Poles:	4P, 6P, 8P	Wire:	100% copper
Housing:	Aluminum	Efficiency:	IE 4.0		
Duty:	S1 (continuous)	Place of Origin:	Zhejiang, China (Mainland)	Standard:	IEC standard or NEMA standard
Application:	Boat, Car, Electric Bicycle, F	an, Home Appliance	, Traction Motor, Solar Pump	DC systems, bus A/0	C systems ,Other


Product Description

As all of our Brushless DC motor are customized, this 1HP Brushless DC motor, is designed with 24V and 2400rpm. Also you could ask for the controller of this motor. Our brushless dc motor could change the speed as you need, even if you change the speed, the motor could still work with the high efficiency.

Configuration







*CAN MAKE ACCORDING TO YOUR REQUIRMENT

Model	Power Kw	Voltage V	Current A	Speed Rpm	Nominal torque N.m	Efficiency %	Noise dB
BLDC0.3-150	0.3	24V	14.7	1500	1.91	85	60
BLDC0.3-150	0.375	24V	18.4	2000	1.79	85	60
BLDC0.9-100	0.9	48V	22	2700	3.31	85	60
BLDC0.85-100	0.85	60V	16.7	1500	5.41	85	60
BLDC0.75-100	0.75	74V	11.9	1100	6.51	85	60

BLDC0.75-100	0.75	24V	36.7	2400	2.98	85	60
BLDC1-100	1	72V	16.3	1900	5.02	85	60
BLDC1-100	1	48V	24.5	2500	3.82	85	60
BLDC1.05-100	1.05	36V	34.3	2000	5.01	85	60
BLDC1.13-101	1.13	36V	36.9	1800	5.97	85	60
BLDC1.2-100	1.2	36V	39.2	2270	5.05	84	80
BLDC1.3-100	1.3	48V	31.8	3000	4.13	85	60
BLDC1.4-100	1.4	60V	27.5	2600	5.14	85	60
BLDC1.5-100	1.5	24V	73.5	2590	5.53	85	61
BLDC2-100	2	24V	98	3360	5.68	84.5	61.5
BLDC2.5-100	2.5	24V	122.5	3350	7.13	84.7	61.5
BLDC3-100	3	48V	73.5	2650	10.81	92.5	61

Advantages of Brushless DC motor:

- lower maintenance as they have no brushes to wear out
- higher starting torque due to rare earth magnets
- higher efficiency(over 90%)on sub fractional motors
- more compact design
- better heat disipation
- lower noise

For customized DC Motors, please contact our technician, Ordinary, we have to know the following information to get a professional proposal:

- Brushed or Brushless Customer preference
- Output power (W) Horsepower/watts/torque rated at full load speed
- Voltage (V) i.e 12v DC 220v AC
- Motor speed (RPM) Revolutions per minute of the shaft at full load Voltage
- Application e.g. traction, airconditioning, etc.
- Duty Most motors are rated continuous. Some applications however may use motors designed for intermittent duty
- **Configuration/Frame** Our products are according to IEC standard, we also can customize the flange and shaft according to the customer drawing
- Controller function e.g. forward/reverse, variable speed, acceleration profile, etc.

Previous 900W 48V BLDC Motor	Next 48V 1000W Brushless DC Motor

You may like:





48V 1000W IP54 Brushless DC Motor Hall Sensor



DC Motor Manufacturer & Supplier in China Email: info@volcanomotor.com | Tel: 86-18157453060

About Us Products Solutions Contact Us Feedback Search

Copyright © Ningbo volcanic electric co.,LTD