one-stop partner for motors & motor drives designing and manufacturing

Tel: +86-18157453060 | Email: info@volcanomotor.com



Home About Us Products Solutions News FAQ Contact Us Feedback

Home > Products > Motor power-Brushless Motor > 1 HP Brushless DC Motor



# 220V 750W 3000RPM 6P Brushless DC Motor

Model Number:	VOL-BL075B220			
Туре:	Brushless DC Motor			
Output Power:	750W			
DC Voltage:	220V			
Speed Range:	3000 RPM			
Poles:	6P			

Detailed information

Brand Name:	Volcano Electric	Model Number:	VOL-BL075B220	Type:	Brushless DC Motor	
Output Power:	750W	DC Voltage:	220V	Speed Range:	3000 RPM	
Controller:	Customized, Optional	Braker:	Optional	Insulation Class:	Class F	
Enclosure:	IP54	Poles:	6P	Wire:	100% copper Coil	
Current:	4.4 A	Sensor:	Hall sensor	Certification:	CE,UL,ROHS	
Housing:	Aluminum frame	Efficiency:	up to 92%			
Duty:	S1	Place of Origin:	Zhejiang, China (Mainland)	Standard:	IEC / Custom	
Application:	Boat, Car, Sightseeing cars,	Home Appliance, O	il Pump, Vehicle, Other			

# **Product Description**

Volcano Electric provide customized motor as you want. Different controller model and gearboxes are also options. Our Brushless DC Motor is widely used in automation equipment such as Copier, Printing machinery, Packing machine, Grinding machine, Tool, Milling machine, Medical apparatus, Sightseeing cars, etc.

Input voltage is 220Vac and the rated output power is 750W. Standard shaft diameter is 12mm, out frame size length is 172mm, width 115mm.


We insist that quality and honesty come first. Waiting for you and feel free to contact our team at info@volcanomotor.com for any technical support.

#### **Motor construction**

Motor type	VOL-BL075B220

Output power	750W
Output speed	3000RPM
Output torque	2.39N.m
Max torque	4.78N.m
Current	4.4A
Voltage	220V
Insulation class	Class F

#### Configuration



#### \*CAN MAKE ACCORDING TO YOUR REQUIRMENT

#### **Brushless motor list**

Motor type	Output	Voltage	Load	Speed	Rated Torque	Poles	Efficiency	Noise
	KW	V	Α	RPM	N.m		%	dB
VOL-BL075B220	0.75	220	4.4	3000	2.39	8	92	62
VOL-BL090C24	0.9	24	44.6	2600	3.31	8	84	60
VOL-BL100C48	1	48	24.5	2500	3.82	8	85	60
VOL-BL120C24	1.2	24	63.3	4200	2.73	8	79	60
VOL-BL120C36	1.2	36	39.7	2270	5.05	8	84	60
VOL-BL125C24	1.25	24	62	3200	3.73	8	84	60
VOL-BL130C36	1.3	36	40.12	3200	3.88	8	90	60
VOL-BL150C24	1.5	24	73.5	2590	5.53	8	85	61
VOL-BL150C72	1.5	72	23.5	3200	4.48	8	89	61
VOL-BL200C24	2	24	98.6	3360	5.68	8	84.5	61.5
VOL-BL250C24	2.5	24	123	3350	7.13	8	84.7	61.5

## Advantages of Brushless DC motor:

- Lower Maintainance and longer lifetime no brush and commutator erosion
- Lower noise the elimination of brush contact

- Higher power to weight ratio
- Higher efficiency (in general higher than 90%)
- Lower temperature rise more efficient heat dissipation due to winding construction


For customized DC Motors, please contact our technician, Ordinary, we have to know the following information to get a professional proposal:

- Brushed or Brushless Customer preference
- Output power (W) Horsepower/watts/torque rated at full load speed
- Voltage (V) i.e 12v DC ...... 220v AC
- Motor speed (RPM) Revolutions per minute of the shaft at full load Voltage
- Application e.g. traction, airconditioning, etc.
- Duty Most motors are rated continuous. Some applications however may use motors designed for intermittent duty
- Configuration/Frame Our products are according to IEC standard, we also can customize the flange and shaft according to the customer drawing
- **Controller function** e.g. forward/reverse, variable speed, acceleration profile, etc.


Previous 2HP 24V 3500RPM Hall Sensor Brushless DC Motor

Next 380Vac 3HP PMSM Motors

### You may like:







DC Motor Manufacturer & Supplier in China Email: info@volcanomotor.com | Tel: 86-18157453060

About Us Products Solutions Contact Us Feedback Search

Copyright © Ningbo volcanic electric co.,LTD