Tel: +86-18157453060 | Email: info@volcanomotor.com


one-stop partner for motors & motor drives designing and manufacturing



Home About Us Products Solutions News FAQ Contact Us Feedback

Home > Products > Motor power-Brushless Motor > 1 HP Brushless DC Motor





48V 1000W IP54 Brushless DC Motor Hall Sensor

Model Number:	VOL-BL100C48
Туре:	Brushless DC Motor
Output Power:	1KW
DC Voltage:	48V
Speed Range:	2500 RPM
Poles:	4P, 6P, 8P

Detailed information

Brand Name:	Volcano Electric	Model Number:	VOL-BL100C48 Type:		Brushless DC Motor			
Output Power:	1000w	DC Voltage:	48V	Speed Range:	2500 RPM			
Controller:	Customized, Optional	Braker:	Optional	Insulation Class:	Class B/F/H			
Enclosure:	IP44 / IP54	Poles:	4P, 6P, 8P	Wire:	100% copper			
Housing:	Aluminum	Efficiency:	up to 85%					
Duty:	S1 (continuous)	Place of Origin:	Zhejiang, China (Mainland)	Standard:	IEC standard or NEMA standard			
Application:	E bike, Boat, Car, EV, Fan, Home Appliance, Traction Motor, Pump, bus A/C systems ,Other							


Product Description


Volcano electric is specialized in manufacturing BLDC Motor, we make BLDC motor under different voltage, covered from 12V up to 380VDC. Our featured product is among voltage 48V. They applied for different industry work, solar system, air condition, pumps and traction etc.

This volcano bldc motor with specification of 48V, 1000W, 2500RPM, IP54, duty continues, can run clockwise and counter clockwise, with hall sensor gross weight is round 8.5kg. This motor operated in a E bike with a controller.

If you have interesting for this motor, please feel free to contact us by info@volcanomotor.com

Configuration





*CAN MAKE ACCORDING TO YOUR REQUIRMENT

Brushless motor list

Motor type	Output	Voltage	Load	Speed	Rated Torque	Poles	Efficiency	Noise
	KW	V	A	RPM	N.m		%	dB
VOL-BL040C76	0.4	76	6.8	2000	1.91	8	89	62
VOL-BL090C24	0.9	24	44.6	2600	3.31	8	84	60
VOL-BL100C48	1	48	26.9	2500	3.82	8	85	60
VOL-BL120C24	1.2	24	63.3	4200	2.73	8	79	60
VOL-BL120C36	1.2	36	39.7	2270	5.05	8	84	60
VOL-BL125C24	1.25	24	62	3200	3.73	8	84	60
VOL-BL130C36	1.3	36	40.12	3200	3.88	8	90	60
VOL-BL150C24	1.5	24	73.5	2590	5.53	8	85	61
VOL-BL150C310	1.5	310	6.2	3500	4.09	8	89	61
VOL-BL200C24	2	24	98.6	3360	5.68	8	84.5	61.5
VOL-BL250C24	2.5	24	123	3350	7.13	8	84.7	61.5

Advantages of Brushless DC motor:

- Lower Maintainance and longer lifetime no brush and commutator erosion
- Lower noise the elimination of brush contact
- Higher power to weight ratio
- Higher efficiency (in general higher than 90%)
- Lower temperature rise more efficient heat dissipation due to winding construction
- Reduction of EMI

For customized DC Motors, please contact our technician, Ordinary, we have to know the following information to get a professional proposal:

- Brushed or Brushless Customer preference
- Output power (W) Horsepower/watts/torque rated at full load speed
- Voltage (V) i.e 12v DC 220v AC
- Motor speed (RPM) Revolutions per minute of the shaft at full load Voltage
- Application e.g. traction, airconditioning, etc.
- Duty Most motors are rated continuous. Some applications however may use motors designed for intermittent duty
- Configuration/Frame Our products are according to IEC standard, we also can customize the flange and shaft according to the customer drawing
- Controller function e.g. forward/reverse, variable speed, acceleration profile, etc.

Previous 48V 4100W High Power NEMA Frame BLDC Motor


Next 310VDC 1500W 3500RPM BLDC Motor

You may like:





24V Brushless DC Motor 3000rpm for Vehicle



DC Motor Manufacturer & Supplier in China Email: info@volcanomotor.com | Tel: 86-18157453060

About Us Products Solutions Contact Us Feedback Search

Copyright © Ningbo volcanic electric co.,LTD