



Home > Products > Motor power-Brushless Motor > 1/2 HP Brushless DC Motor



350W 24V Electric Brushless DC Motor

Model Number:	BLDC0.47-76
Type:	Brushless DC Motor
Output Power:	0.47HP
DC Voltage:	24V
Speed Range:	1950rpm
Poles:	4P, 6P, 8P...





Detailed information

Brand Name:	Volcano Electric	Model Number:	BLDC0.47-76	Type:	Brushless DC Motor
Output Power:	0.47 HP (350W)	DC Voltage:	24V	Speed Range:	1950 RPM
Controller:	Customized, Optional	Braker:	Optional	Insulation Class:	Class B/F/H
Enclosure:	IP44 / IP54 / IP65	Poles:	4P, 6P, 8P...	Wire:	100% copper
Housing:	Aluminum	Efficiency:	IE 4.0		
Duty:	S1 (continuous)	Place of Origin:	Zhejiang, China (Mainland)	Standard:	IEC standard or NEMA standard
Application:	Brushless pump, Medical equipment, Car, Electric Bicycle, bus A/C systems				

Product Description

350W electric brushless motor can be designed to operate in a voltage range from 24V to 380V DC, its outer diameter is 80mm. It can offer long life and need no maintenance while compare to the brushed dc motor.

Configuration



Model	Power Kw	Voltage V	Current A	Speed RPM	Nominal torque N.m	Productive needs %	Noise dB
BLDC0.26-76	0.2	48V	4.9	850	2.24	85	60
BLDC0.3-76	0.24	24V	11.8	1600	1.43	84	60
BLDC0.3-76	0.24	48V	5.9	2000	1.15	85	60
BLDC0.4-76	0.3	36V	9.8	2000	1.43	85	60
BLDC0.4-76	0.3	48V	7	2000	1.43	85	60
BLDC0.47-76	0.35	24V	7.4	1950	1.71	85	60
BLDC0.5-90	0.37	24V	18.1	3500	1	85	60
BLDC0.5-90	0.37	24V	18.1	1600	2.23	85	60
BLDC0.55-90	0.37	250V	1.7	1200	2.94	85	60
BLDC0.6-90	0.45	300V	1.8	1500	1.27	84	80
BLDC0.65-90	0.48	48V	11.8	3650	1.26	85	61
BLDC0.75-90	0.56	36V	18.3	2000	2.67	84.5	61.5
BLDC0.8-90	0.62	72V	10.1	1550	3.82	84.7	61.5
BLDC0.9-90	0.68	48V	16.7	1650	3.93	92.5	61

***CAN MAKE ACCORDING TO YOUR REQUIRMENT**

Advantages of Brushless DC motor:

- High motion efficiency
- Ability to withstand harsh environments
- Increased motor life
- High acceleration
- High power/weight ratios
- Autoclavability (available in slotted designs)

For customized DC Motors, please contact our technician, Ordinary, we have to know the following information to get a professional proposal:

- **Brushed or Brushless** Customer preference
- **Output power (W)** Horsepower/watts/torque rated at full load speed
- **Voltage (V)** i.e 12v DC 220v AC
- **Motor speed (RPM)** Revolutions per minute of the shaft at full load Voltage
- **Application** e.g. traction, airconditioning, etc.
- **Duty** Most motors are rated continuous. Some applications however may use motors designed for intermittent duty
- **Configuration/Frame** Our products are according to IEC standard, we also can customize the flange and shaft according to the customer drawing
- **Controller function** e.g. forward/reverse, variable speed, acceleration profile, etc.

You may like:

				
Hall Sensor BLDC Motor 370W 12V For EV Application	24v 500w Higher Efficiency Hallsensor Bldc Motor	76V 400W 2000RPM IP54 BLDC Motor	12V 1000W 1500RPM BLDC Motor With Hall Sensor	Sensored 12v 0.5hp 3000rpm Bldc Motor

			
12v 600w 1800rpm Brushless Dc Motor With Hall Sensors	Customized 700W 24V Brushless DC Motor	1500RPM 400W 12V High torque Brushless DC Motor	600W 1800RPM 48V DC Brushless Motor



150W Brushless DC Motor
In Textile Machinery