

Introduction to the ToCS App

Kristen Windoloski

February 19, 2025

This vignette provides an introduction to the ToCS graphical user interface (GUI). Here, we describe what the app is, its general layout and common features, and general use advice.

App Description and Purpose

ToCS is designed to be an easy to use computational tool that generates toxicokinetic information based on little chemical data for user-selected compounds. The app is built using the U.S. EPA's high-throughput toxicokinetics (httk) R package (<https://cran.r-project.org/web/packages/httk/index.html>), and provides a format to run many the package's main functions without the need to know R. The interface offers a vast majority of the input parameter customizations that can be made to the httk functions, so users of ToCS can either only provide the basic simulation information needed or do a deep dive into customization of model parameters.

While other GUIs that utilize httk have been created (Integrated Chemical Environment (ICE), <https://ice.ntp.niehs.nih.gov/>), ours is unique in that it

- Calculates the area under the curve (AUC) and time to maximum concentration for all model compartments
- Offers computation of analytical steady state concentrations and oral equivalent doses (OEDs) for all model and other tissue compartments, not just plasma
- Predicts the bioactivity exposure ratio (BER) and plots the OEDs against exposure estimates given user-uploaded chemical exposure data, which can be used to prioritize chemicals for further risk assessment
- Provides estimates of TK parameters not only including half-lives but also total plasma clearances, volumes of distribution, elimination rates, and partition coefficients
- Estimates the number of days it takes for compounds to reach plasma steady state
- Allows for further customization of simulations beyond basic model parameters
- Utilizes the most recent httk version (2.4.0)
- Allows for non-uniform chemical exposure (dosing), which can be beneficial for users interested in food chemicals
- Offers simulations for dog, rabbit, and mouse species in addition to human and rats
- Includes the option to include in silico-generated parameters within httk if in vitro hepatic clearance, fraction unbound in plasma, and/or caco-2 membrane permeability is missing
- Offers the option to convert the nominal bioactive concentration to a free concentration in vitro for IVIVE simulations (recommended)
- Allows the user to declare the desired quantile of predicted OEDs and view all generated OED samples.

The app's interface has 5 main tabs, where the user toggles through them left to right filling out all information on each tab before moving to the next one. The final tab allows the user to submit the parameters to the app and then the app outputs any plots, tables, or download features for the input.

Below, we walk through the interface and features of each tab.

General Parameters Tab

The *General Parameters* tab (shown in the image below) acts as a home page for the GUI. The *Instructions* card reminds the user of the app's basic workflow, where to access the vignettes (GUI examples), and where to report bugs. The *Output* card has the user select the main output of the GUI from one of four output modules:

- Concentration-time profiles
 - Generates ADME time course data, plots concentration curves over time, and provides summary statistics such as time to maximal concentration (Tmax), maximal concentration (Cmax), and area under the curve (AUC) for all model compartments across each chemical
- Steady state concentrations
 - Produces a table and plot of the analytical steady state concentration for the desired concentration and tissue of all selected compounds as well as a table estimating the time (days) it takes to reach steady state behavior for all compounds
- In vitro in vivo extrapolation (IVIVE)
 - Generates a table and plot of OEDs (the external dose needed to produce the internal bioactive concentration) for all simulated chemicals. If the user uploads chemical exposure data, then a table with bioactivity exposure ratios (BERs) and a plot of BERs is produced to suggest chemical prioritization for further risk assessment. Additionally, the exposure estimates will be plotted against the OED estimate or distribution
- Parameter calculations
 - Calculates tables and plots of TK parameters including the half-life, total plasma clearance, elimination rate, volume of distribution, and partition coefficients of the selected chemicals.

The module selected above then determines the available user selections in the remaining tabs as well as the layout of the output in the *Run Simulation* tab. Before moving on to the *Model Specifications* tab, the user must specify the species they wish to simulate (choosing from human, rat, mouse, rabbit, or dog) and whether to substitute human in vitro data if animal in vitro data is not available within htkk (though the animal's physiology will still be used). If the user selects *Human*, then the selection made for the second drop down in the *Species* card will not make a difference, but one must be selected. Once the user has selected options for all three drop down menus, then proceed to the *Model Specifications* tab.

Toxicokinetic Chemical Simulator (ToCS)

General ParametersModel SpecificationsCompound SelectionAdvanced (Optional) ParametersRun Simulation

INSTRUCTIONS

Fill out the prompts on each of the above tabs moving left to right. Then, click the 'Run Simulation' tab to run the simulation or reset all selections.

ToCS provides four toxicokinetic (TK) outputs: 1) Concentration-time profiles, which returns chemical concentrations in bodily compartments over time, 2) Steady state (SS) concentrations, which returns SS concentrations in bodily compartments from an oral infusion, 3) In vitro in vivo extrapolation (IVIVE), which returns oral equivalent doses to in vitro bioactive concentrations, 4) Parameter calculations, which returns elimination rates, volumes of distribution, tissue to unbound plasma partition coefficients, half-lives, and total plasma clearances.

This application uses the U.S. EPA's R package 'htkk'. For more information on 'htkk', refer to <https://doi.org/10.18637/jss.v079.i04> and/or <https://cran.r-project.org/web/packages/htkk>

For additional guidance on ToCS, please refer to the vignettes (<https://github.com/KristenWindoloski/ToCS/tree/main/vignettes>). To report issues or suggestions for improvement, visit <https://github.com/KristenWindoloski/ToCS/issues>.

OUTPUT

Select the desired output.

Select

Must not be equal to Select.

SPECIES

Select the species to analyze.

Select

Must not be equal to Select.

Do you want to use human in vitro data if in vitro data for the selected species is missing?

Select

Must not be equal to Select.

The opening interface to the ToCS app.

Model Specifications Tab

This tab (shown in the image below) has different selections depending on the output chosen under the *General Parameters* tab. However, the *Dosing* and *Model* cards will always be present. The *Dosing* card specifies the dosing scenario for the user's simulation, if applicable. The *Model* card has the user select basic model specifications needed to run the model. There are five different models in the first drop down under the *Model* card that may appear:

- 3compartmentss
 - A steady state plasma model describing the rest of body compartment of the 3compartment model resulting from iv dosing
- 1compartment
 - An empirical plasma model with the following compartments: gut lumen and a main absorption compartment
- 3compartment
 - A condensed version of the pbtk model below with the following compartments: gut lumen, gut, liver, and rest of body
- pbtk
 - A physiologically based model with the following compartments: gut lumen, gut, liver, lung, kidney, arterial and venous blood, and rest of body
- fetal_pbtk
 - An extension of the pbtk model to include adipose, thyroid, and placenta compartments as well as an entire fetus model

The rest of body compartment is a collective term lumping all remaining body tissues together.

For a more in depth look at each model, the user should review the httk documentation (<https://cran.r-project.org/web/packages/httk/index.html>) and related publication (<https://www.jstatsoft.org/article/view/v079i04>). Also always appearing under the *Model* card is the option for the user to include in silico generated parameters (hepatic clearance, fraction unbound in plasma, and caco-2 permeability) for compounds with missing in vitro data. The available in silico parameters come from Sipes2017, Pradeep2020, Dawson2021, and Honda2023 data sets in httk. The user can find more information about the origin and methods of these datasets by reviewing the httk documentation. If the user selects Yes for this drop down, then an increased number of compounds will become available to simulate. The in silico parameters will not override any in vitro parameters.

Once all selections have been made for this tab, move on to the *Compound Selection* tab.

Toxicokinetic Chemical Simulator (ToCS)

General Parameters

Model Specifications

Compound Selection

Advanced (Optional) Parameters

Run Simulation

DOSING

Select the administration method of the compound(s).

oral

Select the units of the administered dose(s).

mg/kg

Select the dosing frequency.

Select

Must not be equal to Select.

MODEL

Select a model to simulate.

Select

Must not be equal to Select.

Select whether to use in silico generated parameters for compounds with missing in vitro data. These parameters will not overwrite existing in vitro data, and it will expand the number of compounds available.

Select

Must not be equal to Select.

Enter the total simulation time (in days).

10

A sample view of the Model Specifications tab.

Compound Selection Tab

The layout for this tab (shown in the image below) primarily looks the same for all modules and includes two cards that correspond to the user declaring the compounds to simulate. At least one compound **MUST** be selected. The *Preloaded Compounds* card contains a drop down list of chemicals that are already present in htk and have enough data to run the desired simulations. The user will not need to upload any data to simulate compounds that appear in this list. The drop down list is displayed in the format of “CASRN, Compound Name”, and the user can search the list using either chemical identifier (though searching by CASRN is recommended since compounds can have multiple names). To select a compound, just click on it in the drop down list. Multiple compounds may be selected. Note that only a portion of the compound list will be initially visible during scrolling due to the size of the list, but the application will check the entire list if the user searches a chemical identifier.

Toxicokinetic Chemical Simulator (ToCS)
General Parameters
Model Specifications
Compound Selection
Advanced (Optional) Parameters
Run Simulation

INSTRUCTIONS

You must choose at least one compound from the preloaded compounds, upload a CSV file with data for at least one compound not included in the preloaded compounds, or both.

Below is a downloadable folder containing information on upload file formatting if compounds to be analyzed are not included in the preloaded compounds list. The uploaded file must be formatted exactly how the 'SampleCSV' file is structured (keeping columns even if there is no data). The header descriptions of the CSV and the minimal data inputs required for the CSV are in the 'DataDescriptions' and 'RequiredData' PDFs, respectively.

[Uploaded Compound File Folder](#)

PRELOADED COMPOUNDS

Select any preloaded compounds. Search through the list by clicking on the box and scrolling or typing in a name. The list may not show all available compounds. Click on a compound to select it. You may select multiple.

94-75-7, 2,4-d
94-82-6, 2,4-db
90-43-7, 2-phenylphenol
1007-28-9, 6-desisopropylatrazine
71751-41-2, Abamectin
30560-19-1, Acephate
135410-20-7, Acetamiprid

UPLOADED COMPOUNDS

Upload a CSV file of data for compounds not in the preloaded list (if desired). See the 'Instructions' panel to the left for directions on file formatting requirements.

Browse...
No file selected

A sample view of the Compound Selection tab.

In the *Uploaded Compounds* card, users may upload chemicals that are not available from the drop down menu in the *Preloaded Compounds* card by clicking the *Browse* button and selecting a CSV file. To do so, users should follow the instructions under the *Instructions* card and download the *Uploaded Compounds File Folder*. This folder contains three files. Users should review all three files to ensure they are able to successfully upload new chemicals. The main file, called SampleCSV.csv, contains the exact file format the user needs to upload new chemicals. Columns of the csv file must have these exact names and be in this exact order. It is strongly recommended that users copy the SampleCSV file into a new spreadsheet and replace the sample chemical information with their chemical information. See the sample csv file to upload below.

Compound	CAS	CAS.Checksum	DTXSID	Formula	All.Compound.Names	logHenry	logHenry.Refe
Chem1	111-11-2	NA	DTX1	NA	NA	NA	NA
Chem2	222-22-0	NA	DTX2	NA	NA	NA	NA
Chem3	333-33-5	NA	DTX3	NA	NA	NA	NA

While not all columns of the csv file must contain data, the following columns **MUST** have data for all uploaded chemicals no matter the output module being run:

- Compound (compound name, a chemical identifier)
- CAS (Chemical abstracts service registry number (CASRN), a chemical identifier)
- DTXSID (DSSTox substance identifier, a chemical identifier)
- logP (log10 octanol:water partition coefficient, log10 unitless fraction)
- MW (molecular weight, g/mol)
- Clint (intrinsic hepatic clearance, uL/min/10⁶ hepatocytes)
- Funbound.plasma (fraction unbound in presence of plasma proteins, unitless fraction)

This information can be found in the *RequiredData.pdf* file in the *Uploaded Compounds File Folder*. All definitions of the columns in the SampleCSV.csv file can be found in the *DataDescriptions.pdf* in the same folder.

Once the user has either selected compounds under the *Preloaded Compounds* card or uploaded compounds under the *Uploaded Compounds* card (or both!), they may proceed to the next tab, *Advanced (Optional) Parameters*, if they desire OR they may skip to the *Run Simulation* tab. Let's say for this example that we are not going to simulate the chemicals in the SampleCSV.csv, so we omit its upload and the *Compound Selection* tab should look like the image below.

The screenshot shows the 'Toxicokinetic Chemical Simulator (ToCS)' interface with the 'Compound Selection' tab active. The interface is divided into three main panels:

- INSTRUCTIONS:** Contains text about file formatting and a link to the 'Uploaded Compound File Folder'.
- PRELOADED COMPOUNDS:** A list of three compounds: '90-43-7, 2-phenylphenol', '71751-41-2, Abamectin', and '5234-68-4, Carboxin'. Each compound name is highlighted with a light blue background.
- UPLOADED COMPOUNDS:** A section for uploading a CSV file. It includes a 'Browse...' button and a 'No file selected' status.

A second sample view of the Compound Selection tab once all compounds are chosen for simulation.

Advanced (Optional) Parameters Tab

Users may customize any available drop downs, sliders, or text boxes on this tab OR they may skip customizing these options entirely and the app will keep all options at their default values. The options available on this page will be different depending on which output module is chosen, but the layout will always

include *Model Conditions*, *Model Solver*, *Bioavailability* and *Output Specification* cards. The user should customize any desired selections and then proceed to the *Run Simulation* tab.

The screenshot shows the 'Advanced (Optional) Parameters' tab of the 'Toxicokinetic Chemical Simulator (ToCS)'. The interface is organized into four vertical panels:

- MODEL CONDITIONS:** Includes a question about changing initial compound amounts (with a 'No, keep the default amounts (default)' button), a dropdown to select whether to recalculate chemical concentration (set to 'Do not recalculate (default)'), an input field for minimum acceptable chemical fraction unbound (set to '0.0001'), a dropdown for protein binding (set to 'Yes, include protein binding (default)'), and a dropdown for adjusting chemical fraction unbound (set to 'Do not adjust (default)').
- MODEL SOLVER:** Features a dropdown for the ODE solver method (set to 'lsoda'), an input field for time steps per hour (set to '4'), a slider for relative tolerance (set to '-8'), and a slider for absolute tolerance (set to '-12').
- BIOAVAILABILITY:** Contains an input field for Caco-2 permeability (set to '1.6'), a dropdown for F_abs (set to 'Use the Caco2.Pab value selected above (default)'), a dropdown for F_gut (set to 'Use the Caco2.Pab value selected above (default)'), and a dropdown for in vivo data (set to 'Do not overwrite in vivo values').
- OUTPUT SPECIFICATION:** Includes a text input field for output times (days).

A sample view of the Advanced Parameters tab.

Run Simulation Tab

This is the final tab and the one where the user gets to view the output of their simulation. Below is a sample initial view of the tab before the user runs the simulation. The user should see all of their selected chemicals under the *Selected Compounds* card. If there are chemicals missing, return to the *Compound Selection* tab and select the missing chemicals. The newly selected chemicals should now appear under the *Run Simulation* tab. When the user is ready to run the simulation, press the *Run Simulation* button under the *Actions* tab. Depending on the module chosen and the number of chemicals selected, the results may take a few seconds to generate. When they appear, they populate the *Results* card. For this example, the first drop down labeled *Multi-Curve Time Course Plot*, as shown in the image below, is automatically opened and the user can view the result once the simulation is finished.

Toxicokinetic Chemical Simulator (ToCS)
General Parameters
Model Specifications
Compound Selection
Advanced (Optional) Parameters
Run Simulation

ACTIONS

Click on the "Run Simulation" button when all information has been entered.

Run Simulation

Click on the button below to reset your session. This will clear all selections and any uploaded data, and is recommended to be done every time a new simulation is run.

Reset Session

SELECTED COMPOUNDS

Selected Compounds

2-phenylphenol

Abamectin

Carboxin

RESULTS

Multi-Curve Time Course Plot

Individual Time Course Plots


Time Course Data

TK Summary Data

A sample view of the Run Simulation tab prior to simulation results being generated.

The remaining drop downs will be automatically closed. The user can open and close each drop down using the arrow on the side of each drop down. For this particular example, there are four main outputs (drop downs) that result from the simulation. The *Results* card will look different depending on which output module is originally selected, but each drop down menu will offer a *download* button for the user to download the output.

Also in the *Run Simulation* tab is a *Reset Session* button under the *Actions* card. It is highly recommended to click the *Reset Session* button if the user wants to adapt any input selections and then run a new simulation. This will help the user avoid errors.



A second sample view of the Run Simulation tab with all output tabs closed.

Getting Help

The vignettes provided are intended to be user guides on how to run the GUI. It is strongly recommended to consult them before running a simulation. Each remaining vignette works through several examples for each output module. To view the vignettes prior to ToCS being available on CRAN or when using the online application, visit the GitHub page (github.com/KristenWindoloski/ToCS/tree/main/vignettes) and click any of the PDF vignette files. Once the ToCS package is available in CRAN, type

```
vignette(package = "ToCS")
```

into the R console to view the vignettes in R or RStudio or visit the ToCS CRAN page.

If a user runs into an error, either gray or red text will appear under the *Compound Selection* or *Run Simulation* tabs. If gray error text appears, then the user has typically forgotten to enter a selection or click a button, so the user should follow the instructions of the error statement. If red error text appears, then the user should report the error to the ToCS GitHub page (<https://github.com/KristenWindoloski/ToCS/issues>).