






Mean rewards over clicks study 1
Rewards ± SE
70
65
60
0
1
2
3
4
5
6
7
8
9
10
Click
Condition
safe
risky



Mean rewards over clicks study 2
Rewards ± SE
90
80
70
60
50
0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25
Click
Condition
control
intervention



Mean rewards over clicks replication
Rewards ± SE
70
65
60
0
1
2
3
4
5
6
7
8
9
10
Click
Condition
safe
risky



C
Mean rewa
Rewards ± SE
70
65
60
Conditi
safe
risky
0 1 2 3 4 5 6 7 8 9 10
Click
D
Mean rewards over clicks
Rewards ± SE
90
80
70
60
50
Condition
control
intervent
0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25
Click
E
Mean rewa
Rewards ± SE
70
65
60
Conditi
safe
risky
0 1 2 3 4 5 6 7 8 9 10
Click



Proportion of novel options selected
Study 3
1.00
0.75
0.50
0.25
P(novel)
safe
risky
Condition



Nervousness
Study 3
100
75
50
25
0
Nervousness
safe
risky
Condition



Predicting P(novel)
Study 3
nervousness
condition (safe/risky)
prev. reward
nervousness * condition
nervousness* prev. reward
−2
−1
0
1
β −Coefficients with 95%HDI



Nervousness
Study 2
Nervousness ± SE
50
40
30
20
Condition
control
intervention
−5
−4
−3
−2
−1
1
2
3
4
5
Block since intervention



Proportion of novel options selected
Study 2
P(novel) ± SE
0.6
0.5
0.4
Condition
control
intervention
−5
−4
−3
−2
−1
1
2
3
4
5
Block since intervention


Effects of nervousness on P(novel)
Study 2
nervousness
condition (interv./control)
prev. reward
nervousness*condition
nervousness * prev.reward
nervousness*time point
intervention
nervousness*intervention
−3
−2
−1
0
1
2
β −Coefficients with 95%HDI



A
Nervousness
Study 2
Nervousness ± SE
50
40
30
20
Condition
control
intervention
−5
−4
−3
−2
−1
1
2
3
4
5
Block since intervention


D
Proportion of novel options selected
Study 3
P(novel)
1.00
0.75
0.50
0.25
safe
risky
Condition



B
Proportion of novel options selected
Study 2
P(novel) ± SE
0.6
0.5
0.4
Condition
control
intervention
−5
−4
−3
−2
−1
1
2
3
4
5
Block since intervention



E
Nervousness
Study 3
Nervousness
100
75
50
25
0
safe
risky
Condition


C



Effects of nervousness on P(novel)
Study 2
nervousness
condition (interv./control)
prev. reward
nervousness*condition
nervousness * prev.reward
nervousness*time point
intervention
nervousness*intervention
−3
−2
−1
0
1
2
β −Coefficients with 95%HDI

F



Predicting P(novel)
Study 3
nervousness
condition (safe/risky)
prev. reward
nervousness * condition
nervousness* prev. reward
−2
−1
0
1
β −Coefficients with 95%HDI


A
Nervousn
Study 2
Nervousness ± SE
50
40
30
Condition
control
intervention
−5 −4 −3 −2 −1 1 2 3 4 5
Block since interve
B
Proporti
Study 2
P(novel) ± SE
0.6
0.5
Condition
control
intervention
−5 −4 −3 −2 −1 1 2 3 4 5
Block since interv
C
Effects
Study 2
nervousness
condition (interv./control)
prev. reward
nervousness*condition
nervousness * prev.reward
nervousness*time point
intervention
nervousness*intervention
−3 −2 −1 0 1 2
β −Coefficients with
D
Proportio
Study 3
P(novel)
1.00
0.75
0.50
0.25
safe risky
Condition
E
Nervous
Study 3
Nervousness
100
75
50
25
0
safe risky
Condition
F
Predicti
Study 3
nervousness
condition (safe/risky)
prev. reward
nervousness * condition
nervousness* prev. reward
−2 −1 0 1
β −Coefficients with



Effects of nervousness on P(novel)
Study 2
nervousness (between)
nervousness (within)
condition (interv./control)
prev. reward
nerv. (between)*prev.reward
nerv. (within)*prev.reward
intervention
nerv. (between)*intervention
nerv. (within)*intervention
−3
−2
−1
0
1
2
β −Coefficients with 95%HDI



Predicting P(novel)
Study 3
nervousness (between)
nervousness (within)
condition (safe/risky)
prev. reward
nerv. (between)*condition
nerv. (within)*condition
nerv. (between)*prev. reward
nerv. (within)*prev. reward
−2
−1
0
1
β −Coefficients with 95%HDI

C


Effects of nervousness on P(novel)
Study 2
nervousness (between)
nervousness (within)
condition (interv./control)
prev. reward
nerv. (between)*prev.reward
nerv. (within)*prev.reward
intervention
nerv. (between)*intervention
nerv. (within)*intervention
−3
−2
−1
0
1
2
β −Coefficients with 95%HDI

F


Predicting P(novel)
Study 3
nervousness (between)
nervousness (within)
condition (safe/risky)
prev. reward
nerv. (between)*condition
nerv. (within)*condition
nerv. (between)*prev. reward
nerv. (within)*prev. reward
−2
−1
0
1
β −Coefficients with 95%HDI


A
Nervousn
Study 2
Nervousness ± SE
50
40
30
Condition
control
intervention
−5 −4 −3 −2 −1 1 2 3 4 5
Block since interve
B
Proporti
Study 2
P(novel) ± SE
0.6
0.5
Condition
control
intervention
−5 −4 −3 −2 −1 1 2 3 4 5
Block since interv
C
Effects
Study 2
nervousness (between)
nervousness (within)
condition (interv./control)
prev. reward
nerv. (between)*prev.reward
nerv. (within)*prev.reward
intervention
nerv. (between)*intervention
nerv. (within)*intervention
−3 −2 −1 0 1 2
β −Coefficients wit
D
Proportio
Study 3
P(novel)
1.00
0.75
0.50
0.25
safe risky
Condition
E
Nervous
Study 3
Nervousness
100
75
50
25
0
safe risky
Condition
F
Predic
Study 3
nervousness (between)
nervousness (within)
condition (safe/risky)
prev. reward
nerv. (between)*condition
nerv. (within)*condition
nerv. (between)*prev. reward
nerv. (within)*prev. reward
−2 −1 0 1
β −Coefficients wit