

# LINUX COMPLETE GUIDE – All Commands + All (-) Flags

Is PDF me Linux ke saare important commands aur unke saath use hone wale (-) flags ka matlab aur kyu use hote hain – DevOps + Server + Interview ready.

- **ls**  
Matlab: Files/folders list karta hai  
Kyu use hota hai: Directory ke andar kya hai dekhne ke liye  
Common (-) Flags: -l (detail), -a (hidden), -h (human), -R (recursive), -t (time sort), -S (size sort)
- **cd**  
Matlab: Directory change karta hai  
Kyu use hota hai: Folder navigation ke liye  
Common (-) Flags: No flags commonly used
- **pwd**  
Matlab: Current path dikhata hai  
Kyu use hota hai: Pata karne ke liye abhi kaha ho  
Common (-) Flags: No flags
- **mkdir**  
Matlab: Folder banata hai  
Kyu use hota hai: Project/config folder create karne ke liye  
Common (-) Flags: -p (parent), -v (verbose)
- **rm**  
Matlab: File/folder delete  
Kyu use hota hai: Cleanup aur unwanted files hatane ke liye  
Common (-) Flags: -r (recursive), -f (force), -i (confirm)
- **cp**  
Matlab: File/folder copy  
Kyu use hota hai: Backup ya move ke liye  
Common (-) Flags: -r (directory), -f (force), -i (confirm), -v (verbose)
- **mv**  
Matlab: Move/Rename  
Kyu use hota hai: Rename ya location change  
Common (-) Flags: -f (force), -i (confirm), -v (verbose)
- **cat**  
Matlab: File content show  
Kyu use hota hai: Small config files dekhne ke liye  
Common (-) Flags: -n (line number)
- **less**  
Matlab: Scrollable view  
Kyu use hota hai: Large logs read karne ke liye  
Common (-) Flags: -N (line number)
- **head**  
Matlab: Starting lines  
Kyu use hota hai: File ka start check karne ke liye  
Common (-) Flags: -n (lines)
- **tail**  
Matlab: Last lines  
Kyu use hota hai: Latest logs dekhne ke liye  
Common (-) Flags: -n (lines), -f (follow)
- **grep**  
Matlab: Text search  
Kyu use hota hai: Error/keyword find karne ke liye  
Common (-) Flags: -i (ignore case), -n (line), -r (recursive), -v (not match), -w (word)
- **find**  
Matlab: File search  
Kyu use hota hai: Unknown location file dhoondhne ke liye  
Common (-) Flags: -name, -type f/d, -mtime, -size
- **chmod**  
Matlab: Permission change  
Kyu use hota hai: Execute/read/write control  
Common (-) Flags: -R (recursive), +x (execute)
- **chown**  
Matlab: Owner change

Kyu use hota hai: User/group ownership fix  
Common (-) Flags: -R (recursive)

- **ps**  
Matlab: Running process  
Kyu use hota hai: Service/process check  
Common (-) Flags: -ef (all), aux (detailed)
- **kill**  
Matlab: Process stop  
Kyu use hota hai: Hung process band karne ke liye  
Common (-) Flags: -9 (force), -15 (graceful)
- **df**  
Matlab: Disk usage  
Kyu use hota hai: Disk full issue check  
Common (-) Flags: -h (human)
- **du**  
Matlab: Folder size  
Kyu use hota hai: Heavy folder identify  
Common (-) Flags: -sh (summary)
- **free**  
Matlab: RAM usage  
Kyu use hota hai: Memory issue debug  
Common (-) Flags: -h (human)
- **top/htop**  
Matlab: Live system usage  
Kyu use hota hai: CPU/RAM monitoring  
Common (-) Flags: No flags
- **systemctl**  
Matlab: Service control  
Kyu use hota hai: Service start/stop/status  
Common (-) Flags: start, stop, restart, status, enable
- **netstat**  
Matlab: Ports & network  
Kyu use hota hai: Port conflict/debug  
Common (-) Flags: -t (tcp), -u (udp), -l (listen), -n (numeric), -p (process)
- **ss**  
Matlab: Modern netstat  
Kyu use hota hai: Fast port check  
Common (-) Flags: -tulnp
- **ssh**  
Matlab: Remote login  
Kyu use hota hai: Server access  
Common (-) Flags: -i (key file)
- **scp**  
Matlab: Remote copy  
Kyu use hota hai: Server file transfer  
Common (-) Flags: -r (directory)
- **tar**  
Matlab: Archive  
Kyu use hota hai: Backup/compress  
Common (-) Flags: -c (create), -x (extract), -v (verbose), -f (file), -z (gzip)
- **docker ps**  
Matlab: Containers list  
Kyu use hota hai: Running container check  
Common (-) Flags: -a (all), -q (ids)
- **docker logs**  
Matlab: Container logs  
Kyu use hota hai: App debugging  
Common (-) Flags: -f (follow)
- **docker run**  
Matlab: Container start  
Kyu use hota hai: App run  
Common (-) Flags: -d (detach), -p (port), -v (volume), -it (interactive)

- **docker rm**  
Matlab: Container delete  
Kyu use hota hai: Cleanup  
Common (-) Flags: -f (force)
- **docker rmi**  
Matlab: Image delete  
Kyu use hota hai: Disk cleanup  
Common (-) Flags: -f (force)
- **docker compose up**  
Matlab: Services start  
Kyu use hota hai: Full app deploy  
Common (-) Flags: -d (background)