


Q		
	Dote	0.
	Page)
->	Worlds alls that are not suitable?	1
	Operational Waybloods COLTP)	/
2	High prequency reads and conites.	
5	high prequency needs and conites. heigh Volums of single vow insort.	/
-		/
	Data Bregarations	
	heaptille Jegusts (X or i)	/
-		/
- 5		
-	Workloads that are Suitable? Analytical:	_
4	Star derge almost	_
4		_
~ <u>ə</u>	Slope, model transform and aggregate date.	_
2	batch Hiere-butch loads- 11	_
2)	Ad her reporting across dange clastonel	
2	Ad hor reporting access large dute values.	
<u> </u>	Madern Dater Warehouse.	
	on- premise date) Ingest Draile	
	Oracle, Sa, Touche, and a purich	
	cloud Date Rue Awar Dos Jours	
Oak	Date Cate Plan	
	Arus your bill fallery fallers. Det bl	_
	Saas date trune par	-
100	efcofrere, Dysonia (7B	-
	gree lose lake Darage.	*



B Integrated platform services don Exculively, and itoring and willaster =1 Connected Straices - Azure Date Catalog · Azore Dates hake Barrage Azme Data Phona Azwe Holmsight.
Azwe Hathine hearing
Power Bl

3rd Party Integration.