

## Tables (8)

| Name              | Type    | Schema                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>attendance</b> |         | CREATE TABLE attendance ( id INTEGER NOT NULL, date DATE, start_time TIME, end_time TIME, course_code VARCHAR, session_type VARCHAR, section_batch VARCHAR, student_id VARCHAR, status VARCHAR, teacher_id INTEGER, sms_sent BOOLEAN, sms_sent_at TIME, PRIMARY KEY (id), FOREIGN KEY(course_code) REFERENCES courses (code), FOREIGN KEY(student_id) REFERENCES students (student_id), FOREIGN KEY(teacher_id) REFERENCES users (id) ) |
| id                | INTEGER | "id" INTEGER NOT NULL                                                                                                                                                                                                                                                                                                                                                                                                                   |
| date              | DATE    | "date" DATE                                                                                                                                                                                                                                                                                                                                                                                                                             |
| start_time        | TIME    | "start_time" TIME                                                                                                                                                                                                                                                                                                                                                                                                                       |
| end_time          | TIME    | "end_time" TIME                                                                                                                                                                                                                                                                                                                                                                                                                         |
| course_code       | VARCHAR | "course_code" VARCHAR                                                                                                                                                                                                                                                                                                                                                                                                                   |
| session_type      | VARCHAR | "session_type" VARCHAR                                                                                                                                                                                                                                                                                                                                                                                                                  |
| section_batch     | VARCHAR | "section_batch" VARCHAR                                                                                                                                                                                                                                                                                                                                                                                                                 |
| student_id        | VARCHAR | "student_id" VARCHAR                                                                                                                                                                                                                                                                                                                                                                                                                    |
| status            | VARCHAR | "status" VARCHAR                                                                                                                                                                                                                                                                                                                                                                                                                        |
| teacher_id        | INTEGER | "teacher_id" INTEGER                                                                                                                                                                                                                                                                                                                                                                                                                    |
| sms_sent          | BOOLEAN | "sms_sent" BOOLEAN                                                                                                                                                                                                                                                                                                                                                                                                                      |
| sms_sent_at       | TIME    | "sms_sent_at" TIME                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>courses</b>    |         | CREATE TABLE courses ( code VARCHAR NOT NULL, title VARCHAR, year INTEGER, semester INTEGER, credits VARCHAR, has_theory BOOLEAN, has_practical BOOLEAN,                                                                                                                                                                                                                                                                                |

| Name                 | Type    | Schema                                                                                                                                                                                                                                               |
|----------------------|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                      |         | PRIMARY KEY (code) )                                                                                                                                                                                                                                 |
| code                 | VARCHAR | "code" VARCHAR NOT NULL                                                                                                                                                                                                                              |
| title                | VARCHAR | "title" VARCHAR                                                                                                                                                                                                                                      |
| year                 | INTEGER | "year" INTEGER                                                                                                                                                                                                                                       |
| semester             | INTEGER | "semester" INTEGER                                                                                                                                                                                                                                   |
| credits              | VARCHAR | "credits" VARCHAR                                                                                                                                                                                                                                    |
| has_theory           | BOOLEAN | "has_theory" BOOLEAN                                                                                                                                                                                                                                 |
| has_practical        | BOOLEAN | "has_practical" BOOLEAN                                                                                                                                                                                                                              |
| <b>sms_sent</b>      |         | CREATE TABLE sms_sent ( id<br>INTEGER NOT NULL,<br>attendance_id INTEGER,<br>parent_mobile VARCHAR,<br>message TEXT, sent_at TIME,<br>status VARCHAR, cost FLOAT,<br>PRIMARY KEY (id), FOREIGN<br>KEY(attendance_id) REFERENCES<br>attendance (id) ) |
| id                   | INTEGER | "id" INTEGER NOT NULL                                                                                                                                                                                                                                |
| attendance_id        | INTEGER | "attendance_id" INTEGER                                                                                                                                                                                                                              |
| parent_mobile        | VARCHAR | "parent_mobile" VARCHAR                                                                                                                                                                                                                              |
| message              | TEXT    | "message" TEXT                                                                                                                                                                                                                                       |
| sent_at              | TIME    | "sent_at" TIME                                                                                                                                                                                                                                       |
| status               | VARCHAR | "status" VARCHAR                                                                                                                                                                                                                                     |
| cost                 | FLOAT   | "cost" FLOAT                                                                                                                                                                                                                                         |
| <b>sms_templates</b> |         | CREATE TABLE sms_templates ( id<br>INTEGER NOT NULL, name<br>VARCHAR, template TEXT,<br>is_active BOOLEAN, PRIMARY<br>KEY (id) )                                                                                                                     |
| id                   | INTEGER | "id" INTEGER NOT NULL                                                                                                                                                                                                                                |
| name                 | VARCHAR | "name" VARCHAR                                                                                                                                                                                                                                       |
| template             | TEXT    | "template" TEXT                                                                                                                                                                                                                                      |
| is_active            | BOOLEAN | "is_active" BOOLEAN                                                                                                                                                                                                                                  |
| <b>students</b>      |         | CREATE TABLE students ( id                                                                                                                                                                                                                           |

| Name                    | Type    | Schema                                                                                                                                                                                                                                             |
|-------------------------|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                         |         | INTEGER NOT NULL, student_id VARCHAR, name VARCHAR, year INTEGER, theory_section VARCHAR, practical_batch VARCHAR, student_mobile VARCHAR, parent_mobile VARCHAR, is_active BOOLEAN, PRIMARY KEY (id) )                                            |
| id                      | INTEGER | "id" INTEGER NOT NULL                                                                                                                                                                                                                              |
| student_id              | VARCHAR | "student_id" VARCHAR                                                                                                                                                                                                                               |
| name                    | VARCHAR | "name" VARCHAR                                                                                                                                                                                                                                     |
| year                    | INTEGER | "year" INTEGER                                                                                                                                                                                                                                     |
| theory_section          | VARCHAR | "theory_section" VARCHAR                                                                                                                                                                                                                           |
| practical_batch         | VARCHAR | "practical_batch" VARCHAR                                                                                                                                                                                                                          |
| student_mobile          | VARCHAR | "student_mobile" VARCHAR                                                                                                                                                                                                                           |
| parent_mobile           | VARCHAR | "parent_mobile" VARCHAR                                                                                                                                                                                                                            |
| is_active               | BOOLEAN | "is_active" BOOLEAN                                                                                                                                                                                                                                |
| <b>teacher_courses</b>  |         | CREATE TABLE teacher_courses ( id INTEGER NOT NULL, teacher_id INTEGER, course_code VARCHAR, section VARCHAR, batch VARCHAR, PRIMARY KEY (id), FOREIGN KEY(teacher_id) REFERENCES users (id), FOREIGN KEY(course_code) REFERENCES courses (code) ) |
| id                      | INTEGER | "id" INTEGER NOT NULL                                                                                                                                                                                                                              |
| teacher_id              | INTEGER | "teacher_id" INTEGER                                                                                                                                                                                                                               |
| course_code             | VARCHAR | "course_code" VARCHAR                                                                                                                                                                                                                              |
| section                 | VARCHAR | "section" VARCHAR                                                                                                                                                                                                                                  |
| batch                   | VARCHAR | "batch" VARCHAR                                                                                                                                                                                                                                    |
| <b>teacher_profiles</b> |         | CREATE TABLE teacher_profiles ( id INTEGER NOT NULL, user_id INTEGER, employee_id VARCHAR, designation VARCHAR,                                                                                                                                    |

| Name            | Type    | Schema                                                                                                                                                                                                                            |
|-----------------|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                 |         | department VARCHAR,<br>qualification VARCHAR,<br>experience VARCHAR,<br>profile_image VARCHAR, is_hod<br>BOOLEAN, PRIMARY KEY (id),<br>UNIQUE (user_id), FOREIGN<br>KEY(user_id) REFERENCES users<br>(id) )                       |
| id              | INTEGER | "id" INTEGER NOT NULL                                                                                                                                                                                                             |
| user_id         | INTEGER | "user_id" INTEGER                                                                                                                                                                                                                 |
| employee_id     | VARCHAR | "employee_id" VARCHAR                                                                                                                                                                                                             |
| designation     | VARCHAR | "designation" VARCHAR                                                                                                                                                                                                             |
| department      | VARCHAR | "department" VARCHAR                                                                                                                                                                                                              |
| qualification   | VARCHAR | "qualification" VARCHAR                                                                                                                                                                                                           |
| experience      | VARCHAR | "experience" VARCHAR                                                                                                                                                                                                              |
| profile_image   | VARCHAR | "profile_image" VARCHAR                                                                                                                                                                                                           |
| is_hod          | BOOLEAN | "is_hod" BOOLEAN                                                                                                                                                                                                                  |
| <b>users</b>    |         | CREATE TABLE users ( id<br>INTEGER NOT NULL, email<br>VARCHAR, teacher_id VARCHAR,<br>name VARCHAR, hashed_password<br>VARCHAR, role VARCHAR, mobile<br>VARCHAR, is_active BOOLEAN,<br>PRIMARY KEY (id), UNIQUE<br>(teacher_id) ) |
| id              | INTEGER | "id" INTEGER NOT NULL                                                                                                                                                                                                             |
| email           | VARCHAR | "email" VARCHAR                                                                                                                                                                                                                   |
| teacher_id      | VARCHAR | "teacher_id" VARCHAR                                                                                                                                                                                                              |
| name            | VARCHAR | "name" VARCHAR                                                                                                                                                                                                                    |
| hashed_password | VARCHAR | "hashed_password" VARCHAR                                                                                                                                                                                                         |
| role            | VARCHAR | "role" VARCHAR                                                                                                                                                                                                                    |
| mobile          | VARCHAR | "mobile" VARCHAR                                                                                                                                                                                                                  |
| is_active       | BOOLEAN | "is_active" BOOLEAN                                                                                                                                                                                                               |

# Indices (10)

| Name                                   | Type | Schema                                                                                |
|----------------------------------------|------|---------------------------------------------------------------------------------------|
| <b>ix_attendance_id</b>                |      | CREATE INDEX ix_attendance_id ON attendance (id)                                      |
| id                                     |      | "id"                                                                                  |
| <b>ix_sms_sent_id</b>                  |      | CREATE INDEX ix_sms_sent_id ON sms_sent (id)                                          |
| id                                     |      | "id"                                                                                  |
| <b>ix_sms_templates_id</b>             |      | CREATE INDEX ix_sms_templates_id ON sms_templates (id)                                |
| id                                     |      | "id"                                                                                  |
| <b>ix_students_id</b>                  |      | CREATE INDEX ix_students_id ON students (id)                                          |
| id                                     |      | "id"                                                                                  |
| <b>ix_students_student_id</b>          |      | CREATE UNIQUE INDEX ix_students_student_id ON students (student_id)                   |
| student_id                             |      | "student_id"                                                                          |
| <b>ix_teacher_courses_id</b>           |      | CREATE INDEX ix_teacher_courses_id ON teacher_courses (id)                            |
| id                                     |      | "id"                                                                                  |
| <b>ix_teacher_profiles_employee_id</b> |      | CREATE UNIQUE INDEX ix_teacher_profiles_employee_id ON teacher_profiles (employee_id) |
| employee_id                            |      | "employee_id"                                                                         |
| <b>ix_teacher_profiles_id</b>          |      | CREATE INDEX ix_teacher_profiles_id ON teacher_profiles (id)                          |
| id                                     |      | "id"                                                                                  |
| <b>ix_users_email</b>                  |      | CREATE UNIQUE INDEX ix_users_email ON users (email)                                   |

| Name               | Type | Schema                                 |
|--------------------|------|----------------------------------------|
| email              |      | "email"                                |
| <b>ix_users_id</b> |      | CREATE INDEX ix_users_id ON users (id) |
| id                 |      | "id"                                   |

## Views (0)

| Name | Type | Schema |
|------|------|--------|
|------|------|--------|

## Triggers (0)

| Name | Type | Schema |
|------|------|--------|
|------|------|--------|