Week 3 MCQ Programming

All students should attempt the questions. Each question carry 1 mark each.

* Indicates required question

1. Email *

kdwinninggal25@gmail.com

2. Name *

kranti dhakal

3. Section *

AI3

Untitled Section

All students should attempt the questions. Each question carry 1 mark each.

4. **1. In Java, Hexadecimal numbers are** * 1 point

Mark only one oval.

- [x] prefixed with 0x
- [ ] prefixed with 0b
- [ ] suffixed with 0x
- [ ] both a and c

5. **2. What is the use of final keyword in Java?** * 1 point

Mark only one oval.

- used to define a keyword
- used to define a reserved keyword
- ✓ used to define a constant
- both a and b

6. **3. Identify the literal in the following example** * 1 point

```
int age ;
age = 10;
```

Mark only one oval.

- age
- int
- ✓ 10
- both a and c

7. **4. What is the significance of variable that is declared as a constant** * 1 point

Mark only one oval.

- ✓ assign a permanent value to the variable
- assign a temporary value to the variable
- assign a value of constant in the variable
- none of the above

8. **5. What will be the output of the following code?** * 1 point

```
class Demo
{
    public static void main(String[] args)
    {
        boolean b = "true";
        System.out.println(b);
    }
}
```

Mark only one oval.

- true
- "true"
- ✓ compile error
- none of the above

9. **6. Which of the following are valid declarations for character literals?** * 1 point

Mark only one oval.

- char ch = a;
- char ch = "a";
- ✓ char ch = 'a';
- char ch = 'a' 'b';

10. **7. What is the Unicode value for character 'A'?** * 1 point

Mark only one oval.

- \u0047
- ✓ \u0041
- /u0047
- \u0065

11. **8. Which of the following is used for float data type?** * 1 point

Mark only one oval.

- float
- f
- F
- ✓ both b and c

12. **9. Which of the following is an identifier in java?** * 1 point

Mark only one oval.

- a primitive data type
- ✓ a variable name
- a non-primitive data type
- all of the above

13. **10. What is the output of the following code?** * 1 point

```
String str = "Hello";
str = "Hello World";
System.out.println(str);
```

Mark only one oval.

- [x] Hello World
- [ ] Hello
- [ ] Hello Hello World
- [ ] Compile error

14. **11. Can a floating point data type store integral values?** * 1 point

Mark only one oval.

- [x] yes
- [ ] no

15. **12. Which of the following statements is correct for data type in Java?** * 1 point

Mark only one oval.

- [ ] data type is the type of data stored in a variable
- [ ] data type can be numeric or non numeric
- [ ] data type should be declared within a variable
- [x] all of the above

16. **13. Which of the following identifiers for variable declarations are invalid?** * 1 point

Mark only one oval.

- ( ) String str_123
- (✓) String 123_str
- ( ) String _123str
- ( ) both a and c

17. **14. What will be the output of the following** * 1 point

```
public class Hello_World
{
   public static void ma in(String[] args)
   {
       System.out.print("Hello");
       System.out.println("World");

   }
}
```

Mark only one oval.

- ( ) Hello World
- ( ) HelloWorld
- (✓) Compile error
- ( ) None of the above

18. **15. What is the default value for long data type?** * 1 point

Mark only one oval.

- 0l
- ✓ 0L
- 0long
- 0LONG

This content is neither created nor endorsed by Google.

Google Forms