

REPORT 638FBC53047F4B00198F2D49

Created	Tue Dec 06 2022 22:04:03 GMT+0000 (Coordinated Universal Time)
Number of analyses	1
User	62b1a8425ec4948f52c83856

REPORT SUMMARY

Analyses ID	Main source file	Detected vulnerabilities
5c6b05eb-cea1-41a8-82f4-c806d074a0d2	CaveDinoStaking.sol	14

Started	Tue Dec 06 2022 22:04:12 GMT+0000 (Coordinated Universal Time)
Finished	Tue Dec 06 2022 22:19:14 GMT+0000 (Coordinated Universal Time)
Mode	Standard
Client Tool	Remythx
Main Source File	CaveDinoStaking.sol

DETECTED VULNERABILITIES

HIGH	MEDIUM	LOW
0	0	14

ISSUES

LOW

A floating pragma is set.

SWC-103

The current pragma Solidity directive is ""^0.8.0"". It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

Source file

CaveDinoStaking.sol

Locations

```
1 | // OpenZeppelin Contracts v4.4.1 (utils/Counters.sol)
2 | // SPDX-License-Identifier:MIT
3 | pragma solidity ^0.8.0;
4 |
5 | /**
```

LOW

A floating pragma is set.

SWC-103

The current pragma Solidity directive is ""^0.8.0"". It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

Source file

CaveDinoStaking.sol

Locations

```
47 | // OpenZeppelin Contracts (last updated v4.6.0) (utils/cryptography/MerkleProof.sol)
48 |
49 | pragma solidity ^0.8.0;
50 |
51 | /**
```

LOW

A floating pragma is set.

SWC-103

The current pragma Solidity directive is `""^0.8.0""`. It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

Source file

CaveDinoStaking.sol

Locations

```
115 | // OpenZeppelin Contracts v4.4.1 (utils/Strings.sol)
116 |
117 | pragma solidity ^0.8.0
118 |
119 | /**
```

LOW

A floating pragma is set.

SWC-103

The current pragma Solidity directive is `""^0.8.0""`. It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

Source file

CaveDinoStaking.sol

Locations

```
185 | // OpenZeppelin Contracts v4.4.1 (utils/Context.sol)
186 |
187 | pragma solidity ^0.8.0
188 |
189 | /**
```

LOW

A floating pragma is set.

SWC-103

The current pragma Solidity directive is `""^0.8.0""`. It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

Source file

CaveDinoStaking.sol

Locations

```
212 | // OpenZeppelin Contracts v4.4.1 (access/Ownable.sol)
213 |
214 | pragma solidity ^0.8.0
215 |
216 |
```

LOW

A floating pragma is set.

SWC-103

The current pragma Solidity directive is `""^0.8.1""`. It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

Source file

CaveDinoStaking.sol

Locations

```
290 | // OpenZeppelin Contracts (last updated v4.5.0) (utils/Address.sol)
291 |
292 | pragma solidity ^0.8.1
293 |
294 | /**
```

LOW

A floating pragma is set.

SWC-103

The current pragma Solidity directive is `""^0.8.0""`. It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

Source file

CaveDinoStaking.sol

Locations

```
515 | // OpenZeppelin Contracts (last updated v4.6.0) (token/ERC721/IERC721Receiver.sol)
516 |
517 | pragma solidity ^0.8.0
518 |
519 | /**
```

LOW

A floating pragma is set.

SWC-103

The current pragma Solidity directive is `""^0.8.0""`. It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

Source file

CaveDinoStaking.sol

Locations

```
545 | // OpenZeppelin Contracts v4.4.1 (utils/introspection/IERC165.sol)
546 |
547 | pragma solidity ^0.8.0
548 |
549 | /**
```

LOW

A floating pragma is set.

SWC-103

The current pragma Solidity directive is `""^0.8.0""`. It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

Source file

CaveDinoStaking.sol

Locations

```
573 | // OpenZeppelin Contracts v4.4.1 (utils/introspection/ERC165.sol)
574 |
575 | pragma solidity ^0.8.0
576 |
577 |
```

LOW

A floating pragma is set.

SWC-103

The current pragma Solidity directive is `""^0.8.0""`. It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

Source file

CaveDinoStaking.sol

Locations

```
604 | // OpenZeppelin Contracts (last updated v4.6.0) (token/ERC721/IERC721.sol)
605 |
606 | pragma solidity ^0.8.0
607 |
608 |
```

LOW

A floating pragma is set.

SWC-103

The current pragma Solidity directive is `""^0.8.0""`. It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

Source file

CaveDinoStaking.sol

Locations

```
749 | // OpenZeppelin Contracts v4.4.1 (token/ERC721/extensions/IERC721Metadata.sol)
750 |
751 | pragma solidity ^0.8.0
752 |
753 |
```

LOW

A floating pragma is set.

SWC-103

The current pragma Solidity directive is `""^0.8.4""`. It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

Source file

CaveDinoStaking.sol

Locations

```
779 | // Creator: Chiru Labs
780 |
781 | pragma solidity ^0.8.4
782 |
783 |
```

LOW

A floating pragma is set.

SWC-103

The current pragma Solidity directive is `""^0.8.4""`. It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

Source file

CaveDinoStaking.sol

Locations

```
890 | // Creator: Chiru Labs
891 |
892 | pragma solidity ^0.8.4
893 |
894 |
```

LOW

A floating pragma is set.

SWC-103

The current pragma Solidity directive is `""^0.8.7""`. It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

Source file

CaveDinoStaking.sol

Locations

```
1501 |
1502 |
1503 | pragma solidity ^0.8.7
1504 |
1505 |
```