

Web Application Penetration Testing Report

Organization: ECLLLLLLL2

Document Timestamp

Version	Issued by	Reviewed by	Issued Date
1.0	Krishna Gupta	Indrakant Chaubey	15-07-2026

Table of Contents

Table of Contents	2
1. Document Control	3
1.1 Document Approvers	3
1.2 Amendment Record	3
2. Executive Summary	4
2.1 Scope of Testing	4
2.2 Milestone	4
2.3 Risk Classification	4
3. Summary of Findings	5
4. Vulnerability Analysis & Findings	6
4.1 Vulnerability Overview	6
4.2 Detailed Findings	7
4.2.1 Misconfigured CSP Header	7
4.2.2 Misconfigured CSP Header	8
5. Web OWASP Top 10	11
6. Appendix	12

1. Document Control

1.1 Document Approvers

The individuals who reviewed, verified and approved the content of this document based on the requirements of the defined services during this document's creation are listed in the table below:

Approver Name	Approver Designation	Date Content was Approved
Derrick Anthony	Manager - Cyber Security	15-07-2026

1.2 Amendment Record

The following Change History log contains a record of changes made to this document.

Version	Issuer	Section / Nature of Change	Published/Revised Date
1.0	Krishna Gupta	Initial VAPT	15-07-2026

2. Executive Summary

2.1 Scope of Testing

The following URLs were in scope and included in this assessment:

Sr. No.	Application Name	Tested URL	Tested Environment	Testing Methodology
1	Application	https://example.com	PROD	BlackBox

2.2 Milestone

Milestone / Deliverable	Date
VAPT Initiation	15-07-2026
VAPT Completion	15-07-2026

2.3 Risk Classification

Critical Risk	These vulnerabilities can allow attackers to take complete control of your web applications and web servers. In exploiting this type of vulnerability, attackers could carry out a range of malicious acts.
High Risk	A High severity vulnerability, which means that on exploiting such vulnerabilities, attackers can view information about your system that helps them find or exploit other vulnerabilities that enable them to access sensitive user and administrator information.
Medium Risk	Potential weakness in controls, which could develop into an exposure. Or issues that represent areas of concern and may impact controls. They should be addressed reasonably promptly.
Low Risk	Potential weaknesses in controls, which in combination with other weaknesses can develop into exposure. Suggested improvements not immediately/directly affecting controls.
Informational Risk	Weaknesses mentioned under these sections are informational and are best practices. Either these weaknesses cannot be exploited directly or are very difficult to exploit due to multiple constraints.

3. Summary of Findings

This section lists and bifurcates the total number of vulnerabilities reported, based on risk level.

The vulnerability assessment and penetration testing were performed on **ECLLLLLLL2** applications. The test revealed **1 Low, 1 Informational** vulnerabilities on the scope items. We recommend implementing the measures suggested for mitigation for each finding to improve the security posture of the affected systems.

Critical	High	Medium	Low	Informational	Total
0	0	0	1	1	2



4. Vulnerability Analysis & Findings

4.1 Vulnerability Overview

Sr. No	Vulnerability	Severity	CWE/CVE	Status
1	Misconfigured CSP Header	Low	CVE-2024-29184	Open
2	Misconfigured CSP Header	Informational	CVE-2024-29184	Open



4.2 Detailed Findings

4.2.1 Misconfigured CSP Header

Severity Level: **Low**

Status: **Open**

CVE/CWE: **CVE-2024-29184**

Description: During the assessment, it was observed that CSP is using unsafe eval and unsafe inline.

Business Impact: Using unsafe-eval and unsafe-inline in CSP lets attackers run harmful scripts easily. This can lead to Cross-Site Scripting (XSS) attacks and steal user data. It weakens browser protections meant to keep the website safe.

Vulnerable URLs: asdfghjklkjhgfdsdghjk

POC1: no sensitive 1

POC2: no sensitive 2

Remediation:

1. Remove 'unsafe-inline' and 'unsafe-eval' from script-src.
2. Use CSP nonce or hashes for inline scripts.
3. Avoid wildcard sources (*) in directives.

Reference: https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html

4.2.2 Misconfigured CSP Header

Severity Level: **Informational**

Status: **Open**

CVE/CWE: **CVE-2024-29184**

Description: During the assessment, it was observed that CSP is using unsafe eval and unsafe inline.

Business Impact: Using unsafe-eval and unsafe-inline in CSP lets attackers run harmful scripts easily. This can lead to Cross-Site Scripting (XSS) attacks and steal user data. It weakens browser protections meant to keep the website safe.

Vulnerable URLs: https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html

POC1: https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html






Date:

Mon. Tue. Wed. Thu. Fri. Sat. Sun

Notes



-
- Remediation:**
1. Remove 'unsafe-inline' and 'unsafe-eval' from script-src.
 2. Use CSP nonce or hashes for inline scripts.
 3. Avoid wildcard sources (*) in directives.

Reference: https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html



5. Web OWASP Top 10

OWASP Top 10-2025	Performed
A01:2025 - Broken Access Control	✓
A02:2025 - Security Misconfiguration	✓
A03:2025 - Software Supply Chain Failures	N/A
A04:2025 - Cryptographic Failures	✓
A05:2025 - Injection	✓
A06:2025 - Insecure Design	✓
A07:2025 - Authentication Failures	N/A
A08:2025 - Software or Data Integrity Failures	N/A
A09:2025 - Security Logging and Alerting Failures	N/A
A10:2025 - Mishandling of Exceptional Conditions	✓

6. Appendix

Appendix section - Non-vulnerable test cases

