

```
1 import os
2 import time
3 import random
4 import sys
5 import socket
6 import threading
7 import itertools
8 import requests
9 import pyqrcode
10 from queue import Queue
11 from barcode import EAN13
12 from barcode.writer import ImageWriter
13 from tqdm import tqdm
14 from pyfiglet import Figlet
15 import phonenumbers
16 from phonenumbers import carrier, geocoder
17 from tabulate import tabulate
18
19 def loading():
20     for _ in tqdm(range(100), desc="LOADING...", ascii=False, ncols=75):
21         time.sleep(0.01)
22
23 def font(text):
24     cool_text = Figlet(font="slant")
25     return str(cool_text.renderText(text))
26
27 def window_size(columns=120, height=30):
28     os.system('cls' if os.name == 'nt' else 'clear')
29     if os.name == 'nt':
30         os.system(f'mode con: cols={columns} lines={height}')
31
32 def find_my_ip():
33     window_size()
34     print(font("FIND MY IP"))
35     loading()
36     hostname = socket.gethostname()
37     IPAddr = socket.gethostbyname(hostname)
38     print(f"\nYour Device Name: {hostname}")
39     print(f"Your IP Address : {IPAddr}")
40     input("\nPress ENTER to return to menu...")
41
42 def password_generator():
43     window_size()
44     print(font("PASSWORD GENERATOR"))
45     loading()
46     length = int(input("\nEnter desired password length: "))
47     chars = "abcdefghijklmnopqrstuvwxyzABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890@#$$%^&*()[ ]{}/?<>\\|"
48     password = ''.join(random.sample(chars, length))
49     print(f"\nGenerated Password: {password}")
50     input("\nPress ENTER to return to menu...")
51
```

```

52 def wordlist_generator():
53     window_size()
54     print(font("WORDLIST GENERATOR"))
55     loading()
56     chars = input("\nEnter letters/characters for wordlist: ")
57     min_len = int(input("Enter minimum password length: "))
58     max_len = int(input("Enter maximum password length: "))
59     filename = input("Enter filename to save wordlist: ")
60
61     with open(filename, 'w') as f:
62         for length in range(min_len, max_len + 1):
63             for combo in itertools.product(chars, repeat=length):
64                 f.write(''.join(combo) + '\n')
65     print(f"\nWordlist saved as '{filename}'!")
66     input("\nPress ENTER to return to menu...")
67
68 def barcode_generator():
69     window_size()
70     print(font("BARCODE GENERATOR"))
71     loading()
72     number = input("\nEnter 12 digit number (EAN13 requires 12 digits): ")
73     if len(number) != 12 or not number.isdigit():
74         print("Invalid input. Must be 12 digits.")
75         return
76     barcode = EAN13(number, writer=ImageWriter())
77     filename = input("Enter filename to save barcode (without extension): ")
78     barcode.save(filename)
79     print(f"\nBarcode saved as {filename}.png!")
80     input("\nPress ENTER to return to menu...")
81
82 def qr_generator():
83     window_size()
84     print(font("QR CODE GENERATOR"))
85     loading()
86     data = input("\nEnter data for QR Code: ")
87     qr = pyqrcode.create(data)
88     filename = input("Enter filename to save QR code (without extension): ")
89     qr.png(f"{filename}.png", scale=8)
90     print(f"\nQR Code saved as {filename}.png!")
91     input("\nPress ENTER to return to menu...")
92
93 def phone_number_info():
94     window_size()
95     print(font("PHONE INFO"))
96     loading()
97     number = input("\nEnter phone number with country code (e.g., +14155552671): ")
98     parsed = phonenumbers.parse(number)
99     carrier_name = carrier.name_for_number(parsed, "en")
100    region_name = geocoder.description_for_number(parsed, "en")
101    print("\nPhone Number Information:")
102    print(tabulate([["Carrier", carrier_name], ["Region", region_name]], headers=["Field", "Info"], tablefmt="grid"))
103    input("\nPress ENTER to return to menu...")
104
105 def subdomain_scanner():
106     window_size()
107     print(font("SUBDOMAIN SCANNER"))

```

```

108     loading()
109     domain = input("\nEnter domain (e.g., example.com): ")
110     subdomains = ["www", "mail", "ftp", "test", "blog", "dev"]
111     found = []
112     for sub in subdomains:
113         url = f"http://{sub}.{domain}"
114         try:
115             requests.get(url)
116             found.append(url)
117         except requests.ConnectionError:
118             pass
119     if found:
120         print("\nFound Subdomains:")
121         for url in found:
122             print(url)
123     else:
124         print("\nNo subdomains found!")
125     input("\nPress ENTER to return to menu...")
126
127 def port_scanner():
128     window_size()
129     print(font("PORT SCANNER"))
130     loading()
131     target = input("\nEnter target IP or domain: ")
132     ports = [21, 22, 80, 443, 3306, 8080]
133     open_ports = []
134
135     def scan_port(port):
136         s = socket.socket(socket.AF_INET, socket.SOCK_STREAM)
137         socket.setdefaulttimeout(1)
138         try:
139             s.connect((target, port))
140             open_ports.append(port)
141             s.close()
142         except:
143             pass
144
145     threads = []
146     for port in ports:
147         t = threading.Thread(target=scan_port, args=(port,))
148         threads.append(t)
149         t.start()
150
151     for t in threads:
152         t.join()
153
154     if open_ports:
155         print("\nOpen Ports:")
156         for port in open_ports:
157             print(f"Port {port} is OPEN")
158     else:
159         print("\nNo open ports detected!")
160     input("\nPress ENTER to return to menu...")
161
162 def ddos_attack_tool():
163     window_size()

```

```

164     print(font("DDOS ATTACK"))
165     loading()
166     print("\nCOMING SOON!")
167     input("\nPress ENTER to return to menu...")
168
169 def main():
170     while True:
171         window_size()
172         print(font("RECON TOOL"))
173         print("1. My IP Address")
174         print("2. Password Generator")
175         print("3. Wordlist Generator")
176         print("4. Barcode Generator")
177         print("5. QR Code Generator")
178         print("6. Phone Number Info")
179         print("7. Subdomain Scanner")
180         print("8. Port Scanner")
181         print("9. DDOS Attack Tool")
182         print("10. Exit\n")
183
184         try:
185             choice = int(input("Enter your choice >>> "))
186         except ValueError:
187             print("Please enter a valid number!")
188             continue
189
190         if choice == 1:
191             find_my_ip()
192         elif choice == 2:
193             password_generator()
194         elif choice == 3:
195             wordlist_generator()
196         elif choice == 4:
197             barcode_generator()
198         elif choice == 5:
199             qr_generator()
200         elif choice == 6:
201             phone_number_info()
202         elif choice == 7:
203             subdomain_scanner()
204         elif choice == 8:
205             port_scanner()
206         elif choice == 9:
207             ddos_attack_tool()
208         elif choice == 10:
209             print("\nEXITTING PROGRAM...")
210             sys.exit()
211         else:
212             print("Invalid choice!")
213
214 if __name__ == "__main__":
215     main()
216

```





























