

REQUIREMENTS ANALYSIS DOCUMENT

September 8, 2016

Software Design COMS3009

FindMeTutor Android Application

Proposed idea by:

Shaneel James-718840

Jadon Manilal-815050

Jared Naidoo - 719238

Krupa Prag - 782681

Nivek Ranjith - 802119

Contents

1	INTRODUCTION	3
1.0.1	Purpose of the system	3
1.0.2	Scope of the system	3
1.0.3	Objective and success criteria of the project	3
1.0.4	Definitions, acronyms, and abbreviations	3
1.0.5	References	4
2	CURRENT SYSTEM	4
2.0.1	Overview	4
3	PROPOSED SYSTEM	4
3.1	Overview	4
3.2	Functional requirements - "Shall lists"	5
3.3	Functional requirements specification	7
3.3.1	Stakeholders	7
3.3.2	Actors and Goals	7
3.4	Non-functional requirements	8
3.5	On Screen Requirements	9
3.6	Acceptance Testing	9
3.7	System models	11
3.7.1	Scenario	11
3.7.2	User stories	12
3.7.3	Use cases models	13
3.7.4	Use case diagrams	18
3.7.5	Analysis object model	22
3.7.6	Dynamic model	22
3.7.7	User interface navigational paths and screen mock-ups	22
3.7.8	Operational requirements	22
4	Appendix	22

1 INTRODUCTION

1.0.1 Purpose of the system

The purpose of the FindMeTutor application is to provide a convenient means for tutors and students who are looking for tutors to be able to connect within a particular tertiary institute.

1.0.2 Scope of the system

Our team, working on the FindMeTutor application, envisions a successful product to be an Android Application which will be at a students's disposal in order to improve their grades and achieve their academic dreams. With limited resources, a stringent budget and capped time, we aim to execute this task in an economical fashion.

This goal will be achieved by making use of agile methodology. We will be able to set short term targets to achieve deliverables within sprints, with a long term goal being to present the FindMeTutor Android Application.

1.0.3 Objective and success criteria of the project

The FindMeTutor Android application will be seen as successful if it facilitates a platform on which tutors and students can meet. We have great hope that the result of this would mean better results obtained by the students, and a manner in which tutors can generate some income and gain some job experience.

1.0.4 Definitions, acronyms, and abbreviations

1. App - abbreviation for application.
2. Application - is a piece of software
3. Android - is a mobile operating system developed by Google.
4. OS - abbreviation for operating system.
5. Operating system - is a collection of software that communicates with hardware and allows other programs to run on it. It comprises of system software, or the fundamental files your computer needs to boot up and function.
6. Boot up - Processes started when computer is turned on
7. Java - is a high-level programming language

8. UI - abbreviation for User interface
9. User interface - is the means in which a person controls a software application or hardware device.
10. ID - abbreviation for identity
11. User ID - the identity that uniquely identifies someone on a computer system.
12. Sign in - when asked to enter username and password information. A sign in/ login is a combination of information that authenticates a user's identity.
13. SDK - abbreviation for Software Development Kit
14. Software Development Kit - collection of software used for developing applications for a specific device or operating system.

1.0.5 References

1. <http://techterms.com/definition> (2016-08-08)

2 CURRENT SYSTEM

2.0.1 Overview

Currently, there are many students in search of tutors to help them with particular courses with which they require some support, as well as fellow students or tutors who are available to tutor particular courses of study. However, the problem that is faced on hand is that either pool (students and tutors) are struggling to find each other.

3 PROPOSED SYSTEM

3.1 Overview

FindMeTutor app will be a platform through which students and tutors can meet in order to resolve the current situation.

FindMeTutor app will facilitate the following two registration categories:

1. Student looking for tutors they are able to register on the app with merely some personal details (demographic data, faculty registration details, security answer and password).
2. Tutor - those who would like to tutor can register on the app by simply filling in some details with respect to the fields of study they are particularly comfortable to tutor.

3.2 Functional requirements - "Shall lists"

Describes the high-level functionality of the system

Overview of Requirements

Item	Requirements to implement
0	Proposal
1	Student registration and login
2	Tutor registration and login
3	Administrator registration
4	Administrator capabilities
5	Students able to request a tutor
6	Tutor able to accept/reject tutor requests
7	Student able to handle 'Upcoming events'
8	Tutor able to handle 'Upcoming events'
9	Student able to rate a tutor
10	Student able to check-in/check-out of tutor sessions
11	Alert administrator if need for safety warning
12	Payments

Functional Requirements

Requirement	Functional Requirement	Use Case
RQ1.1	The system shall allow a student to register	UC-CS
RQ1.2	The system shall allow a student to update their account	UC-US
RQ1.3	The system shall allow a student to view their account details	UC-VS

RQ1.4	The system shall allow a student to mark their account as deleted	UC-DS
RQ1.5	The system shall allow a student who has forgotten their password to change their password	UC-US
RQ2.1	The system shall allow a tutor to register	UC-CT
RQ2.2	The system shall allow a tutor to update their account	UC-UT
RQ2.3	The system shall allow a tutor to view their account details	UC-VT
RQ2.4	The system shall allow a tutor to mark their account as deleted	UC-DT
RQ2.5	The system shall allow a tutor who has forgotten their password to change their password	UC-UT
RQ3.1	The system shall allow a administrator to update a student account	UC-US
RQ3.2	The system shall allow a administrator to view a student account details	UC-VS
RQ3.3	The system shall allow a administrator to mark a student as deleted	UC-DS
RQ3.4	The system shall allow a administrator to update a tutor account	UC-UT
RQ3.5	The system shall allow a administrator to view a tutor account details	UC-VT
RQ3.6	The system shall allow a administrator to mark a tutor account as deleted	UC-DT
RQ3.7	The system shall allow an administrator who has forgotten their password to change their password	UC-UA
RQ4.1	The system shall allow an administrator to register	UC-CA
RQ4.2	The system shall allow an administrator to update their account	UC-UA
RQ4.3	The system shall allow an administrator to view their account details	UC-VA
RQ4.4	The system shall allow an administrator to mark their account as deleted	UC-DA
RQ5.1	The system shall allow a student to request a tutor	UC-RT
RQ5.2	The system shall allow a student to choose a tutor from a list	UC-CT

RQ6.1	The system shall allow a tutor to accept a request	UC-AR
RQ6.2	The system shall allow a tutor to reject a request	UC-DR
RQ7.1	The system shall allow a student to add events to their personal 'Upcoming events'	UC-CE
RQ7.2	The system shall allow a student to view their upcoming events	UC-VE
RQ7.3	The system shall allow a student to update their upcoming events	UC-UE
RQ7.4	The system shall allow a student to delete their upcoming events	UC-DE
RQ8.1	The system shall allow a tutor to add events to their personal 'Upcoming events'	UC-CE
RQ8.2	The system shall allow a tutor to view their upcoming events	UC-VE
RQ8.3	The system shall allow a tutor to update their upcoming events	UC-UE
RQ8.4	The system shall allow a tutor to delete their upcoming events	UC-DE
RQ9.1	The system shall allow a student to rate a tutor	UC-R
RQ9.1	The system shall allow a student to check-in	UC-CI
RQ9.2	The system shall allow a student to check-out	UC-CO
RQ10.1	The system shall allow a tutor to check-in	UC-CI
RQ10.2	The system shall allow a tutor to check-out	UC-CO

3.3 Functional requirements specification

3.3.1 Stakeholders

- Students
- Tutors
- University (School of Computer Science and Applied Mathematics)

3.3.2 Actors and Goals

- Students - a registered user looking for a tutor

- Tutors - a registered user, whom is approachable to tutor particular subjects
- Database - records details of students and tutors. Stores required information with regards to tutorials for student and tutor.

3.4 Non-functional requirements

Describes the user-level requirements that are not directly related to the functionality.

3.3.1 Usability

The application will be user friendly as it will be pitched as an Android application which is supported by multiple devices (smartphones and tablets) that has Android as an OS. This will allow for the application to be easily accessible to students and tutors as majority of the students have access to these devices.

3.3.2 Reliability

The probability that the system will be able to process work correctly and completely without being aborted.

In the case of system failure, the damage that could be caused could be such where the personalised accounts of the application user will lose their preference choices of subjects selected on sign-up.

3.3.3 Performance

The response time between the UI and the server will be optimised. The expected volume of user activity will peak at the end of each academic term within the tertiary institute when examinations/tests will be approaching, while on a regular basis the application will be utilised when students who feel the need to get assistance immediately when they encounter a topic they require assistance in.

3.3.4 Supportability

The App will be facilitated over a spectrum of Android platform versions. The SDK supports 14-24.

3.3.5 Implementation

Our team has implemented the agile methodology in order to obtain our final goal of building the FindMeTutor application. For each sprint we will set targets of what we would like to achieve, with the objective of using these milestones to be building blocks towards our final goal.

3.3.6 Interface

The UI will be made in Android studio. The set up will be simple and neat. The app will be used by students who will be using the app in order to search for a tutor which is suitable to tutor, hence, with this intention, to prevent furthering the overwhelmed feeling, the app will not be cluttered and simple to use. The 'user-friendly' experience provided by the UI, will allow the user to interact with the app in a natural and intuitive way.

Each user's home page will be customized to the particular topics in which they are enrolled in or signed up to tutor, with respect to whether they are students or tutors.

3.3.7 Packaging

Android studio for development

Adobe illustrator and photoshop for App graphics - FindMeTutor logo

3.5 On Screen Requirements

3.6 Acceptance Testing

Acceptance Test for Req1

- ACT1.01 Ensure working connection between the application and its database (pass: database stores information and app displays required data from database)
- ACT1.01 Challenge registered student to register with taken identifier (fail)
- ACT1.01 Challenge new student to register with new identifier (pass)
- ACT1.01 Challenge registered student to update their account (pass)
- ACT1.01 Challenge registered student to view their account (pass)
- ACT1.01 Challenge registered tutor to register (fail)
- ACT1.01 Challenge new tutor to register (pass)
- ACT1.01 Challenge registered tutor to update their account (pass)
- ACT1.01 Challenge registered tutor to view their account (pass)

- ACT1.01 Challenge registered administrator to register (fail)
- ACT1.01 Challenge new administrator to register (pass)
- ACT1.01 Challenge registered administrator to update their account (pass)
- ACT1.01 Challenge registered administrator to view their account (pass)
- ACT1.01 Challenge registered administrator to view a registered student's account (pass)
- ACT1.01 Challenge registered administrator to update a registered student's account (pass)
- ACT1.01 Challenge registered administrator to mark a registered student's account as deleted (pass)
- ACT1.01 Challenge registered administrator to view a registered tutor's account (pass)
- ACT1.01 Challenge registered administrator to update a registered tutor's account (pass)
- ACT1.01 Challenge registered administrator to mark a registered tutor's account as deleted (pass)
- ACT1.01 A student requesting a tutor can request a tutor for a date/time already passed (fail)
- ACT1.01 A student requesting a tutor can request a tutor for a subject that they have not added to their account's personal details (fail)
- ACT1.01 A student requesting a tutor can request tutorials for various topics at a given time. ie. Student can request tutor for subject B while request tutor status for subject A is still pending (pass)
- ACT1.01 A student requesting a tutor can delete a request for a tutorial, if no longer require it. (fail)
- ACT1.01 A student receiving a tutor acceptance notification, can agree to tutorial (pass)

- ACT1.01 A student receiving a tutor acceptance notification, can disagree to tutorial . ie . They can decide to no longer want to continue with the tutorial, or have selected another tutor who has accepted their request.(pass)
- ACT1.01 Challenge registered administrator to register (fail)
- ACT1.01 Challenge new administrator to register (pass)

3.7 System models

3.7.1 Scenario

For instance, there is a student - Joe Soap - who is currently doing his 3rd year of study in computer science. Joe would like to generate some income from tutoring first and second year mathematics modules. However, Joe is also looking for a 3rd year Mathematics tutor to help him with some of his mathematics courses. We also know that the student, Mary Smith, is a first year astronomy student who is looking for a mathematics tutor. The FindMeTutor app will be ideal to resolve the problems faced in this particular scenario. Joe will register on the application as a student and as a tutor, on registering, he will select what he is capable and willing to tutor - first and second year mathematics. On the other hand, we will have Mary register as a student. Mary will then be able to search for the course she needs assistance in, for example Calculus I; any tutors who have uploaded material on this particular topic (Calculus I) will come up. Mary may find these resources useful, but if Mary does not get the assistance she requires from the material available, and would like to seek a personal tutor, Mary will click the 'Request tutor' button and this will send a request to all those who have registered to tutor Calculus I. Joe Soap will be part of the list of tutors approached. Joe accepts the request. Mary is notified of this and is now able to communicate with Joe to make further arrangements of time of meeting, venue and also to flag him of what sections she needs assistance in. On the other hand, Joe requires an 'Emergency lesson' this is a last minute lesson before his test which is scheduled to take place in a day's time. Tutors eligible to tutor Joe's course will be sent an 'Urgent request'. A tutor that accepts this request will communicate with Joe through the messaging facility which is made available. If the only possible means of

having a lesson before the test is to Skype each other, then the tutor and Joe will be redirected to a skype page which will facilitate this conference.

3.7.2 User stories

Identifier	User story	Size (points)
ST-1	As a student, I can register on the FindMeTutor application	5
ST-2	As a student, I can login to my account on the FindMeTutor application	5
ST-3	As a tutor, I can register on the FindMeTutor application	5
ST-4	As a tutor, I can login to my account on the FindMeTutor application	5
ST-6	As an administrator, I can register on the FindMeTutor application	5
ST-7	As an administrator, I can login to my account on the FindMeTutor application	5
ST-8	As a student, I can request a tutor	5
ST-9	As a student, I can add an event to my 'Upcoming events'	5
ST-10	As a student, I can ammend an event on my 'Upcoming events'	5
ST-11	As a student, I can delete an event on my 'Upcoming events'	5
ST-12	As a student, I can view an event on my 'Upcoming events'	5
ST-13	As a tutor, I can accept a tutor request	5
ST-14	As a tutor, I can reject a tutor request	5
ST-14	As a tutor, I can add an event to my 'Upcoming events'	5
ST-15	As a tutor, I can ammend an event on my 'Upcoming events'	5
ST-16	As a tutor, I can delete an event on my 'Upcoming events'	5
ST-17	As a tutor, I can view an event on my 'Upcoming events'	5
ST-18	As a student, I can select a tutor	5

ST-19	As a student, I can make contact with a tutor to make tutorial arrangements	5
ST-20	As a tutor, I can make tutorial arrangements with a student who has contacted me	5
ST-21	As a student, I can check-in to a tutorial session	5
ST-22	As a student, I can check-out to a tutorial session	5
ST-23	As a tutor, I can check-in to a tutorial session	5
ST-24	As a tutor, I can check-out to a tutorial session	5

3.7.3 Use cases models

Use cases

- Create Student UC-CS
- Update Student UC-US
- View Student UC-VS
- Archive Student UC-DS
- Create Tutor UC-CT
- Update Tutor UC-UT
- View Tutor UC-VT
- Archive Tutor UC-DT
- Create System Administrator UC-CA
- Update Student UC-UA
- View Student UC-VA
- Archive Student UC-DA
- Request Tutor UC-RT
- Choose Tutor UC-CT
- Create Event UC-CE

- Update Event UC-UE
- View Event UC-VE
- Archive Event UC-DE
- Rate Tutor UC-R
- Accept Request UC-AR
- Archive Request UC-DR
- Check-in UC-CI
- Check-out UC-CO

Use Case UC-CS: Create Student	
Related Requirements:	RQ1.1
Initiating actor:	Student
Actor goal:	To register on FindMeTutor
Participating Actors:	External Database System
Preconditions:	N/A
Postconditions:	Student is created
Flow of activities:	
<ol style="list-style-type: none"> 1. Student indicates sign up 2. System displays student sign up form 3. Student enters demographic data, faculty registration details, security answer and password 4. System sends demographic data, faculty registration details, security answer and password to external database system 5. Student is created 	

Use Case UC-US: Update Student	
Related Requirements:	RQ1.2, RQ3.1
Initiating actor:	Student or Administrator
Actor goal:	To update student demographic data, faculty registration details, security answer or password
Participating Actors:	External Database System
Preconditions:	Student exists
Postconditions:	Student is updated
Flow of activities:	
<ol style="list-style-type: none"> 1. Student/Administrator requests to update Student 2. System displays form to update Student 3. Student/Administrator enters demographic data, faculty registration details or security answer 4. System sends demographic data, faculty registration details, security answer or password to external database system 5. Student is updated 	
Use Case UC-CT: Create Tutor	
Related Requirements:	RQ2.1
Initiating actor:	Tutor
Actor goal:	To register on FindMeTutor
Participating Actors:	External Database System
Preconditions:	N/A
Postconditions:	Tutor is created
Flow of activities:	
<ol style="list-style-type: none"> 1. Tutor indicates sign up 2. System displays tutor sign up form 3. Tutor enters demographic data, courses tutored, security answer and password 4. System sends demographic data, courses tutored details, security answer and to external database system 5. Tutor is created 	

Use Case UC-UT: Update Tutor	
Related Requirements:	RQ2.2, RQ3.4
Initiating actor:	Tutor or Administrator
Actor goal:	To update Tutor demographic data, courses tutored, security answer or password
Participating Actors:	External Database System
Preconditions:	Tutor exists
Postconditions:	Tutor is updated
Flow of activities:	
<ol style="list-style-type: none"> 1. Tutor/Administrator requests to update Tutor 2. System displays form to update Tutor 3. Tutor/Administrator enters demographic data, faculty registration details or security answer 4. System sends demographic data, faculty registration details, security answer or password to external database system 5. Tutor is updated 	
Use Case UC-DS: Archive Student	
Related Requirements:	RQ1.4, RQ3.3
Initiating actor:	Student or Administrator
Actor goal:	To delete Student
Participating Actors:	External Database System
Preconditions:	Student exists
Postconditions:	Student is Archived
Flow of activities:	
<ol style="list-style-type: none"> 1. Student/Administrator requests to delete Student 2. System displays confirmation message 3. Student/Administrator enters confirmation 4. System sends archive Student signal to external database system 5. Student is archived 	

Use Case UC-DT: Archive Tutor	
Related Requirements:	RQ2.4, RQ3.6
Initiating actor:	Tutor or Administrator
Actor goal:	To delete Tutor
Participating Actors:	External Database System
Preconditions:	Tutor exists
Postconditions:	Tutor is Archived
Flow of activities:	
<ol style="list-style-type: none"> 1. Tutor/Administrator requests to delete Tutor 2. System displays confirmation message 3. Tutor/Administrator enters confirmation 4. System sends archive Tutor signal to external database system 5. Tutor is archived 	
Use Case UC-VT: View Tutor	
Related Requirements:	RQ2.3, RQ3.5
Initiating actor:	Tutor or Administrator
Actor goal:	To view Tutor
Participating Actors:	External Database System
Preconditions:	Tutor exists
Postconditions:	Tutor is viewed
Flow of activities:	
<ol style="list-style-type: none"> 1. Tutor/Administrator requests to view Tutor 2. System displays Tutor 3. Tutor is viewed 	
Use Case UC-VS: View Student	
Related Requirements:	RQ1.3, RQ3.2
Initiating actor:	Student or Administrator
Actor goal:	To view Student
Participating Actors:	External Database System
Preconditions:	Student exists
Postconditions:	Student is viewed
Flow of activities:	
<ol style="list-style-type: none"> 1. Student/Administrator requests to view Student 2. System displays Student 3. Student is viewed 	

3.7.4 Use case diagrams

Use cases:

Use cases:

Use cases

3.7.5 Analysis object model

(Attached P17)

3.7.6 Dynamic model

(Attached P18)

3.7.7 User interface navigational paths and screen mock-ups

(Attached P19)

3.7.8 Operational requirements

Operational requirements describe the non-business characteristics of an application.

3.5.1 Amazon Web Server - Web server to host the database

3.5.2 Android studio to design UI

3.5.3 GitHub to facilitate the build of the project among team members

3.5.4 MySQL which is the database management system used to house and control the database.

4 Appendix