# Cucumber Report

19 Dec 2023, 15:17:57

| Start : Dec 19, 3:17:38.581 pm | End : Dec 19, 3:17:55.118 pm | Duration : 16.537 s |
|---|---|---|
| Features | Scenarios | Steps |

| Features | Scenarios | Steps |
|---|---|---|
| PASSED - 0 | PASSED - 0 | PASSED - 8 |
| FAILED - 2 | FAILED - 4 | FAILED - 4 |
| SKIPPED - 0 | SKIPPED - 0 | SKIPPED - 27 |

2

4

39

Pass % 0 %

Pass % 0 %

Pass % 20 %

| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| *Computer Page Test Cases* | 9.750 s | 3 | 0 | 3 | 0 | 33 | 3 | 3 | 27 |
| *Login Page test cases* | 6.756 s | 1 | 0 | 1 | 0 | 6 | 5 | 1 | 0 |

| # | Feature Name | Scenario Name |
|---|---|---|
| 1 | *Computer Page Test Cases* | *Verify That User Should Build You Own Computer And Add Them To Cart Successfully* |
| 2 | | *Verify That User Should Build You Own Computer And Add Them To Cart Successfully* |
| 3 | | *Verify That User Should Build You Own Computer And Add Them To Cart Successfully* |
| 4 | *Login Page test cases* | *Verify the user should LogOut successfully* |

| TAG | Scenario | | | | Feature | | | |
|---|---|---|---|---|---|---|---|---|
| **Name** | **T** | **P** | **F** | **S** | **T** | **P** | **F** | **S** |
| @smoke | 4 | 0 | 4 | 0 | 2 | 0 | 2 | 0 |
| @regression | 4 | 0 | 4 | 0 | 2 | 0 | 2 | 0 |
| @author_Krupali | 4 | 0 | 4 | 0 | 2 | 0 | 2 | 0 |
| @sanity | 4 | 0 | 4 | 0 | 2 | 0 | 2 | 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Computer Page Test Cases | 3 | 0 | 3 | 0 | 9.750 s |
| 2 | Login Page test cases | 1 | 0 | 1 | 0 | 6.756 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Computer Page Test Cases | Verify That User Should Build You Own Computer And Add Them To Cart Successfully | 11 | 1 | 1 | 9 | 3.703 s |
| 2 | | Verify That User Should Build You Own Computer And Add Them To Cart Successfully | 11 | 1 | 1 | 9 | 2.611 s |
| 3 | | Verify That User Should Build You Own Computer And Add Them To Cart Successfully | 11 | 1 | 1 | 9 | 3.401 s |
| 4 | Login Page test cases | Verify the user should LogOut successfully | 6 | 5 | 1 | 0 | 6.756 s |

## Computer Page Test Cases

| FAILED | DURATION - 9.750 s | Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0 | 3 | Steps Total - 33 Pass - 3 Fail - 3 Skip - 27 | 33 |
|---|---|---|---|---|---|
| / 3:17:38.581 pm // 3:17:48.331 pm / | | | | | |

## Verify That User Should Build You Own Computer And Add Them To Cart Successfully

| FAILED | DURATION - 3.703 s | | Steps Total - 11 Pass - 1 Fail - 1 Skip - 9 | 11 |
|---|---|---|---|---|
| / 3:17:38.586 pm // 3:17:42.289 pm / | | | | |
| *Computer Page Test Cases* | | | | |
| @smoke @regression @author_Krupali @sanity | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User is on the  Home Page | PASSED | 0.001 s |
| 2 | When User Click on computer tab | FAILED | 0.003 s |
| | io.cucumber.core.exception.CucumberException: Step [User Click on computer tab] is defined with 1 parameters at 'com.nopcommerce.demo. steps.ComputerSteps.userClickOnComputerTab(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User Click on computer tab<br>  at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)<br>  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)<br>  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)<br>  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)<br>  at io.cucumber.core.runner.TestStep.run(TestStep.java:56)<br>  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)<br>  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)<br>  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)<br>  at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)<br>  at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)<br>  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)<br>  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)<br>  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)<br>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)<br>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)<br>at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)<br>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)<br>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)<br>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)<br>at org.testng.TestRunner.privateRun(TestRunner.java:848)<br>at org.testng.TestRunner.run(TestRunner.java:621)<br>at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)<br>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)<br>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)<br>at org.testng.SuiteRunner.run(SuiteRunner.java:336)<br>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)<br>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)<br>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)<br>at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)<br>at org.testng.TestNG.runSuites(TestNG.java:1114)<br>at org.testng.TestNG.run(TestNG.java:1082)<br>at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)<br>at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) | | |
| 3 | And User click on Desktops link | SKIPPED | 0.001 s |
| 4 | And User Click on product name "Build your own computer" | SKIPPED | 0.000 s |
| 5 | And User Select processor '2.2 GHz Intel Pentium Dual-Core E2200' | SKIPPED | 0.001 s |
| 6 | And User Select RAM '2 GB' | SKIPPED | 0.000 s |
| 7 | And User Select HDD '320 GB' | SKIPPED | 0.000 s |
| 8 | And User Select OS 'Vista Home [+$50.00]' | SKIPPED | 0.001 s |
| 9 | And User Select Software 'Microsoft Office [+$50.00]' | SKIPPED | 0.000 s |
| 10 | And User Click on "ADD TO CART" Button | SKIPPED | 0.000 s |
| 11 | Then User Verify message "The product has been added to your shopping cart" | SKIPPED | 0.000 s |
| | AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.452 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | Verify That User Should Build You Own Computer And Add Them To Cart Successfully<br> | | |

## Verify That User Should Build You Own Computer And Add Them To Cart Successfully

| FAILED | DURATION - 2.611 s |
|---|---|
| / 3:17:42.310 pm // 3:17:44.921 pm / | |
| Computer Page Test Cases | |
| @smoke @regression @author_Krupali @sanity | |

Steps
Total - 11
Pass - 1
Fail - 1
Skip - 9

11

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User is on the  Home Page | PASSED | 0.001 s |
| 2 | When User Click on computer tab | FAILED | 0.003 s |
| | io.cucumber.core.exception.CucumberException: Step [User Click on computer tab] is defined with 1 parameters at 'com.nopcommerce.demo. steps.ComputerSteps.userClickOnComputerTab(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User Click on computer tab<br>  at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)<br>  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)<br>  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)<br>  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)<br>  at io.cucumber.core.runner.TestStep.run(TestStep.java:56)<br>  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)<br>  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)<br>  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)<br>  at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)<br>  at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)<br>  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)<br>  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)<br>  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)<br>  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)<br>  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)<br>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)<br>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)<br>at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)<br>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)<br>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)<br>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)<br>at org.testng.TestRunner.privateRun(TestRunner.java:848)<br>at org.testng.TestRunner.run(TestRunner.java:621)<br>at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)<br>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)<br>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)<br>at org.testng.SuiteRunner.run(SuiteRunner.java:336)<br>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)<br>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)<br>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)<br>at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)<br>at org.testng.TestNG.runSuites(TestNG.java:1114)<br>at org.testng.TestNG.run(TestNG.java:1082)<br>at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)<br>at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) | | |
| 3 | And User click on Desktops link | SKIPPED | 0.000 s |
| 4 | And User Click on product name "Build your own computer" | SKIPPED | 0.000 s |
| 5 | And User Select processor '2.5 GHz Intel Pentium Dual-Core E2200 [+$15.00]' | SKIPPED | 0.000 s |
| 6 | And User Select RAM '4GB [+$20.00]' | SKIPPED | 0.000 s |
| 7 | And User Select HDD '400 GB [+$100.00]' | SKIPPED | 0.000 s |
| 8 | And User Select OS 'Vista Premium [+$60.00]' | SKIPPED | 0.001 s |
| 9 | And User Select Software 'Acrobat Reader [+$10.00]' | SKIPPED | 0.000 s |
| 10 | And User Click on "ADD TO CART" Button | SKIPPED | 0.000 s |
| 11 | Then User Verify message "The product has been added to your shopping cart" | SKIPPED | 0.000 s |
| | AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.298 s |
| | Verify That User Should Build You Own Computer And Add Them To Cart Successfully | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| |  | | |

## Verify That User Should Build You Own Computer And Add Them To Cart Successfully

| FAILED | DURATION - 3.401 s |
|--------|--------------------|
| / 3:17:44.930 pm // 3:17:48.331 pm / | |
| Computer Page Test Cases | |
| @smoke @regression @author_Krupali @sanity | |



**Steps**
Total - 11
Pass - 1
Fail - 1
Skip - 9

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | Given User is on the  Home Page | PASSED | 0.001 s |
| 2 | When User Click on computer tab | FAILED | 0.005 s |
| | io.cucumber.core.exception.CucumberException: Step [User Click on computer tab] is defined with 1 parameters at 'com.nopcommerce.demo. steps.ComputerSteps.userClickOnComputerTab(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User Click on computer tab | | |
| |   at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) | | |
| |   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) | | |
| |   at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) | | |
| |   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) | | |
| |   at io.cucumber.core.runner.TestStep.run(TestStep.java:56) | | |
| |   at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| |   at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| |   at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| |   at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) | | |
| |   at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137) | | |
| |   at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| |   at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) | | |
| |   at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| |   at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| |   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| |   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)<br>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)<br>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)<br>at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)<br>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)<br>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)<br>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)<br>at org.testng.TestRunner.privateRun(TestRunner.java:848)<br>at org.testng.TestRunner.run(TestRunner.java:621)<br>at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)<br>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)<br>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)<br>at org.testng.SuiteRunner.run(SuiteRunner.java:336)<br>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)<br>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)<br>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)<br>at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)<br>at org.testng.TestNG.runSuites(TestNG.java:1114)<br>at org.testng.TestNG.run(TestNG.java:1082)<br>at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)<br>at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) | | |
| 3 | And User click on Desktops link | SKIPPED | 0.002 s |
| 4 | And User Click on product name "Build your own computer" | SKIPPED | 0.001 s |
| 5 | And User Select processor '2.5 GHz Intel Pentium Dual-Core E2200 [+$15.00]' | SKIPPED | 0.000 s |
| 6 | And User Select RAM '8GB [+$60.00]' | SKIPPED | 0.001 s |
| 7 | And User Select HDD '320 GB' | SKIPPED | 0.001 s |
| 8 | And User Select OS 'Vista  Home [+$50.00]' | SKIPPED | 0.002 s |
| 9 | And User Select Software 'Total Commander [+$5.00]' | SKIPPED | 0.000 s |
| 10 | And User Click on "ADD TO CART" Button | SKIPPED | 0.001 s |
| 11 | Then User Verify message "The product has been added to your shopping cart" | SKIPPED | 0.001 s |
| | AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.939 s |
| | Verify That User Should Build You Own Computer And Add Them To Cart Successfully | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |

## Login Page test cases

| FAILED | DURATION - 6.756 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| / 3:17:48.362 pm // 3:17:55.118 pm / | | Total - 1 Pass - 0 Fail - 1 Skip - 0 | 1 | Total - 6 Pass - 5 Fail - 1 Skip - 0 | 6 |

### Verify the user should LogOut successfully

| FAILED | DURATION - 6.756 s | | Steps | |
|---|---|---|---|---|
| / 3:17:48.362 pm // 3:17:55.118 pm / | | | Total - 6 Pass - 5 Fail - 1 Skip - 0 | 6 |
| Login Page test cases | | | | |
| @smoke @regression @author_Krupali @sanity | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User is on the Home Page | PASSED | 0.001 s |
| 2 | When User click on login link | PASSED | 1.245 s |
| 3 | And User enter password | PASSED | 0.193 s |
| 4 | And User click on Login Button | PASSED | 0.136 s |
| 5 | And User click on LogOut Link | PASSED | 0.308 s |
| 6 | Then User verify the display text of Login Link | FAILED | 0.085 s |
| | java.lang.AssertionError: Error expected [Log in] but found [true]<br>    at org.testng.Assert.fail(Assert.java:111)<br>    at org.testng.Assert.failNotEquals(Assert.java:1578)<br>    at org.testng.Assert.assertEqualsImpl(Assert.java:150) | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| | at org.testng.Assert.assertEquals(Assert.java:132)<br>at com.nopcommerce.demo.steps.LoginSteps.userVerifyTheDisplayTextOfLoginLink(LoginSteps.java:61)<br>at ?.User verify the display text of Login Link(file:///C:/Users/ahirg/IdeaProjects/project-1-nop-commerce-demo-sw-6-krupali-lalkia/src/test/resources/features/login.feature:29)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)<br><br>Verify the user should LogOut successfully | PASSED | 0.338 s |