SRT411A0

Krupesh

February 19, 2019

Introduction to Assignment

In this assignment we have to complete the To-do list from the document in this link ¹ and have to read and understand ², ³, ⁴, ⁵, ⁶, ⁷, ⁸ content from this websites. After completing this to-do in R markdown we have to convert this .Rmd file into the PDF using Knit, after that we have to make an account in the GitHub and make a repository which will include the .Rmd file and PDF file of the R code and output and one read me file which will explain the assignment

```
The TO-DO

1)
((2018-2014)/(2014-1999))*100

## [1] 26.66667
2)
a=((2018-2014)/(2014-1999))*100
a

## [1] 26.66667
3)
sum(4,5,8,11)

## [1] 28
4)
plot(rnorm(100))
```

¹https://cran.r-project.org/doc/contrib/Torfs+Brauer-Short-R-Intro.pdf

²http://rmarkdown.rstudio.com/

³http://nicercode.github.io/guides/reports/


⁴http://kbroman.org/knitr_knutshell/pages/markdown.html

⁵http://kbroman.org/knitr_knutshell/pages/Rmarkdown.html

⁶https://www.rstudio.com/wp-content/uploads/2015/02/rmarkdown-cheatsheet.pdf

⁷https://github.com/


⁸ https://www.dataquest.io/blog/how-to-share-data-science-portfolio/



help(sqrt)


6)

plot(rnorm(100))



```
7)
P = seq(from=31, to=60, by=1)
Q= matrix(P,ncol = 5, nrow = 6)
P
```

```
## [1] 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53
## [24] 54 55 56 57 58 59 60
Q
        [,1] [,2] [,3] [,4] [,5]
##
## [1,]
          31
               37
                     43
                          49
## [2,]
               38
          32
                     44
                          50
                                56
## [3,]
          33
                39
                     45
                          51
                                57
## [4,]
               40
                     46
                          52
                               58
          34
## [5,]
          35
                41
                     47
                          53
                                59
## [6,]
          36
                42
                          54
                                60
                     48
  8)
x1=seq(from=1, to=100, by=1)
x2=seq(from=101, to=200, by=1)
x3=seq(from=201, to=300, by=1)
t= data.frame(a=x1,b=x1+x2,c=x1+x2+x3)
plot(t)
                             100
                                   150
                                         200
                                              250
                                                    300
                                                                                   100
                                                                                   9
               a
                                                                                   20
300
200
                                         b
9
                                                                                   9
                                                                                   200
                                                                    С
                                                                                   400
                                                                                   300
   0
        20
            40
                         100
                                                        300
                                                               400
                                                                       500
                                                                               600
                 60
                     80
  9)
plot(t$a, type="l", ylim=range(t), lwd=3, col=rgb(1,0,0,0.3))
lines(t$b, type="s", lwd=2,col=rgb(0.3,0.4,0.3,0.9))
points(t$c, pch=20, cex=4,col=rgb(0,0,1,0.3))
```



```
d2 = read.table(file="tst1.txt",header=TRUE)
d2$g*5
## [1] 15 20 25
date1=strptime( c("20160127","20161003"),format="%Y%m%d")
present=c(10,6)
date1
## [1] "2016-01-27 EST" "2016-10-03 EDT"
present
## [1] 10 6
 13)
vector=seq(from=1, to=100, by=1)
s=c()
for(i in 1:100)
{
  if(vector[i]<5)</pre>
    s[i]=vector[i]*5;
  else if(vector[i]>90)
```

```
s[i]=vector[i]*10;
  }
  else
  {
    s[i]=vector[i]*0.1;
  }
}
s
     [1]
             5.0
                    10.0
                           15.0
                                   20.0
                                            0.5
                                                    0.6
                                                           0.7
                                                                   0.8
                                                                           0.9
##
                                                                                   1.0
##
    [11]
             1.1
                     1.2
                            1.3
                                    1.4
                                            1.5
                                                    1.6
                                                            1.7
                                                                   1.8
                                                                           1.9
                                                                                   2.0
##
    [21]
             2.1
                     2.2
                            2.3
                                    2.4
                                            2.5
                                                           2.7
                                                                           2.9
                                                    2.6
                                                                   2.8
                                                                                   3.0
                                                                   3.8
##
    [31]
             3.1
                     3.2
                            3.3
                                    3.4
                                            3.5
                                                    3.6
                                                           3.7
                                                                           3.9
                                                                                   4.0
##
    [41]
             4.1
                     4.2
                            4.3
                                    4.4
                                            4.5
                                                    4.6
                                                            4.7
                                                                   4.8
                                                                           4.9
                                                                                   5.0
##
    [51]
             5.1
                     5.2
                            5.3
                                    5.4
                                            5.5
                                                    5.6
                                                            5.7
                                                                   5.8
                                                                           5.9
                                                                                   6.0
    [61]
                            6.3
                                                            6.7
                                                                           6.9
##
             6.1
                     6.2
                                    6.4
                                            6.5
                                                    6.6
                                                                   6.8
                                                                                   7.0
    [71]
             7.1
                     7.2
                            7.3
                                    7.4
                                            7.5
                                                    7.6
                                                            7.7
                                                                   7.8
                                                                           7.9
##
                                                                                   8.0
##
    [81]
             8.1
                     8.2
                            8.3
                                    8.4
                                            8.5
                                                    8.6
                                                           8.7
                                                                   8.8
                                                                           8.9
                                                                                   9.0
##
    [91]
           910.0
                  920.0
                          930.0
                                  940.0
                                          950.0
                                                 960.0
                                                        970.0
                                                                 980.0
                                                                         990.0 1000.0
 14)
fun= function(arg1,arg2 )
  vector[i] = arg1[i];
  for(i in length(vector))
  {
  }
}
```

Refrences

- 1. https://cran.r-project.org/doc/contrib/Torfs+Brauer-Short-R-Intro.pdf
- 2. http://rmarkdown.rstudio.com/
- 3. http://nicercode.github.io/guides/reports/
- 4. http://kbroman.org/knitr_knutshell/pages/markdown.html
- 5. http://kbroman.org/knitr_knutshell/pages/Rmarkdown.html
- 6. https://www.rstudio.com/wp-content/uploads/2015/02/rmarkdown-cheatsheet.pdf
- 7. https://github.com/
- 8. https://www.dataquest.io/blog/how-to-share-data-science-portfolio/