A SEMINAR REPORT ON

Li-Fi Technology

SUBMITTED TOWARDS THE
PARTIAL FULFILLMENT OF THE ACADEMIC REQUIREMENTS
FOR THE SEMESTER V

BACHELOR OF TECHNOLOGY

(Third Year Computer Engineering)

Submitted by

Krushnalal Shivlal Thakare

PRN No:24054491245176



SHRI VILE PARLE KELAVANI MANDAL'S
INSTITUTE OF TECHNOLOGY,DHULE 424001
Affiliated To
DR.BABASAHEB AMBEDKAR TECHNOLOGICAL
UNIVERSITY, LONERE
Year:2026-2027

SHRI VILE PARLE KELAVANI MANDAL'S
INSTITUTE OF TECHNOLOGY,DHULE
DEPARTMENT OF COMPUTER ENGINEERING

CERTIFICATE

This is to certify that the A Seminar Entitled

Li-Fi Technology

Submitted by

Krushnalal Shivlal Thakare PRN No: 24054491245176

is a bonafide work carried out by Student under the supervision of Prof.Madhuri H. Patil and it is submitted towards the partial fulfillment of the Academic requirements for the Semester V (Third Year Computer Engineering).

Prof.Madhuri H. Patil
Seminar Coordinator
Dept. of Computer Engg.

Dr.Makrand Shahade
H.O.D
Dept. of Computer Engg.

Dr.Nilesh Salunke
Principal
SVKM'S Institute of Technology,Dhule

SEMINAR APPROVAL SHEET

A Seminar Title

Li-Fi Technology

Is successfully completed by

Krushnalal Shivlal Thakre Exam No: 24054491245176

at

DEPARTMENT OF COMPUTER ENGINEERING

SHRI VILE PARLE KELAVANI MANDAL'S INSTITUTE OF TECHNOLOGY,DHULE

DR.BABASAHEB AMBEDKAR TECHNOLOGICAL UNIVERSITY,LONERE

ACADEMIC YEAR 2026-2027

Prof.Madhuri H. Patil
Seminar Coordinator

Acknowledgments

It gives me great pleasure in presenting the preliminary seminar report on **'Li-Fi Technology '**.

I would like to take this opportunity to thank our seminar coordinator **Prof.Madhuri H. Patil** for giving me all the help and guidance I needed. I really grateful to her for kind support.Her valuable suggestions were very helpful.

I also grateful to **Dr.Makarand Shahade**,H.O.D.Department of Computer Engineering for his indispensable support and suggestions.

I express my heartfelt thanks to Hon.Principal **Dr.Nilesh Salunke** for providing various infrastructural facility ,other resources, encouragement and support in academics.

I would like to thanks to all teaching and non-teaching staff of Department of Computer Engineering for their encouragement and suggestions for my seminar.My sincere thanks to all my friends, who helped me directly or indirectly in completing this seminar work.I would like to express my appreciation for the wonderful experience while completions of this seminar work.

Krushnalal Shivlal Thakare
(T.Y. Computer Engg.)

Abstract

Li-Fi (Light Fidelity) is an emerging wireless communication technology that uses light to transmit data. Unlike traditional Wi-Fi, which uses radio waves, Li-Fi uses light signals, mainly from LED lamps, to provide wireless communication. It is an interesting technology because light can be used for both illumination and data transmission.

Today, the use of the internet and wireless devices is increasing rapidly. As more devices connect to wireless networks, problems such as network congestion, interference, and security concerns may arise. Li-Fi is being studied as an additional communication technology that can help address some of these challenges.

A basic Li-Fi system consists of a transmitter and a receiver. The transmitter uses an LED light to send information by changing its light intensity at a very high speed. A photodetector at the receiver detects these changes and converts them back into digital information. These changes are generally too fast to be noticed by the human eye.

Li-Fi has possible applications in hospitals, airplanes, offices, smart homes, educational institutions, and industrial environments. Its main advantages include the potential for high-speed data transfer, reduced radio-frequency interference, and improved room-level signal security. However, it also has limitations such as limited coverage, signal blockage by objects, and the need for special hardware.

This seminar studies the basic concept, system architecture, working principle, applications, advantages, and limitations of Li-Fi technology. It also discusses the future possibilities of combining Li-Fi with Wi-Fi to improve wireless communication.

Keywords: Li-Fi, Light Fidelity, Visible Light Communication, LED, Photodetector, Wireless Communication. .

Contents

1 Introduction **1**
1.1 Seminar Idea 1
1.2 Motivation 1

2 Problem Statement **1**

3 Literature Survey **2**
3.1 Related Work Done 2
3.2 Limitation of Existing System 2

4 System Architecture **4**
4.1 Working of Architecture/Design 4

5 Applications/Advantages **6**

6 Conclusion and future scope **8**

7 References **10**

List of Figures

4.1 System Architecture 5

Chapter 1

Introduction

1.1 Seminar Idea

Li-Fi stands for Light Fidelity. It is a wireless communication technology that uses light instead of radio waves to transmit data. It mainly uses LED lights to send information from one device to another. In traditional wireless communication, Wi-Fi uses radio-frequency signals. In Li-Fi technology, data is transmitted through rapid changes in the intensity of light. These changes are detected by a receiver and converted back into digital information. The main idea of this seminar is to understand how light can be used for wireless data communication. The seminar focuses on the basic working principle, architecture, advantages, limitations, and future applications of Li-Fi technology. Li-Fi has the potential to provide fast and efficient communication in environments such as offices, hospitals, classrooms, and smart buildings. It can also work together with existing Wi-Fi networks to improve connectivity.

1.2 Motivation

The demand for high-speed internet and wireless communication is increasing every day. People use the internet for education, business, entertainment, communication, and many other activities. Traditional Wi-Fi networks may face problems such as network congestion and radio-frequency interference when many devices are connected. Therefore, researchers are exploring alternative wireless communication technologies. LED lights are already widely used in homes, offices, hospi-

tals, and educational institutions. Li-Fi technology provides an opportunity to use these lights not only for illumination but also for data communication. The main motivation behind studying Li-Fi technology is to understand how light can support faster, more efficient, and potentially more secure wireless communication. Li-Fi may help reduce dependence on radio-frequency networks in certain environments.

Chapter 2

Problem Statement

Wireless communication plays an important role in modern life. Most existing wireless networks use radio-frequency signals to transfer data. However, increasing numbers of connected devices can create network congestion, interference, and communication challenges. In some environments, such as hospitals and industrial facilities, reducing radio-frequency interference can be important. Wireless communication systems also require suitable security measures to protect transmitted information. To address some of these challenges, alternative communication methods are being studied. **Problem Statement:** To study and understand a wireless communication system that uses LED light for data transmission, with the aim of supporting high-speed communication, reducing radio-frequency interference, and improving communication efficiency in suitable environments. **Objectives:**

1. To understand the basic concept of Li-Fi technology.
2. To study the architecture and working principle of a Li-Fi system.
3. To identify the applications and advantages of Li-Fi.
4. To understand the limitations of light-based communication.
5. To explore the future scope of Li-Fi technology.

Chapter 3

Literature Survey

3.1 Related Work Done

Visible Light Communication (VLC) has been studied by researchers as an alternative method of wireless data transmission. It uses visible light to carry information between devices.
In 2011, Professor Harald Haas demonstrated the concept of wireless data communication using LED light during a TEDGlobal talk titled "Wireless Data from Every Light Bulb." This demonstration helped introduce the concept of Li-Fi to a wider audience.
Researchers have since studied different methods to improve the speed, reliability, and efficiency of Li-Fi systems. Research has focused on LED modulation, optical receivers, signal processing, and indoor wireless communication.
In 2023, IEEE published the IEEE 802.11bb standard for light-based wireless communication. This was an important development toward standardizing Li-Fi communication.
Recent research also explores the combination of Li-Fi and Wi-Fi networks. Such hybrid systems may provide better connectivity by using the advantages of both radio-frequency and light-based communication.
These studies show that Li-Fi is a promising technology with potential applications in smart buildings, hospitals, transportation, and other environments.

3.2 Limitation of Existing System

Traditional Wi-Fi is one of the most commonly used wireless communication technologies. Although it provides convenient internet access, it has certain limitations.

1. **Network Congestion:** When many devices are connected to the same wireless network, the available bandwidth is shared, which may reduce performance.

2. **Radio-Frequency Interference:** Wi-Fi signals may be affected by other wireless devices operating in similar frequency bands.

3. **Security Challenges:** Wi-Fi signals can pass through walls, so unauthorized users may attempt to access the network if suitable security measures are not used.

4. **Limited Radio Spectrum:** Wireless communication systems must share available radio-frequency spectrum, which can create challenges as demand increases.

5. **Sensitive Environments:** Radio-frequency communication may require additional planning in environments where electromagnetic interference is a concern.

Li-Fi is being explored as a complementary technology to address some of these challenges. However, Li-Fi also has limitations, including restricted coverage, possible signal blockage, and the need for compatible equipment.

Chapter 4

System Architecture

4.1 Working of Architecture/Design

A basic Li-Fi communication system consists of two main parts: the transmitter and the receiver. **1. Transmitter Section** The transmitter is responsible for sending data through light signals. It contains the following components:

- **Data Source:** Provides digital information from a computer or another device.
- **LED Driver:** Converts the data into suitable electrical signals and controls the LED.
- **LED Lamp:** Transmits the information by changing its light intensity at high speed.

2. Receiver Section

The receiver detects the light signals and converts them back into digital information. It contains the following components:

- **Photodetector:** Detects changes in the received light and converts them into electrical signals.
- **Signal Processing Unit:** Processes and decodes the received signals.
- **Output Device:** Receives and uses the final digital information.

Working Principle

First, digital data is provided to the transmitter. The LED driver controls the LED according to the data. The LED produces rapid changes in light intensity, which carry the information through the air.

The photodetector at the receiving side detects these changes in light intensity and converts them into electrical signals. The signal processing unit then processes the signals and recovers the original digital information.

Finally, the recovered data is delivered to the receiving device, such as a computer or laptop.

Architecture Flow:

Data Source → LED Driver → LED Light → Optical Signal → Photodetector → Signal Processing → Output Device

This process demonstrates how light can be used as a medium for wireless data communication.




Figure 4.1: System Architecture

Chapter 5

Applications/Advantages

Applications of Li-Fi Technology

1. Hospitals

Li-Fi can be useful in hospitals and healthcare environments where reducing radio-frequency interference is important. It may support wireless communication in suitable indoor areas.

2. Airplanes

Li-Fi has the potential to provide wireless data communication inside aircraft cabins using light-based connections.

3. Smart Homes

LED lights in smart homes can potentially be used for lighting as well as communication between compatible smart devices.

4. Offices and Educational Institutions

Li-Fi can support indoor wireless communication in offices, classrooms, libraries, and laboratories.

5. Industrial Environments

Li-Fi may be useful in industrial areas where radio-frequency interference needs to be reduced.

6. Underwater Communication

Light-based communication can be useful for certain short-distance underwater data links.

Advantages of Li-Fi Technology

1. **High-Speed Communication:** Li-Fi has the potential to provide high data transmission speeds.

2. **Reduced Radio Interference:** Li-Fi uses optical signals, so the optical communication link does not produce radio-frequency interference.

3. **Room-Level Security:** Visible light cannot normally pass through opaque walls, which can help limit the coverage of a communication signal.

4. **Large Optical Spectrum:** Li-Fi uses the optical spectrum, providing an additional medium for wireless communication.

5. **Energy-Efficient Lighting:** Li-Fi can be combined with energy-efficient LED lighting systems.

6. **Complementary Communication:** Li-Fi can work alongside Wi-Fi to improve wireless connectivity in suitable environments.

Chapter 6

Conclusion and future scope

Conclusion

Li-Fi (Light Fidelity) is an emerging wireless communication technology that uses light to transfer digital information. Unlike Wi-Fi, which uses radio waves, Li-Fi mainly uses LED light signals for communication.

This seminar studied the basic concept, system architecture, working principle, applications, advantages, and limitations of Li-Fi technology.

Li-Fi offers the potential for high-speed data communication, reduced radio-frequency interference, and improved room-level signal security. It may be useful in hospitals, airplanes, offices, educational institutions, and smart buildings.

However, Li-Fi also has certain limitations, such as restricted coverage, signal blockage by physical objects, interference from other light sources, and the requirement for special hardware.

Overall, Li-Fi is a promising technology that can complement existing wireless communication systems.

Future Scope

1. **Smart Cities:** Li-Fi may be integrated with smart lighting systems to support future communication services.

2. **Smart Homes:** Future homes may use LED lighting systems for both illumination and wireless communication.

3. **Hybrid Li-Fi and Wi-Fi Networks:** Combining Li-Fi and Wi-Fi may provide better connectivity and network performance.

4. **Improved Communication Speed:** Future research may increase the data transmission speed and efficiency of Li-Fi systems.

5. **Healthcare Applications:** Li-Fi may support communication in healthcare environments where radio-frequency interference is a concern.

6. **Improved Hardware:** Development of affordable and compact Li-Fi devices may increase the practical use of this technology.

In the future, Li-Fi could become an important part of wireless communication systems, working together with existing technologies to provide efficient connectivity.

Chapter 7

References

REFERENCES
[1] Harald Haas, "Wireless Data from Every Light Bulb," TEDGlobal, 2011.
https://www.ted.com/talks/harald_haas_wireless_data_from_every_light_bulb
[2] IEEE, "IEEE Std 802.11bb-2023: Light Communications Amendment," 2023.
https://standards.ieee.org/ieee/802.11bb/10823/
[3] Harald Haas, "LiFi is a Paradigm-Shifting 5G Technology," Reviews in Physics, Vol. 3, pp. 26–31, 2018.
[4] IEEE Xplore Digital Library, Research Publications on Li-Fi and Visible Light Communication.
https://ieeexplore.ieee.org/
[5] ScienceDirect, Research Articles on Optical Wireless Communication and Li-Fi Technology.
https://www.sciencedirect.com/ .